

Chemical Analysis Report

NW-DIST-2017-09-14-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Baker/Crestview Run WBID 50 28 30G 336 321 83 91
Blank/DUP**
Request ID: **RQ-2017-08-28-11**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 04-OCT-2017 11:35

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Wilkinson Creek abv Wilkinson Bluff Rd

Collection Date/Time: 09/13/2017 10:50

Field ID: G4NW0357

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928969	EPA 180.1 Rev. 2.0	Turbidity	1.9		NTU	P331655	
	EPA 300.0 Rev. 2.1	Chloride	3.1		mg Cl/L	P331809	
		Sulfate	1.1		mg SO4/L	P331808	
	SM 2120 B	Color (true)	20		PCU	P331658	
	SM 2320 B-97	Total Alkalinity	1.4	I	mg CaCO3/L	P331804	
	SM 2540 C-97	TDS	16	I	mg/L	P332017	
	SM 2540 D-97	TSS	2	I	mg/L	P331811	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
1928977	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P331841	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.13	I	mg N/L	P331802	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.20		mg N/L	P331815	
	EPA 365.1 Rev. 2.0	Total-P	0.005	I	mg P/L	P331915	
	SM 5310 B-00	Organic Carbon	1.6		mg C/L	P332048	
1928985	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P331637	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Trammel Creek East of HWY 4

Collection Date/Time: 09/13/2017 11:10

Field ID: G4NW0052

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928970	EPA 180.1 Rev. 2.0	Turbidity	3.0		NTU	P331656	
	EPA 300.0 Rev. 2.1	Chloride	4.5		mg Cl/L	P331809	
		Sulfate	3.8		mg SO4/L	P331808	
	SM 2120 B	Color (true)	42		PCU	P331658	
	SM 2320 B-97	Total Alkalinity	12		mg CaCO3/L	P331804	
	SM 2540 C-97	TDS	36		mg/L	P332018	
	SM 2540 D-97	TSS	2	I	mg/L	P331812	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
1928978	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P331841	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.24		mg N/L	P331802	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.14		mg N/L	P331816	
	EPA 365.1 Rev. 2.0	Total-P	0.021		mg P/L	P331915	
	SM 5310 B-00	Organic Carbon	3.9		mg C/L	P332048	
1928986	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.006	I	mg P/L	P331637	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Trammel Creek East of HWY 4

Collection Date/Time: 09/13/2017 11:15

Field ID: G4NW0052DUPLICATE

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928971	EPA 180.1 Rev. 2.0	Turbidity	3.2		NTU	P331656	

Field ID: G4NW0052DUPLICATE

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928971	EPA 300.0 Rev. 2.1	Chloride	4.6		mg Cl/L	P331809	
		Sulfate	3.9		mg SO4/L	P331808	
	SM 2120 B	Color (true)	43		PCU	P331658	
	SM 2320 B-97	Total Alkalinity	12		mg CaCO3/L	P331804	
	SM 2540 C-97	TDS	33		mg/L	P332018	
	SM 2540 D-97	TSS	3	I	mg/L	P331812	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
1928979	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P331842	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.27		mg N/L	P331802	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.14		mg N/L	P331816	
	EPA 365.1 Rev. 2.0	Total-P	0.021		mg P/L	P331915	
	SM 5310 B-00	Organic Carbon	4.1		mg C/L	P332048	
1928987	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.006	I	mg P/L	P331638	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Trammel Creek East of HWY 4

Collection Date/Time: 09/13/2017 11:20

Field ID: FIELDBLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928972	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P331656	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P331810	
		Sulfate	0.20	U	mg SO4/L	P331807	
	SM 2120 B	Color (true)	2.5	U	PCU	P331658	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P331804	
	SM 2540 C-97	TDS	15	U	mg/L	P332018	
	SM 2540 D-97	TSS	2	U	mg/L	P331812	
1928980	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P331842	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P331802	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P331815	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P331915	
1928988	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P332048	
		O-Phosphate-P	0.004	U	mg P/L	P331638	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Green Branch above Buck Tyner Rd

Collection Date/Time: 09/13/2017 11:55

Field ID: G4NW0207

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928973	EPA 180.1 Rev. 2.0	Turbidity	3.7	A	NTU	P331656	
	EPA 300.0 Rev. 2.1	Chloride	4.4		mg Cl/L	P331810	
		Sulfate	0.59		mg SO4/L	P331807	

Field ID: G4NW0207

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928973	SM 2120 B	Color (true)	62		PCU	P331658	
	SM 2320 B-97	Total Alkalinity	4.6		mg CaCO3/L	P331804	
	SM 2540 C-97	TDS	28		mg/L	P332018	
	SM 2540 D-97	TSS	2	U	mg/L	P331812	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
1928981	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P331842	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.27		mg N/L	P331802	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.006	I	mg N/L	P331816	
	EPA 365.1 Rev. 2.0	Total-P	0.015		mg P/L	P331915	
	SM 5310 B-00	Organic Carbon	5.3		mg C/L	P332048	
1928989	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.007	I	mg P/L	P331638	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Big Horse Creek @ Old River Road

Collection Date/Time: 09/13/2017 12:25

Field ID: G4NW0298

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928974	EPA 180.1 Rev. 2.0	Turbidity	4.5		NTU	P331656	
	EPA 300.0 Rev. 2.1	Chloride	3.5		mg Cl/L	P331810	
		Sulfate	0.92		mg SO4/L	P331807	
	SM 2120 B	Color (true)	41		PCU	P331658	
	SM 2320 B-97	Total Alkalinity	2.3	I	mg CaCO3/L	P331804	
	SM 2540 C-97	TDS	22	I	mg/L	P332018	
	SM 2540 D-97	TSS	6	I	mg/L	P331812	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
1928982	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P331842	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.24		mg N/L	P331802	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.074		mg N/L	P331816	
	EPA 365.1 Rev. 2.0	Total-P	0.027		mg P/L	P331916	
	SM 5310 B-00	Organic Carbon	3.4		mg C/L	P332048	
1928990	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.011		mg P/L	P331638	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Oak Creek below Tommy Steel Road

Collection Date/Time: 09/13/2017 13:10

Field ID: G4NW0395

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928975	EPA 180.1 Rev. 2.0	Turbidity	7.2		NTU	P331656	
	EPA 300.0 Rev. 2.1	Chloride	3.3		mg Cl/L	P331810	
		Sulfate	1.2		mg SO4/L	P331807	
	SM 2120 B	Color (true)	83	A	PCU	P331658	
	SM 2320 B-97	Total Alkalinity	2.3	I	mg CaCO3/L	P331804	

Field ID: G4NW0395

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928975	SM 2540 C-97	TDS	37		mg/L	P332018	
	SM 2540 D-97	TSS	15		mg/L	P331812	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
1928983	EPA 350.1 Rev. 2.0	Ammonia-N	0.005		mg N/L	P331842	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.35		mg N/L	P331864	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P331816	
	EPA 365.1 Rev. 2.0	Total-P	0.024		mg P/L	P331916	
	SM 5310 B-00	Organic Carbon	5.2		mg C/L	P332048	
1928991	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P331638	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Hurricane Creek below Hurricane Lake

Collection Date/Time: 09/13/2017 13:40

Field ID: G4NW0160

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1928976	EPA 180.1 Rev. 2.0	Turbidity	2.3		NTU	P331656	
	EPA 300.0 Rev. 2.1	Chloride	2.6		mg Cl/L	P331810	
		Sulfate	0.56		mg SO4/L	P331807	
	SM 2120 B	Color (true)	29		PCU	P331658	
	SM 2320 B-97	Total Alkalinity	3.0		mg CaCO3/L	P331804	
	SM 2540 C-97	TDS	23	I	mg/L	P332018	
	SM 2540 D-97	TSS	2	I	mg/L	P331812	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331806	
1928984	EPA 350.1 Rev. 2.0	Ammonia-N	0.029		mg N/L	P331842	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.38		mg N/L	P331864	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.013		mg N/L	P331816	
	EPA 365.1 Rev. 2.0	Total-P	0.013		mg P/L	P331916	
	SM 5310 B-00	Organic Carbon	4.1		mg C/L	P332048	
1928992	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P331638	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P331655

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P331656

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331807

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331808

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331809

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331810

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331841

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331842

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331802

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331864

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331815

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331816

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331915

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331916

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331637

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331638

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P331658

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P331804

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P332017

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P332018

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
 Batch ID: P331811

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
 Batch ID: P331812

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
 Batch ID: P331806

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
 Batch ID: P332048

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P331807

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	96.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P331808

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P331809

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P331810

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P331841

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331841

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	105		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331842

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	106		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331802

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331864

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331815

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331816

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331915

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	93.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331916

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	95.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331637

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	105		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331638

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.5		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P331804

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P331806

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.4		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P332048

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.8		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331807

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1929010	Sulfate	93.7		P	90 - 110
1929132	Sulfate	95.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331808

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928946	Sulfate	95.1		P	90 - 110
1928969	Sulfate	92.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331809

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928946	Chloride	94.2		P	90 - 110
1928969	Chloride	93.0		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331810

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1929010	Chloride	95.6		P	90 - 110
1929132	Chloride	97.8		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331841

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928918	Ammonia-N	101	99.4	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331842

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928979	Ammonia-N	103	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331864

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1929012	Kjeldahl Nitrogen	101	98.3	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331815

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928948	NO2NO3-N	104	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331816

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928981	NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331915

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928948	Total-P	91.0	93.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331916

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1929011	Total-P	94.3	95.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331637

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928926	O-Phosphate-P	96.2	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331638

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928991	O-Phosphate-P	98.8	100	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P331806

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928915	Fluoride	94.6	94.6	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P332048

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1928919	Organic Carbon	95.6	96.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P331655

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928946	Turbidity	1.63	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P331656

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928973	Turbidity	2.17	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331807

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1929132	Sulfate	1.61	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331808

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928946	Sulfate	0.249	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331809

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928946	Chloride	0.0716	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331810

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331810

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1929132	Chloride	1.18	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331841

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928918	Ammonia-N	1.87	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331842

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928979	Ammonia-N	0.955	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331802

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928948	Kjeldahl Nitrogen	0.476	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331864

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1929012	Kjeldahl Nitrogen	1.96	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331815

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928948	NO2NO3-N	1.32	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331816

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928981	NO2NO3-N	0.466	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331915

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928948	Total-P	2.36	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P331916

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1929011	Total-P	1.57	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P331637

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928926	O-Phosphate-P	1.36	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P331638

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928991	O-Phosphate-P	1.71	Spike	P	0 - 20

Reference Method: SM 2120 B

Batch ID: P331658

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928975	Color (true)	2.90	Sample	P	0 - 20

Reference Method: SM 2320 B-97

Batch ID: P331804

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928915	Total Alkalinity	0.178	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97

Batch ID: P332017

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928909	TDS	2.94	Sample	P	0 - 10

Reference Method: SM 2540 C-97

Batch ID: P332018

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1929009	TDS	6.37	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97

Batch ID: P331806

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928915	Fluoride	0.0	Spike	P	0 - 3.0

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P332048

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1928919	Organic Carbon	0.938	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A78912
Included Lab Sample IDs: 1928985, 1928986, 1928987, 1928988, 1928989, 1928990, 1928991, 1928992

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.9	P/P	90 - 110
O-Phosphate-P	102	101	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A78924
Included Lab Sample IDs: 1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105
Turbidity	99.5	100	P/P	95 - 105

Reference Method: SM 2120 B
Run ID: A78925
Included Lab Sample IDs: 1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	99.9	P/P	90 - 115

Reference Method: SM 2320 B-97
Run ID: A78985
Included Lab Sample IDs: 1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	98.7	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A78985
Included Lab Sample IDs: 1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	97.5	98.1	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A78987
Included Lab Sample IDs: 1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A78987

Included Lab Sample IDs: 1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	101	P/P	90 - 110
Chloride	99.0	97.7	P/P	90 - 110
Chloride	99.4	99.0	P/P	90 - 110
Sulfate	100	99.3	P/P	90 - 110
Sulfate	100	101	P/P	90 - 110
Sulfate	99.3	98.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A78997

Included Lab Sample IDs: 1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A79012

Included Lab Sample IDs: 1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	102	P/P	90 - 110
Ammonia-N	102	103	P/P	90 - 110
Ammonia-N	102	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A79058

Included Lab Sample IDs: 1928977, 1928980, 1928981, 1928982

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	95.0	94.3	P/P	90 - 110
Kjeldahl Nitrogen	96.8	95.0	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A79077

Included Lab Sample IDs: 1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.2	95.4	P/P	90 - 110
Organic Carbon	94.6	94.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A79085

Included Lab Sample IDs: 1928978, 1928979, 1928983, 1928984

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	97.4	P/P	90 - 110
Kjeldahl Nitrogen	96.6	101	P/P	90 - 110
Kjeldahl Nitrogen	99.5	93.2	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A79103

Included Lab Sample IDs: 1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.2	97.5	P/P	90 - 110
Total-P	99.2	98.2	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				1.63	
	Turbidity				2.17	
EPA 300.0 Rev. 2.1	Chloride	98.7	94.2 93.0		0.0716	
	Chloride	97.3	97.8 95.6		1.18	
	Sulfate	96.8	95.8 93.7		1.61	
	Sulfate	97.8	95.1 92.7		0.249	
EPA 350.1 Rev. 2.0	Ammonia-N	105	101 99.4			1.87
	Ammonia-N	106	103 102			0.955
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102				0.476
	Kjeldahl Nitrogen	104	101 98.3			1.96
EPA 353.2 Rev. 2.0	NO2NO3-N	104	104 105			1.32
	NO2NO3-N	105	104 104			0.466
EPA 365.1 Rev. 2.0	Total-P	93.0	91.0 93.3			2.36
	Total-P	95.2	94.3 95.8			1.57
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	105	96.2 98.0			1.36
	O-Phosphate-P	99.5	98.8 100			1.71
SM 2120 B	Color (true)				2.90	
SM 2320 B-97	Total Alkalinity	101			0.178	
SM 2540 C-97	TDS				2.94	
	TDS				6.37	
SM 4500 F-C-97	Fluoride	96.4	94.6 94.6			0.0
SM 5310 B-00	Organic Carbon	95.8	95.6 96.4			0.938

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1928985, 1928986, 1928987, 1928988, 1928989, 1928990, 1928991, 1928992
SM 2120 B / E31780	True Color measured at 450 nm	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/14/2017			09/14/2017 14:48	DeAsia Armster	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
EPA 300.0 Rev. 2.1	09/14/2017			09/18/2017	Julia Storbeck	1928969
	09/14/2017			09/19/2017	Julia Storbeck	1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
EPA 350.1 Rev. 2.0	09/14/2017			09/19/2017	Sofia Elnemr	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984
EPA 351.2 Rev. 2.0	09/14/2017	09/19/2017	Adrian Shelby	09/21/2017	Tanya Welborn	1928977, 1928978, 1928979, 1928980, 1928981, 1928982
	09/14/2017	09/20/2017	Adrian Shelby	09/21/2017	Tanya Welborn	1928983, 1928984
EPA 353.2 Rev. 2.0	09/14/2017			09/19/2017	Beverly Y. Sanders	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984
EPA 365.1 Rev. 2.0	09/14/2017	09/20/2017	Sima Feizi	09/22/2017	Lipi Saha	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984
EPA 365.1 Rev. 2.0 dissolved	09/14/2017			09/14/2017 13:56	Megan Treadwell	1928991
	09/14/2017			09/14/2017 14:20	Megan Treadwell	1928985
	09/14/2017			09/14/2017 14:21	Megan Treadwell	1928986
	09/14/2017			09/14/2017 14:22	Megan Treadwell	1928987
	09/14/2017			09/14/2017 14:23	Megan Treadwell	1928988
	09/14/2017			09/14/2017 14:24	Megan Treadwell	1928989
	09/14/2017			09/14/2017 14:25	Megan Treadwell	1928990, 1928992
SM 2120 B	09/14/2017			09/14/2017 16:31	DeAsia Armster	1928969
	09/14/2017			09/14/2017 16:32	DeAsia Armster	1928970
	09/14/2017			09/14/2017 16:33	DeAsia Armster	1928971, 1928972
	09/14/2017			09/14/2017 16:34	DeAsia Armster	1928973
	09/14/2017			09/14/2017 16:35	DeAsia Armster	1928974
	09/14/2017			09/14/2017 16:36	DeAsia Armster	1928975
	09/14/2017			09/14/2017 16:37	DeAsia Armster	1928976
SM 2320 B-97	09/14/2017			09/18/2017	Dale L. Simmons	1928969, 1928970, 1928971, 1928972, 1928973, 1928974
	09/14/2017			09/19/2017	Dale L. Simmons	1928975, 1928976
SM 2540 C-97	09/14/2017			09/15/2017	DeAsia Armster	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
SM 2540 D-97	09/14/2017			09/18/2017	DeAsia Armster	1928969, 1928970, 1928971, 1928972, 1928973, 1928974, 1928975, 1928976
SM 4500 F-C-97	09/14/2017			09/18/2017	Dale L. Simmons	1928969, 1928970, 1928971, 1928972, 1928973, 1928974
	09/14/2017			09/19/2017	Dale L. Simmons	1928975, 1928976
SM 5310 B-00	09/14/2017			09/21/2017	Ping Hua	1928977, 1928978, 1928979, 1928980, 1928981, 1928982, 1928983, 1928984