

Date of Request: 11-DEC-2017  
 Created By: KING\_M On: 11-DEC-2017  
 Modified By: SWANSON\_C On: 12-DEC-2017  
 Customer: NW-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: Northwest ROC  
 Sampling Event: Continuous monitoring Clear Creek

**Send Coolers To:**

Phone: SC-695-0605  
 160 W Government st  
 Suite 208A  
 Pensacola, FL 32502-5794  
 Attn: Michael King

Program Module Number: 1306  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 12-DEC-2017  
 Biology Request Reviewed By: SWANSON\_C On: 12-DEC-2017  
 Sampling Kit Required: NO Ship on:  
 Sampling Kit Shipped:  
 Sampling Kit Packed By:  
 Preservatives Needed: NO  
 Date to Receive Samples: 18-DEC-2017  
 Received By: REAVES\_S On: 21-DEC-2017

**Send Final Report To:**

160 W Government st  
 Suite 208A  
 Pensacola, FL 32502-5794  
 Attn: Michael King

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments:

**Bottle Group A (Water) With 1 Samples:**

|                            |                      |                                                                                                              |
|----------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L          | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| ALKALINITY                 | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                  |
| Total Alkalinity           |                      |                                                                                                              |
| TURBIDITY                  | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                  |                      |                                                                                                              |
| W-CL-IC                    | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| Chloride                   |                      |                                                                                                              |
| W-COLOR                    | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                    |
| Color (true)               |                      |                                                                                                              |
| W-F                        | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| Fluoride                   |                      |                                                                                                              |
| W-SO4-IC                   | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| Sulfate                    |                      |                                                                                                              |
| W-TDS                      | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                    |
| TDS                        |                      |                                                                                                              |
| W-TSS                      | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                    |
| TSS                        |                      |                                                                                                              |
| Bottle Type: BP-1L         | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                 | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected   |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected |                      |                                                                                                              |
| Phaeophytin-a              |                      |                                                                                                              |
| Bottle Type: P-500ML       | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                |
| W-NH3                      | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| Ammonia-N                  |                      |                                                                                                              |
| W-NO2NO3                   | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| NO2NO3-N                   |                      |                                                                                                              |

**Bottle Group A (Water) With 1 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                            |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                      |
| Total-P              |                      |                                                                                          |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                         |
| Kjeldahl Nitrogen    |                      |                                                                                          |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                           |
| Organic Carbon       |                      |                                                                                          |
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                      |                                                                                          |