

SMP 2017 Freshwater Kit A

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: WQAP

Requester: Chris Green

Field Report Prepared By: Chris Green

Project ID: SMP

Collected By: Chris Green/Jessie Tolbert III

Sampling Agency: DEP 8034

Locatic		G1TLHR0066-2017-01		☐ Comp		Collection (comp begin or grab)		☒ Eastern		Composite end		Bottle Group(s)	
Field ID		WBID 3573Z Field ID ↑ STORET ↓		☒ Grab		Date 3-30-2017 Time 12:45		Central		Date		Time	
STORE		Steinhatchee Spring @ SE Wolf Rd		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		A	
Latitude		☐ dd ☐ dms		Temp (C) 20.3		pH 7.4		☒ % sat		(mg/L)			
Longitude		☐ dd ☐ dms		Salinity (ppt) 0.29		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 594			
Comments													

Location		☐ Comp		Collection (comp begin or grab)		☐ Eastern		Composite end		Bottle Group(s)	
Field ID		☐ Grab		Date		Central		Date		Time	
STORET #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine			
Latitude		☐ dd ☐ dms		Temp (C)		pH		Sample Depth			
Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments					

Location		☐ Comp		Collection (comp begin or grab)		☐ Eastern		Composite end		Bottle Group(s)	
Field ID		☐ Grab		Date		Central		Date		Time	
STORET #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine			
Latitude		☐ dd ☐ dms		Temp (C)		pH		Sample Depth			
Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments					

Location		☐ Comp		Collection (comp begin or grab)		☐ Eastern		Composite end		Bottle Group(s)	
Field ID		☐ Grab		Date		Central		Date		Time	
STORET #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine			
Latitude		☐ dd ☐ dms		Temp (C)		pH		Sample Depth			
Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments					

Location		☐ Comp		Collection (comp begin or grab)		☐ Eastern		Composite end		Bottle Group(s)	
Field ID		☐ Grab		Date		Central		Date		Time	
STORET #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine			
Latitude		☐ dd ☐ dms		Temp (C)		pH		Sample Depth			
Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By: C. Green	Date/Time: 3-30-17	Shipping Method: Hand	Number of Coolers Shipped: 1	Received By: [Signature]	Date/Time: 3-30-17/14:34
---------------------------	--------------------	-----------------------	------------------------------	--------------------------	--------------------------

Group: A Bottle Type: P-1L # of Bottles: 10 Preservative: ICE Enter Number of Bottles Sent to Lab _____

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-TDS
W-TSS

Group: A Bottle Type: BP-1L # of Bottles: 10 Preservative: ICE Enter Number of Bottles Sent to Lab _____

CHLSUITE-W

Group: A Bottle Type: P-500ML # of Bottles: 10 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab _____

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 10 Preservative: ICE-FLTR Enter Number of Bottles Sent to Lab _____

W-PO4-F

Date of Request: 30-JAN-2017
 Created By: GREEN_C On: 30-JAN-2017
 Modified By: SWANSON_C On: 02-FEB-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: SMP 2017 Freshwater Kit A

Send Coolers To:

Phone: 850-245-8413
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Chris Green

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 31-JAN-2017
 Biology Request Reviewed By: SWANSON_C On: 02-FEB-2017
 Sampling Kit Required: YES Ship on: 22-FEB-2017
 Sampling Kit Shipped: YES On: 20-FEB-2017
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 20-FEB-2017
 Received By: SHAIK_A On: 30-MAR-2017

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Chris Green

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 10 Samples:**

Bottle Type: P-1L	Number of Bottles: 10	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 10	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 10	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 10	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ- 2017-02-20-28

Shipping Method: H D

Date/Time of Receipt: 3-30-17/14:34

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	3.9C	4		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes / No /

CONTAINER CHECK

**Evidence Tape on Bottles? Yes / No / If yes, is it intact? Yes / No /

**Caps on tight? Yes / No / **Containers intact? Yes / No /

**Sufficient Sample Volume: Yes / No /

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-Cl-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes / No / NA / Init: ASB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes / No / NA / Init: /

Coolers Unpacked/Checked by: ASB Date: 3-30-17 NCRs (Y/N)? /

Event ID: SMP 2017 Freshwater Kit A NCR # /

WQAP-2017-03-30-11 (SMP)

Date Received: 30-MAR-2017 14:34

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments: