

Chemical Analysis Report

WQAP-2017-05-09-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **B/T/M only**
Request ID: **RQ-2017-04-17-32**
Customer: **WQAP**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
MS #3525
Tallahassee, FL 32399-2400
Attn: Michael Eckles

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 24-MAY-2017 10:49



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Polk Creek @ Hwy 20

Collection Date/Time: 05/09/2017 09:35

Field ID: G1TLHR0055-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1897662	EPA 8321B	Sucralose**	0.016	I	ug/L	P324900	
	USGS O-2060-01	2,4-D	8.0E-04	U	ug/L	P324958	
		Diuron	8.0E-04	U	ug/L	P324958	
		Fenuron	0.0040	U	ug/L	P324958	
		Imidacloprid	8.0E-04	U	ug/L	P324958	MS
		Bentazon	8.0E-04	U	ug/L	P324958	
		Linuron	0.0040	U	ug/L	P324958	
		Acetaminophen**	0.0080	U	ug/L	P324958	
		MCP	8.0E-04	U	ug/L	P324958	
		Carbamazepine**	4.0E-04	U	ug/L	P324958	
		Triclopyr**	0.0040	U	ug/L	P324958	
		Primidone**	0.0040	U	ug/L	P324958	
		Fluridone**	4.0E-04	U	ug/L	P324958	

Sample Location: Harvey Creek @ Hwy 20

Collection Date/Time: 05/09/2017 10:05

Field ID: G1TLHR0058-2017-02

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1897663	EPA 8321B	Sucralose**	0.010	U	ug/L	P324900	
	USGS O-2060-01	2,4-D	8.0E-04	U	ug/L	P324958	
		Diuron	8.0E-04	U	ug/L	P324958	
		Fenuron	0.0040	U	ug/L	P324958	
		Imidacloprid	8.0E-04	U	ug/L	P324958	MS
		Bentazon	8.0E-04	U	ug/L	P324958	
		Linuron	0.0040	U	ug/L	P324958	
		Acetaminophen**	0.0080	U	ug/L	P324958	
		MCP	8.0E-04	U	ug/L	P324958	
		Carbamazepine**	4.0E-04	U	ug/L	P324958	
		Triclopyr**	0.0040	U	ug/L	P324958	
		Primidone**	0.0040	U	ug/L	P324958	
		Fluridone**	4.0E-04	U	ug/L	P324958	

Sample Location: Ocklawaha Creek @ SR 65

Collection Date/Time: 05/09/2017 12:40

Field ID: G1TLHR0054-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1897664	EPA 8321B	Sucralose**	0.010	U	ug/L	P324900	
	USGS O-2060-01	2,4-D	8.0E-04	U	ug/L	P324958	
		Diuron	8.0E-04	U	ug/L	P324958	
		Fenuron	0.0040	U	ug/L	P324958	
		Imidacloprid	8.0E-04	U	ug/L	P324958	MS
		Bentazon	8.0E-04	U	ug/L	P324958	
		Linuron	0.0040	U	ug/L	P324958	
		Acetaminophen**	0.0080	U	ug/L	P324958	

Field ID: G1TLHR0054-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1897664	USGS O-2060-01	MCP	8.0E-04	U	ug/L	P324958	
		Carbamazepine**	4.0E-04	U	ug/L	P324958	
		Triclopyr**	0.0040	U	ug/L	P324958	
		Primidone**	0.0040	U	ug/L	P324958	
		Fluridone**	4.0E-04	U	ug/L	P324958	

Sample Location: Big Creek @ SR 65

Collection Date/Time: 05/09/2017 13:20

Field ID: G1TLHR0056-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1897665	EPA 8321B	Sucralose**	0.010	U	ug/L	P324900	
	USGS O-2060-01	2,4-D	8.0E-04	U	ug/L	P324958	
		Diuron	8.0E-04	U	ug/L	P324958	
		Fenuron	0.0040	U	ug/L	P324958	
		Imidacloprid	8.0E-04	U	ug/L	P324958	MS
		Bentazon	8.0E-04	U	ug/L	P324958	
		Linuron	0.0040	U	ug/L	P324958	
		Acetaminophen**	0.0080	U	ug/L	P324958	
		MCP	8.0E-04	U	ug/L	P324958	
		Carbamazepine**	4.0E-04	U	ug/L	P324958	
		Triclopyr**	0.0040	U	ug/L	P324958	
		Primidone**	0.0040	U	ug/L	P324958	
		Fluridone**	4.0E-04	U	ug/L	P324958	

Quality Assurance Report Method Blank Results

Reference Method: EPA 8321B

Batch ID: P324900

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: USGS O-2060-01

Batch ID: P324958

Component	Result	Code	Units
2,4-D	8.0E-04	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0040	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
MCP	8.0E-04	U	ug/L
Primidone	0.0040	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P324900

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	89.1		P	40 - 140

Reference Method: USGS O-2060-01
Batch ID: P324958

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	65.0		P	40 - 140
Acetaminophen	81.3		P	40 - 140
Bentazon	56.7		P	40 - 140
Carbamazepine	88.2		P	40 - 140
Diuron	117		P	40 - 140
Fenuron	117		P	40 - 140
Fluridone	94.2		P	40 - 140
Imidacloprid	113		P	40 - 160
Linuron	111		P	40 - 140
MCP	69.0		P	40 - 140
Primidone	101		P	40 - 140
Triclopyr	66.6		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P324900

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1897662	Sucralose	91.7	96.9	P/P	40 - 140

Reference Method: USGS O-2060-01
Batch ID: P324958

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1897361	2,4-D	67.6	62.2	P/P	40 - 140
1897361	Acetaminophen	80.7	96.1	P/P	40 - 140
1897361	Bentazon	64.4	58.9	P/P	40 - 140
1897361	Carbamazepine	76.0	76.4	P/P	40 - 140
1897361	Diuron	89.9	83.7	P/P	40 - 140
1897361	Fenuron	80.1	77.8	P/P	40 - 140
1897361	Fluridone	66.7	54.6	P/P	40 - 140
1897361	Imidacloprid	201	188	F/F	40 - 160
1897361	Linuron	101	95.8	P/P	40 - 140
1897361	MCP	59.3	55.9	P/P	40 - 140
1897361	Primidone	100	97.5	P/P	40 - 140
1897361	Triclopyr	58.8	57.9	P/P	40 - 140

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: EPA 8321B
 Batch ID: P324900

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1897662	Sucralose	5.43	Spike	P	0 - 30

Reference Method: USGS O-2060-01
 Batch ID: P324958

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1897361	2,4-D	7.18	Spike	P	0 - 30
1897361	Acetaminophen	17.4	Spike	P	0 - 30
1897361	Bentazon	6.98	Spike	P	0 - 30
1897361	Carbamazepine	0.466	Spike	P	0 - 30
1897361	Diuron	7.00	Spike	P	0 - 30
1897361	Fenuron	2.84	Spike	P	0 - 30
1897361	Fluridone	10.1	Spike	P	0 - 30
1897361	Imidacloprid	6.57	Spike	P	0 - 30
1897361	Linuron	4.89	Spike	P	0 - 30
1897361	MCP	5.68	Spike	P	0 - 30
1897361	Primidone	2.79	Spike	P	0 - 30
1897361	Triclopyr	1.58	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1897662
 Field Sample ID: G1TLHR0055-2017-01

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	104	P	40 - 150
USGS O-2060-01	2,4-D-d3	74.1	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	94.4	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	109	P	30 - 160
USGS O-2060-01	Diuron-d6	102	P	30 - 150
USGS O-2060-01	Primidone-d5	113	P	30 - 150

Lab Sample ID: 1897663
 Field Sample ID: G1TLHR0058-2017-02

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	116	P	40 - 150
USGS O-2060-01	2,4-D-d3	86.3	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	85.2	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	106	P	30 - 160
USGS O-2060-01	Diuron-d6	96.9	P	30 - 150
USGS O-2060-01	Primidone-d5	99.8	P	30 - 150

Quality Assurance Report Surrogates

Lab Sample ID: 1897664

Field Sample ID: G1TLHR0054-2017-01

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	120	P	40 - 150
USGS O-2060-01	2,4-D-d3	94.0	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	88.8	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	92.8	P	30 - 160
USGS O-2060-01	Diuron-d6	82.5	P	30 - 150
USGS O-2060-01	Primidone-d5	100	P	30 - 150

Lab Sample ID: 1897665

Field Sample ID: G1TLHR0056-2017-01

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	102	P	40 - 150
USGS O-2060-01	2,4-D-d3	89.1	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	86.0	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	108	P	30 - 160
USGS O-2060-01	Diuron-d6	91.6	P	30 - 150
USGS O-2060-01	Primidone-d5	91.0	P	30 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A76559

Included Lab Sample IDs: 1897662, 1897663, 1897664, 1897665

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	87.9	91.1	P/P	60 - 150
Sucralose	98.8	82.1	P/P	60 - 150

Reference Method: USGS O-2060-01

Run ID: A76569

Included Lab Sample IDs: 1897662, 1897663, 1897664, 1897665

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	80.0	93.2	P/P	50 - 150
2,4-D	99.2	100	P/P	50 - 150
Acetaminophen	122	126	P/P	60 - 150
Acetaminophen	91.6	88.0	P/P	60 - 150
Bentazon	102	106	P/P	50 - 150
Bentazon	98.8	98.8	P/P	50 - 150
Carbamazepine	108	103	P/P	60 - 150
Carbamazepine	84.8	119	P/P	60 - 150
Diuron	102	98.8	P/P	60 - 150
Diuron	126	134	P/P	60 - 150
Fenuron	110	101	P/P	60 - 150
Fenuron	124	129	P/P	60 - 150
Fluridone	112	101	P/P	60 - 150
Fluridone	148	153	P/P	60 - 150
Imidacloprid	108	129	P/P	60 - 150
Imidacloprid	87.2	99.2	P/P	60 - 150
Linuron	102	93.2	P/P	60 - 150

Quality Assurance Report Calibration Verification

Reference Method: USGS O-2060-01

Run ID: A76569

Included Lab Sample IDs: 1897662, 1897663, 1897664, 1897665

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Linuron	119	121	P/P	60 - 150
MCP	89.6	96.4	P/P	50 - 150
MCP	96.0	96.4	P/P	50 - 150
Primidone	102	80.8	P/P	60 - 150
Primidone	114	117	P/P	60 - 150
Triclopyr	102	104	P/P	50 - 150
Triclopyr	88.8	92.0	P/P	50 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 8321B	Sucralose	89.1	91.7 96.9			5.43
USGS O-2060-01	2,4-D	65.0	67.6 62.2			7.18
	Acetaminophen	81.3	80.7 96.1			17.4
	Bentazon	56.7	64.4 58.9			6.98
	Carbamazepine	88.2	76.0 76.4			0.466
	Diuron	117	89.9 83.7			7.00
	Fenuron	117	80.1 77.8			2.84
	Fluridone	94.2	66.7 54.6			10.1
	Imidacloprid	113	201 188			6.57
	Linuron	111	101 95.8			4.89
	MCP	69.0	59.3 55.9			5.68
	Primidone	101	100 97.5			2.79
	Triclopyr	66.6	58.8 57.9			1.58

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1897662, 1897663, 1897664, 1897665
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1897662, 1897663, 1897664, 1897665
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1897662, 1897663, 1897664, 1897665

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	05/09/2017	05/18/2017	Mohammad Ghaffari	05/18/2017	Mohammad Ghaffari	1897662
	05/09/2017	05/18/2017	Mohammad Ghaffari	05/19/2017	Mohammad Ghaffari	1897663, 1897664, 1897665
USGS O-2060-01	05/09/2017	05/15/2017	Hoor Shaik	05/17/2017	Juyoung Kim	1897662
	05/09/2017	05/15/2017	Hoor Shaik	05/19/2017	Juyoung Kim	1897663
	05/09/2017	05/15/2017	Hoor Shaik	05/20/2017	Juyoung Kim	1897664, 1897665