

Central Laboratory Submittal Form

Customer: WTRSHD-MGT

Requester: Gary Maddox

Field Report Prepared By:

Project ID: SPG_QTR_WQ

Collected By:

Sampling Agency:

Location	G1TLHR0062-2017-01		☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern ☒ Central	Composite end	Bottle Group(s)	
Field ID	WBID 3480	Field ID $\uparrow$ STORET $\downarrow$	Date	4/27/17	Time	12:00	Date	(See pg 2)	
STORET	Bethel Creek @ SE Waccamaw Ave	G1TLHR0062	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Diss. Oxygen	89% 7.5% ☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	A	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)	21.1	pH	7.2	Sp. Conductance (umho/cm)	126
Salinity (ppt)	.06	Comments							
Location	G1TLHR0047-2017-01		☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern ☒ Central	Composite end	Bottle Group(s)	
Field ID	WBID 3389	Field ID $\uparrow$ STORET $\downarrow$	Date	4/27/17	Time	10:20	Date	(See pg 2)	
STORET	Sugar Creek @ Suwannee River	G1TLHR0047	Matrix (type, e.g., Salt, Fresh, etc)	Fresh	Diss. Oxygen	9.1% 97% ☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	A	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)	18.6	pH	7.7	Sp. Conductance (umho/cm)	129
Salinity (ppt)	.06	Comments							
Location			☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern ☒ Central	Composite end	Bottle Group(s)	
Field ID			Date		Time		Date		
STORET #			Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)		pH		Sp. Conductance (umho/cm)	
Salinity (ppt)		Comments							
Location			☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern ☒ Central	Composite end	Bottle Group(s)	
Field ID			Date		Time		Date		
STORET #			Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)		pH		Sp. Conductance (umho/cm)	
Salinity (ppt)		Comments							

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Jessie Tolbert	4/27/17 14:04	Hand Delivered	1	APB	4-27-17 14:04

Group: A Bottle Type: P-1L # of Bottles: 15 Preservative: ICE Enter Number of Bottles Sent to Lab 2

ALKALINITY
TURBIDITY
W-BR-IC
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: A Bottle Type: P-500ML # of Bottles: 15 Preservative: HNO3 Enter Number of Bottles Sent to Lab AA

W-ICP

Group: A Bottle Type: P-500ML # of Bottles: 15 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 2

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 15 Preservative: ICE-FLTR Enter Number of Bottles Sent to Lab 2

W-PO4-F

Group A
Ecoli

Group A

W-S-A-TP
W-ViterB-AA

2

2

Date of Request: 24-MAR-2017
 Created By: GREEN_C On: 24-MAR-2017
 Modified By: MATTHEWS_D On: 03-APR-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: SMP 2017 Freshwater Kit A with B/T/M

Send Coolers To:

Phone: 850-245-8413
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Chris Green

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Michael Eckles

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 27-MAR-2017
 Biology Request Reviewed By: MATTHEWS_D On: 03-APR-2017
 Sampling Kit Required: YES Ship on: 13-APR-2017
 Sampling Kit Shipped: YES On: 13-APR-2017
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 17-APR-2017
 Received By: SHAIK_A On: 27-APR-2017

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type:	Number of Bottles: 4	Preserved With: ICE
ECOLI-18QQT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-250ML	Number of Bottles: 8	Preserved With: ICE
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-AHERB-AA	Template: SFWMD	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-125ML

Number of Bottles: 4

Preserved With: ICE-FLTR

W-PO4-F

Template: DEFAULT

(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-04-17-34

Shipping Method: H D

Date/Time of Receipt: 04-27-17/14:04

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No				
Red	2-9C	16					

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ADP

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: ADP

Coolers Unpacked/Checked by: ADP Date: 4-27-17 NCRs (Y/N)? 2

Event ID: SMP 2017 Freshwater Kit A with B. NCR #

WQAP-2017-04-27-08 (SMP)

Date Received: 27-APR-2017 14:04

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: