

Biological Analysis Report

WQAP-2017-05-24-08

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP 2017 Freshwater Kit A with B/T/M**
Request ID: **RQ-2017-04-24-39**
Customer: **WQAP**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400
Attn: Chris Green

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Environmental Manager

Date Certified: 21-JUN-2017 11:07



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Overstreet Drain @ N Meridian Rd

Collection Date/Time: 05/24/2017 13:00

Field ID: G2TLHR0069-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901480	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.1		ug/L	P325975	
		Phaeophytin-a	0.40	U	ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.6			P325975	
		Chlorophyll-a, Uncorrected	2.4		ug/L	P325975	
1901481	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	547.5	J	MPN/100 mL	P326228	
1901482	SOP-PCR-1.0	HF183-qPCR**	3.8	T	GEU/100 mL	P325771	

Ref. Method and Comment:
 SM 9223 Quanti-Tray: See Non-Conformance Report # 6471.

Non-Conformance Report

NCR ID: 6471

Event(s)

WQAP-2017-05-24-08

Job(s)

TLH-2017-05-24-113

Sample(s)

1901481

Test(s)

NCR Type: ANALYSIS

NCR Category: Analytical Measurement

Observation: Samples in Job IDs TLH-2017-05-24-113 and TLH-2017-05-24-119 for ECOLI-18QT may have been contaminated by unsterilized lab equipment.

Resolution: The data will be J qualified. The customers Curtis Musson and Chris Green were notified by email.

Authorized by/Date: Cheryl A. Swanson 6/19/2017

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
 Please address questions to:

Chemistry Colin Wright (850) 245-8085
 Biology Cheryl Swanson (850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P325975

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 9223 Quanti-Tray

Batch ID: P326228

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SOP-PCR-1.0

Batch ID: P325771

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P325975

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	85.8		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P325771

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	85.4	69.8	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P325771

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1886655	HF183-qPCR	94.5		P	50 - 175
1886656	HF183-qPCR	99.6		P	50 - 175
1886705	HF183-qPCR	59.5		P	50 - 175
1895817	HF183-qPCR	79.7		P	50 - 175
1899395	HF183-qPCR	81.5		P	50 - 175
1901218	HF183-qPCR	94.3		P	50 - 175
1901482	HF183-qPCR	107		P	50 - 175
1902623	HF183-qPCR	90.7		P	50 - 175
1902624	HF183-qPCR	92.1		P	50 - 175
1902625	HF183-qPCR	98.6		P	50 - 175
1904119	HF183-qPCR	76.0	70.3	P/P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P325975

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901433	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1901433	Chlorophyll-a, Corrected	4.00	Sample	P	0 - 25
1901433	Chlorophyll-a, Uncorrected	5.44	Sample	P	0 - 25
1901433	Phaeophytin-a	15.5	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
Batch ID: P326228

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901138	Escherichia Coli-Quanti-Tray	3.85	Sample	P	0 - 80
1901520	Escherichia Coli-Quanti-Tray	40.0	Sample	P	0 - 80

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
 Batch ID: P325771

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1904119	HF183-qPCR	7.78	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1901482
 Field Sample ID: G2TLHR0069-2017-01

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	121	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio							0.0	
	Chlorophyll-a, Corrected	85.8						4.00	
	Chlorophyll-a, Uncorrected							5.44	
	Phaeophytin-a							15.5	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray							3.85	40.0
SOP-PCR-1.0	HF183-qPCR	69.8	85.4	107	90.7	92.1	98.6		7.78

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1901480
SM 9223 Quanti-Tray / E31780	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	1901481
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1901482

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	05/24/2017	05/24/2017 15:55	Morgan Lane	05/30/2017	Brian Cumbie	1901480
SM 9223 Quanti-Tray	05/24/2017	05/24/2017 15:50	Kim M. Spencer	05/25/2017 09:55	Kim M. Spencer	1901481
SOP-PCR-1.0	05/24/2017	05/24/2017 15:47	Avril Wood	06/12/2017	Puja Jasrotia	1901482