

Chemical Analysis Report

WQAP-2017-05-24-08

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP 2017 Freshwater Kit A with B/T/M**
Request ID: **RQ-2017-04-24-39**
Customer: **WQAP**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400
Attn: Chris Green

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 19-JUN-2017 17:10

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Overstreet Drain @ N Meridian Rd

Collection Date/Time: 05/24/2017 13:00

Field ID: G2TLHR0069-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901477	EPA 180.1 Rev. 2.0	Turbidity	4.0		NTU	P325795	
	EPA 300.0 Rev. 2.1	Chloride	16	A	mg Cl/L	P326763	
	SM 2120 B	Color (true)	54	A	PCU	P325785	
	SM 2320 B-97	Total Alkalinity	40		mg CaCO3/L	P325953	
	SM 2540 C-97	TDS	82		mg/L	P326094	
	SM 2540 D-97	TSS	2	I	mg/L	P326270	
	SM 4500 F-C-97	Fluoride	0.13		mg F/L	P325957	RPD
1901478	EPA 350.1 Rev. 2.0	Ammonia-N	0.017		mg N/L	P325918	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.38		mg N/L	P325870	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.066		mg N/L	P325888	
	EPA 365.1 Rev. 2.0	Total-P	0.15		mg P/L	P325874	
	SM 5310 B-00	Organic Carbon	4.2		mg C/L	P326159	
1901479	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.11		mg P/L	P325853	
1901483	EPA 8321B	Sucralose**	0.047		ug/L	P325805	
	USGS O-2060-01	2,4-D	0.0029	I	ug/L	P325789	
		Diuron	0.0044		ug/L	P325789	
		Fenuron	0.013	I	ug/L	P325789	
		Imidacloprid	0.0092		ug/L	P325789	
		Bentazon	0.0018	I	ug/L	P325789	MS
		Linuron	0.0040	U	ug/L	P325789	
		Acetaminophen**	0.0080	U	ug/L	P325789	
		MCP	0.0020	U	ug/L	P325789	
		Carbamazepine**	4.0E-04	U	ug/L	P325789	
		Triclopyr**	0.0040	U	ug/L	P325789	
		Primidone**	0.0040	U	ug/L	P325789	
		Fluridone**	0.0067		ug/L	P325789	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P325795

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P326763

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P325918

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P325870

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P325888

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P325874

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P325853

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P325805

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2120 B
Batch ID: P325785

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P325953

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P326094

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
 Batch ID: P326270

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
 Batch ID: P325957

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
 Batch ID: P326159

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: USGS O-2060-01
 Batch ID: P325789

Component	Result	Code	Units
2,4-D	8.0E-04	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0040	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
MCP	0.0020	U	ug/L
Primidone	0.0040	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P326763

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P325918

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	94.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P325870

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P325888

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P325874

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P325853

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.2		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P325805

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	79.3		P	40 - 140

Reference Method: SM 2320 B-97
Batch ID: P325953

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P325957

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.8		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P326159

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	92.6		P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P325789

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	66.6		P	40 - 140
Acetaminophen	48.4		P	40 - 140
Bentazon	63.2		P	40 - 140
Carbamazepine	92.2		P	40 - 140
Diuron	89.0		P	40 - 140
Fenuron	88.8		P	40 - 140
Fluridone	85.0		P	40 - 140
Imidacloprid	77.0		P	40 - 160
Linuron	74.6		P	40 - 140
MCPP	81.2		P	40 - 140

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: USGS O-2060-01
Batch ID: P325789

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Primidone	78.6		P	40 - 140
Triclopyr	77.4		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P326763

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901477	Chloride	108		P	90 - 110
1901589	Chloride	99.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P325918

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901427	Ammonia-N	98.0	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P325870

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901413	Kjeldahl Nitrogen	95.7	99.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P325888

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901411	NO2NO3-N	95.3	95.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P325874

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901412	Total-P	99.7	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P325853

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901489	O-Phosphate-P	93.4	94.8	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P325805

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901732	Sucralose	94.3	75.7	P/P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P325957

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901426	Fluoride	94.3	98.5	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P326159

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1901411	Organic Carbon	89.7	89.8	P/P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P325789

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1900995	2,4-D	71.4	63.8	P/P	40 - 140
1900995	Acetaminophen	79.2	75.4	P/P	40 - 140
1900995	Bentazon	31.4	28.0	F/F	40 - 140
1900995	Carbamazepine	69.6	62.2	P/P	40 - 140
1900995	Diuron	57.8	52.0	P/P	40 - 140
1900995	Fenuron	49.4	67.6	P/P	40 - 140
1900995	Fluridone	75.0	65.6	P/P	40 - 140
1900995	Imidacloprid	120	111	P/P	40 - 160
1900995	Linuron	77.0	70.4	P/P	40 - 140
1900995	MCP	64.0	54.2	P/P	40 - 140
1900995	Primidone	64.2	62.4	P/P	40 - 140
1900995	Triclopyr	67.4	63.2	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P325795

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901420	Turbidity	0.192	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P326763

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901477	Chloride	0.330	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P325918

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901427	Ammonia-N	0.0	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P325870

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901413	Kjeldahl Nitrogen	1.75	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P325888

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901411	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P325874

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901412	Total-P	1.27	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P325853

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901489	O-Phosphate-P	1.40	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P325805

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901732	Sucralose	19.4	Spike	P	0 - 30

Reference Method: SM 2120 B
Batch ID: P325785

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901477	Color (true)	4.12	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P325953

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901426	Total Alkalinity	0.344	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P326094

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901517	TDS	3.10	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-97
Batch ID: P325957

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901426	Fluoride	3.38	Spike	F	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P326159

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901411	Organic Carbon	0.0273	Spike	P	0 - 20

Reference Method: USGS O-2060-01
Batch ID: P325789

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1900995	2,4-D	10.5	Spike	P	0 - 30
1900995	Acetaminophen	4.92	Spike	P	0 - 30
1900995	Bentazon	11.4	Spike	P	0 - 30
1900995	Carbamazepine	11.2	Spike	P	0 - 30
1900995	Diuron	10.6	Spike	P	0 - 30
1900995	Fenuron	23.4	Spike	P	0 - 30
1900995	Fluridone	13.4	Spike	P	0 - 30
1900995	Imidacloprid	7.63	Spike	P	0 - 30
1900995	Linuron	8.96	Spike	P	0 - 30
1900995	MCPP	16.6	Spike	P	0 - 30
1900995	Primidone	2.84	Spike	P	0 - 30
1900995	Triclopyr	6.43	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1901483
Field Sample ID: G2TLHR0069-2017-01

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	94.0	P	40 - 150
USGS O-2060-01	2,4-D-d3	80.2	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	110	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	105	P	30 - 160
USGS O-2060-01	Diuron-d6	90.0	P	30 - 160
USGS O-2060-01	Primidone-d5	106	P	30 - 150

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A76656
Included Lab Sample IDs: 1901477

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	103	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A76659
Included Lab Sample IDs: 1901477

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	102	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A76680
Included Lab Sample IDs: 1901479

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	102	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A76697
Included Lab Sample IDs: 1901478

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	96.0	95.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A76718
Included Lab Sample IDs: 1901478

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.2	P/P	90 - 110

Reference Method: SM 2320 B-97
Run ID: A76730
Included Lab Sample IDs: 1901477

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A76730
Included Lab Sample IDs: 1901477

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	95.7	94.3	P/P	90 - 110

Reference Method: EPA 8321B
Run ID: A76745
Included Lab Sample IDs: 1901483

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	110	79.5	P/P	60 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A76764

Included Lab Sample IDs: 1901478

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	103	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A76795

Included Lab Sample IDs: 1901478

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	104	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A76825

Included Lab Sample IDs: 1901478

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.6	94.4	P/P	90 - 110

Reference Method: USGS O-2060-01

Run ID: A76863

Included Lab Sample IDs: 1901483

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	84.8	80.8	P/P	50 - 150
Acetaminophen	96.8	100	P/P	60 - 150
Bentazon	111	109	P/P	50 - 150
Carbamazepine	107	118	P/P	60 - 150
Diuron	97.6	99.6	P/P	60 - 150
Fenuron	110	114	P/P	60 - 150
Fluridone	108	114	P/P	60 - 160
Imidacloprid	93.2	95.6	P/P	60 - 150
Linuron	100	106	P/P	60 - 150
MCP	95.2	92.4	P/P	50 - 150
Primidone	98.4	95.6	P/P	60 - 150
Triclopyr	94.8	87.6	P/P	50 - 150

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A77072

Included Lab Sample IDs: 1901477

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	95.0	93.9	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision	MS
				LCS	SMP

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					0.192	
EPA 300.0 Rev. 2.1	Chloride	101	108	99.2		0.330	
EPA 350.1 Rev. 2.0	Ammonia-N	94.6	98.0	98.0			0.0
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	105	95.7	99.0			1.75
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	99.5	95.3	95.3			0.0
EPA 365.1 Rev. 2.0	Total-P	96.5	99.7	101			1.27
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.2	93.4	94.8			1.40
EPA 8321B	Sucralose	79.3	94.3	75.7			19.4
SM 2120 B	Color (true)					4.12	
SM 2320 B-97	Total Alkalinity	103				0.344	
SM 2540 C-97	TDS					3.10	
SM 4500 F-C-97	Fluoride	95.8	94.3	98.5			3.38
SM 5310 B-00	Organic Carbon	92.6	89.7	89.8			0.0273
USGS O-2060-01	2,4-D	66.6	71.4	63.8			10.5
	Acetaminophen	48.4	79.2	75.4			4.92
	Bentazon	63.2	31.4	28.0			11.4
	Carbamazepine	92.2	69.6	62.2			11.2
	Diuron	89.0	57.8	52.0			10.6
	Fenuron	88.8	49.4	67.6			23.4
	Fluridone	85.0	75.0	65.6			13.4
	Imidacloprid	77.0	120	111			7.63
	Linuron	74.6	77.0	70.4			8.96
	MCP	81.2	64.0	54.2			16.6
	Primidone	78.6	64.2	62.4			2.84
	Triclopyr	77.4	67.4	63.2			6.43

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1901477
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1901477
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1901478
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1901478
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1901478
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1901478
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1901479
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1901483
SM 2120 B / E31780	True Color measured at 450 nm	1901477
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1901477
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1901477
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1901477
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1901477
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1901478
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1901483
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1901483

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	05/24/2017			05/24/2017 16:45	Sima Feizi	1901477
EPA 300.0 Rev. 2.1	05/24/2017			06/12/2017	Julia Storbeck	1901477
EPA 350.1 Rev. 2.0	05/24/2017			05/26/2017	Julia Storbeck	1901478
EPA 351.2 Rev. 2.0	05/24/2017	05/26/2017	Adrian Shelby	06/01/2017	Joseph Suarez	1901478
EPA 353.2 Rev. 2.0	05/24/2017			05/26/2017	Beverly Y. Sanders	1901478
EPA 365.1 Rev. 2.0	05/24/2017	05/26/2017	Adrian Shelby	05/31/2017	Beverly Y. Sanders	1901478
EPA 365.1 Rev. 2.0 dissolved	05/24/2017			05/25/2017 15:02	Anthony C. Onicha	1901479
EPA 8321B	05/24/2017	05/27/2017	Mohammad Ghaffari	05/28/2017	Mohammad Ghaffari	1901483
SM 2120 B	05/24/2017			05/24/2017 15:45	Tanya Welborn	1901477
SM 2320 B-97	05/24/2017			05/27/2017	Dale L. Simmons	1901477
SM 2540 C-97	05/24/2017			05/26/2017	Yijie Li	1901477
SM 2540 D-97	05/24/2017			05/26/2017	Yijie Li	1901477
SM 4500 F-C-97	05/24/2017			05/27/2017	Dale L. Simmons	1901477
SM 5310 B-00	05/24/2017			06/01/2017	Julie Michelle Frank	1901478
USGS O-2060-01	05/24/2017	05/30/2017	Hoor Shaik	05/31/2017	Juyoung Kim	1901483