

Date of Request: 20-APR-2017  
 Created By: GREEN\_C On: 20-APR-2017  
 Modified By: MATTHEWS\_D On: 21-APR-2017  
 Customer: WQAP  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District:  
 Sampling Event: SMP 2016 Freshwater Kit A

**Send Coolers To:**

Phone: 850-245-8413  
 2600 Blair Stone Rd  
 MS #3560  
 Tallahassee, FL 32399-2400  
 Attn: Chris Green

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 20-APR-2017  
 Biology Request Reviewed By: MATTHEWS\_D On: 21-APR-2017  
 Sampling Kit Required: YES Ship on: 24-APR-2017  
 Sampling Kit Shipped: YES On: 01-MAY-2017  
 Sampling Kit Packed By: SHAIK\_A  
 Preservatives Needed: NO  
 Date to Receive Samples: 08-MAY-2017  
 Received By: GREENWOO\_J On: 23-MAY-2017

**Send Final Report To:**

2600 Blair Stone Rd  
 MS #3560  
 Tallahassee, FL 32399-2400  
 Attn: Michael Eckles

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: no fedXe bill  
 no zip ties

**Bottle Group A (Water) With 20 Samples:**

|                                   |                       |                                                                                                                    |
|-----------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L                 | Number of Bottles: 20 | Preserved With: ICE                                                                                                |
| ALKALINITY                        | Template: DEFAULT     | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                           |
| TURBIDITY                         | Template: DEFAULT     | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                 |
| W-CL-IC                           | Template: DEFAULT     | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                  |
| W-COLOR                           | Template: DEFAULT     | (SM 2120 B) True Color measured at 450 nm                                                                          |
| Color (true)                      |                       |                                                                                                                    |
| W-F                               | Template: DEFAULT     | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)               |
| W-TDS                             | Template: DEFAULT     | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                          |
| W-TSS                             | Template: DEFAULT     | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                          |
| Bottle Type: BP-1L                | Number of Bottles: 20 | Preserved With: ICE                                                                                                |
| CHLSUITE-W                        | Template: DEFAULT     | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry |
| Bottle Type: P-500ML              | Number of Bottles: 20 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>                                                             |
| W-NH <sub>3</sub>                 | Template: DEFAULT     | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                         |
| W-NO <sub>2</sub> NO <sub>3</sub> | Template: DEFAULT     | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                 |
| W-S-A-TP                          | Template: DEFAULT     | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                |
| W-TKN                             | Template: DEFAULT     | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                   |
| W-TOC                             | Template: DEFAULT     | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                     |
| Bottle Type: P-125ML              | Number of Bottles: 20 | Preserved With: ICE-FLTR                                                                                           |
| W-PO <sub>4</sub> -F              | Template: DEFAULT     | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                           |