

Florida Department of Environmental Protection

Central Laboratory Submittal Form

B/T/M only

last revised Apr 7, 2016

Customer: WQAP

Requester: Chris Green

Field Report Prepared By: Woods

Project ID: SMP

Collected By: Woods/Tolbert

Sampling Agency: 8034

Location		G2TLHR00021-2017-01 WBID 1286 Field ID ↑ STORET ↓ Huckleberry creek G2TLHR00021		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 6-14-17 Time 1125		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen 6.2		☒ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		A			
Temp (C) 25.6		pH 7.2		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 131					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt) 0.6		Comments: Sample bottles should be dated 6-14-2017			
Location				☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #				Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			
Location				☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #				Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			
Location				☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #				Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments			

Relinquished By: Chris Green	Date/Time: 6-14-2017/14:35	Shipping Method: Hand	Number of Coolers Shipped: 1	Received By: [Signature]	Date/Time: 6/14/17 14:38
------------------------------	----------------------------	-----------------------	------------------------------	--------------------------	--------------------------

Group: A	Bottle Type: P-250ML-WO-THI	# of Bottles: 10	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
ECOLI-18QT				
Group: A	Bottle Type: QPCR-P-250ML	# of Bottles: 20	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
PCR-FILTER				
Group: A	Bottle Type: BG-1L	# of Bottles: 10	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
W-AHERB-AA				
W-SUC-AA-R				
W-UHERB-AA				

Printed: 6/14/2017 2:38:18 PM

Page 1 of 1

Date of Request: 03-MAY-2017
 Created By: GREEN_C On: 03-MAY-2017
 Modified By: MATTHEWS_D On: 08-MAY-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: B/T/M only

Send Coolers To:

Phone: 850-245-8413
 2600 Blair Stone Rd
 MS #3525
 Tallahassee, FL 32399-2400
 Attn: Chris Green

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-MAY-2017
 Biology Request Reviewed By: MATTHEWS_D On: 08-MAY-2017
 Sampling Kit Required: YES Ship on: 08-MAY-2017
 Sampling Kit Shipped: YES On: 15-MAY-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 22-MAY-2017
 Received By: REYNOLDS_T On: 12-JUN-2017

Send Final Report To:

2600 Blair Stone Rd
 MS #3525
 Tallahassee, FL 32399-2400
 Attn: Michael Eckles

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Tracers, Markers
 no FedXe
 no zip ties

Bottle Group A (Water) With 10 Samples:

Bottle Type: ECOLI-18QT	Number of Bottles: 10	Preserved With: ICE
Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	
Bottle Type: QPCR-P-250ML	Number of Bottles: 20	Preserved With: ICE
Template: PCR-FILTER	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type: BG-1L	Number of Bottles: 10	Preserved With: ICE
Template: W-AHERB-AA	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	
Template: W-SUC-AA-R	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS	
Template: W-UHERB-AA	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

RQ-2017-05-22-41

Log-in Checklist

Shipping Method: HDDate/Time of Receipt: 6/14/17 14:38

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)
			Present? Yes No	*Intact? Yes No	
Blue	3.8	4		<u>6</u>	

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes 6 No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No 6 If yes, is it intact? Yes No

**Caps on tight? Yes 6 No **Containers intact? Yes 6 No

**Sufficient Sample Volume: Yes 6 No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		<u>6</u>	W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes No NA 6 Init:

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA 6 Init:

Coolers Unpacked/Checked by: Date: 6/14/17

NCRs (Y/N)? N

Event ID: WQAP-2017-06-14-04

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes ☐ No ☒

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes ☐ No ☐

If no, were samples shipped on dry ice? Yes ☐ No ☐

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes ☐ No ☐

Date and time samples preserved: _____

Additional Comments: