

Request Number: 2017-06-26-36

Florida Department of Environmental Protection
Central Laboratory Submittal FormPage 1 of 2
last revised Apr 7, 2016

Customer: WQAP

Project ID: SMP

Requester: Chris Green

Collected By: Paul Blair / Jessie Tolbert

Field Report Prepared By:

Sampling Agency:

Paul Blair
8034

Location	G1TLHR0057-2017-02		☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2) A	
Field ID	WBID 913 Field ID ↑ STORET ↓		Date	6-28-17	Time	11:15	Date		Time
STORET	Big Creek @ CR 2224		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen		☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)		
Latitude	☐ dd ☐ dms	Longitude	Temp (C)	23.4	pH	4.0	Sample Depth		0.3
			☐ dd ☐ dms	Salinity (ppt)	Comments		☐ ft ☐ m	Sp. Conductance (umho/cm)	30
			☐ dd ☐ dms						
			☐ Comp ☐ Grab	Collection (comp begin or grab)		Eastern	Composite end	Bottle Group(s)	
			Date		Time		Date		Time
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
			Temp (C)		pH		Sample Depth		☐ ft ☐ m
			☐ dd ☐ dms	Salinity (ppt)	Comments		☐ ft ☐ m	Sp. Conductance (umho/cm)	
			☐ dd ☐ dms						
			☐ Comp ☐ Grab	Collection (comp begin or grab)		Eastern	Composite end	Bottle Group(s)	
			Date		Time		Date		Time
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
			Temp (C)		pH		Sample Depth		☐ ft ☐ m
			☐ dd ☐ dms	Salinity (ppt)	Comments		☐ ft ☐ m	Sp. Conductance (umho/cm)	
			☐ dd ☐ dms						
			☐ Comp ☐ Grab	Collection (comp begin or grab)		Eastern	Composite end	Bottle Group(s)	
			Date		Time		Date		Time
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
			Temp (C)		pH		Sample Depth		☐ ft ☐ m
			☐ dd ☐ dms	Salinity (ppt)	Comments		☐ ft ☐ m	Sp. Conductance (umho/cm)	
			☐ dd ☐ dms						
			☐ Comp ☐ Grab	Collection (comp begin or grab)		Eastern	Composite end	Bottle Group(s)	
			Date		Time		Date		Time
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
			Temp (C)		pH		Sample Depth		☐ ft ☐ m
			☐ dd ☐ dms	Salinity (ppt)	Comments		☐ ft ☐ m	Sp. Conductance (umho/cm)	
			☐ dd ☐ dms						

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Tolbert/Blair	6-28-17 14:45	hand delivered		Tyler Reynolds	06/28/17 @ 2:45pm

Group: A	Bottle Type:	P-1L	# of Bottles: 10	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-TDS					
	W-TSS					

Group: A	Bottle Type:	BP-1L	# of Bottles: 10	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					

Group: A	Bottle Type:	P-500ML	# of Bottles: 10	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3				
	W-NO2NO3				
	W-S-A-TP				
	W-TKN				
	W-TOC				

Group: A	Bottle Type:	P-125ML	# of Bottles: 10	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab _____
	W-PO4-F				

Date of Request: 09-JUN-2017
 Created By: GREEN_C On: 09-JUN-2017
 Modified By: MATTHEWS_D On: 14-JUN-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: SMP 2017 Freshwater Kit A with B/T/M

Send Coolers To:

Phone: 850-245-8413
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Chris Green

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-JUN-2017
 Biology Request Reviewed By: MATTHEWS_D On: 14-JUN-2017
 Sampling Kit Required: YES Ship on: 19-JUN-2017
 Sampling Kit Shipped: YES On: 21-JUN-2017
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 26-JUN-2017
 Received By: REYNOLDS_T On: 28-JUN-2017

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Michael Eckles

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: no FedEx bills or zip ties

Bottle Group A (Water) With 10 Samples:

Bottle Type: P-1L	Number of Bottles: 10	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 10	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type:	Number of Bottles: 10	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-250ML	Number of Bottles: 20	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 10	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 10	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 10	Preserved With: ICE-FLTR

Bottle Group A (Water) With 10 Samples:

Bottle Type: P-125ML Number of Bottles: 10 Preserved With: ICE-FLTR
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-06-26-36

Shipping Method: HD

Date/Time of Receipt: 06/28/17 @ 2:45pm

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No				
White	3.7°C	8		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)		☒	W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ML

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init: gpl

Coolers Unpacked/Checked by: ML Date: 06/28/17 NCRs (Y/N)? N

Event ID: WQAP-2017-06-28-09 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: