

Chemical Analysis Report

WQAP-2017-08-31-05

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP 2017 Freshwater Kit A with B/T/M**
Request ID: **RQ-2017-06-26-36**
Customer: **WQAP**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400
Attn: Michael Eckles

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 28-SEP-2017 10:34

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: HUCKLEBERRY CREEK

Collection Date/Time: 08/31/2017 11:40

Field ID: G2TLHR0021-2017-02

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1926994	EPA 180.1 Rev. 2.0	Turbidity	6.9		NTU	P331156	
	EPA 300.0 Rev. 2.1	Chloride	9.6		mg Cl/L	P331692	
	SM 2120 B	Color (true)	41	A	PCU	P331150	
	SM 2320 B-97	Total Alkalinity	44		mg CaCO3/L	P331537	
	SM 2540 C-97	TDS	87		mg/L	P331664	
	SM 2540 D-97	TSS	4	I	mg/L	P331312	
	SM 4500 F-C-97	Fluoride	0.083	I	mg F/L	P331540	
1926995	EPA 350.1 Rev. 2.0	Ammonia-N	0.009		mg N/L	P331460	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.36		mg N/L	P331216	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.22		mg N/L	P331315	
	EPA 365.1 Rev. 2.0	Total-P	0.030		mg P/L	P331258	
	SM 5310 B-00	Organic Carbon	4.7		mg C/L	P331407	
1926996	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.006	I	mg P/L	P331206	
1927000	EPA 8321B	Sucralose**	0.78		ug/L	P331186	MS, RPD
	USGS O-2060-01	2,4-D	0.0027	I	ug/L	P331187	
		Diuron	0.0092		ug/L	P331187	
		Fenuron	0.0080	U	ug/L	P331187	
		Imidacloprid	0.0026	I	ug/L	P331187	MS
		Bentazon	8.0E-04	U	ug/L	P331187	MS
		Linuron	0.0040	U	ug/L	P331187	
		Acetaminophen**	0.0080	U	ug/L	P331187	
		MCP	0.0020	U	ug/L	P331187	
		Carbamazepine**	0.0025		ug/L	P331187	
		Triclopyr**	0.0040	U	ug/L	P331187	
		Primidone**	0.0040	U	ug/L	P331187	
		Fluridone**	0.0029		ug/L	P331187	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P331156

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P331692

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331460

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331216

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331315

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331258

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331206

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P331186

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2120 B
Batch ID: P331150

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P331537

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P331664

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
Batch ID: P331312

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P331540

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P331407

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: USGS O-2060-01
Batch ID: P331187

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0080	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
MCP	0.0020	U	ug/L
Primidone	0.0040	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331692

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331460

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.1		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331216

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P331315

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	96.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P331258

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P331206

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.7		P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P331186

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	96.6		P	40 - 150

Reference Method: SM 2320 B-97
 Batch ID: P331537

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
 Batch ID: P331540

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.3		P	92 - 103

Reference Method: SM 5310 B-00
 Batch ID: P331407

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.0		P	85 - 115

Reference Method: USGS O-2060-01
 Batch ID: P331187

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	53.0		P	40 - 150
Acetaminophen	134		P	30 - 150
Bentazon	41.4		P	40 - 150
Carbamazepine	124		P	40 - 150
Diuron	103		P	40 - 150
Fenuron	114		P	40 - 150
Fluridone	68.5		P	40 - 150
Imidacloprid	94.9		P	40 - 160
Linuron	86.9		P	40 - 150
MCP	52.9		P	40 - 150

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: USGS O-2060-01
Batch ID: P331187

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Primidone	111		P	40 - 150
Triclopyr	54.0		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331692

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1927007	Chloride	95.6		P	90 - 110
1927008	Chloride	94.0		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331460

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1927003	Ammonia-N	100	96.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331216

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1926995	Kjeldahl Nitrogen	94.8	95.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331315

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1926995	NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331258

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1927003	Total-P	92.6	93.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331206

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1927004	O-Phosphate-P	95.7	96.1	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P331186

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1927171	Sucralose	34.7	9.82	F/F	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P331540

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1927007	Fluoride	98.3	98.3	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P331407

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1926883	Organic Carbon	95.9	97.9	P/P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P331187

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1927171	2,4-D	58.1	60.9	P/P	40 - 150
1927171	Acetaminophen	64.5	63.0	P/P	30 - 150
1927171	Bentazon	30.9	29.1	F/F	40 - 150
1927171	Carbamazepine	100	98.5	P/P	40 - 150
1927171	Diuron	80.4	79.7	P/P	40 - 150
1927171	Fenuron	89.9	91.9	P/P	40 - 150
1927171	Fluridone	54.5	54.6	P/P	40 - 150
1927171	Imidacloprid	228	228	F/F	40 - 160
1927171	Linuron	95.7	94.0	P/P	40 - 150
1927171	MCP	51.0	51.3	P/P	40 - 150
1927171	Primidone	111	107	P/P	40 - 150
1927171	Triclopyr	48.6	50.6	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P331156

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1926880	Turbidity	3.06	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P331692

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927008	Chloride	0.0843	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331460

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927003	Ammonia-N	2.58	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P331216

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1926995	Kjeldahl Nitrogen	0.718	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331315

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1926995	NO2NO3-N	1.16	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P331258

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927003	Total-P	1.23	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P331206

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927004	O-Phosphate-P	0.385	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P331186

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927171	Sucralose	39.6	Spike	F	0 - 30

Reference Method: SM 2120 B
Batch ID: P331150

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1926994	Color (true)	2.92	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P331537

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927007	Total Alkalinity	0.221	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P331664

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1926947	TDS	0.404	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-97
 Batch ID: P331540

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927007	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
 Batch ID: P331407

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1926883	Organic Carbon	1.70	Spike	P	0 - 20

Reference Method: USGS O-2060-01
 Batch ID: P331187

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1927171	2,4-D	3.87	Spike	P	0 - 30
1927171	Acetaminophen	2.42	Spike	P	0 - 30
1927171	Bentazon	5.87	Spike	P	0 - 30
1927171	Carbamazepine	1.73	Spike	P	0 - 30
1927171	Diuron	0.775	Spike	P	0 - 30
1927171	Fenuron	2.22	Spike	P	0 - 30
1927171	Fluridone	0.257	Spike	P	0 - 30
1927171	Imidacloprid	0.0876	Spike	P	0 - 30
1927171	Linuron	1.86	Spike	P	0 - 30
1927171	MCPP	0.743	Spike	P	0 - 30
1927171	Primidone	3.77	Spike	P	0 - 30
1927171	Triclopyr	4.03	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1927000
 Field Sample ID: G2TLHR0021-2017-02

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Acetaminophen-d4	63.1	P	30 - 160
EPA 8321B	Carbamazepine-d10	113	P	30 - 160
EPA 8321B	Diuron-d6	84.1	P	30 - 160
EPA 8321B	Primidone-d5	99.2	P	30 - 160
EPA 8321B	Sucralose-d6	79.1	P	40 - 160
USGS O-2060-01	2,4-D-d3	51.5	P	40 - 160
USGS O-2060-01	Acetaminophen-d4	63.1	P	30 - 160
USGS O-2060-01	Carbamazepine-d10	113	P	30 - 160
USGS O-2060-01	Diuron-d6	84.1	P	30 - 160
USGS O-2060-01	Primidone-d5	99.2	P	30 - 160
USGS O-2060-01	Sucralose-d6	79.1	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A78736
Included Lab Sample IDs: 1926994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	103	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A78737
Included Lab Sample IDs: 1926994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A78758
Included Lab Sample IDs: 1926996

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	101	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A78790
Included Lab Sample IDs: 1926995

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A78817
Included Lab Sample IDs: 1926995

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	99.7	P/P	90 - 110

Reference Method: EPA 8321B
Run ID: A78821
Included Lab Sample IDs: 1927000

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	119	116	P/P	60 - 150

Reference Method: SM 5310 B-00
Run ID: A78834
Included Lab Sample IDs: 1926995

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.2	98.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A78849
Included Lab Sample IDs: 1926995

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A78858

Included Lab Sample IDs: 1926995

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.5	98.3	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A78874

Included Lab Sample IDs: 1926994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A78874

Included Lab Sample IDs: 1926994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	98.5	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A78940

Included Lab Sample IDs: 1926994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	95.2	P/P	90 - 110

Reference Method: USGS O-2060-01

Run ID: A79030

Included Lab Sample IDs: 1927000

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	91.8	92.3	P/P	50 - 150
Acetaminophen	104	103	P/P	60 - 150
Bentazon	96.8	100	P/P	50 - 150
Carbamazepine	117	116	P/P	60 - 150
Diuron	103	98.8	P/P	60 - 150
Fenuron	101	100	P/P	60 - 150
Fluridone	102	102	P/P	60 - 160
Imidacloprid	96.9	95.1	P/P	60 - 150
Linuron	100	91.6	P/P	60 - 150
MCP	88.5	91.6	P/P	50 - 150
Primidone	94.6	97.7	P/P	60 - 150
Triclopyr	92.6	101	P/P	50 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision	MS
				SMP	
				LCS	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					3.06	
EPA 300.0 Rev. 2.1	Chloride	99.7	94.0	95.6		0.0843	
EPA 350.1 Rev. 2.0	Ammonia-N	99.1	100	96.5			2.58
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	105	94.8	95.7			0.718
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	96.5	102				1.16
EPA 365.1 Rev. 2.0	Total-P	96.2	92.6	93.8			1.23
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.7	95.7	96.1			0.385
EPA 8321B	Sucralose	96.6	34.7	9.82			39.6
SM 2120 B	Color (true)					2.92	
SM 2320 B-97	Total Alkalinity	103				0.221	
SM 2540 C-97	TDS					0.404	
SM 4500 F-C-97	Fluoride	99.3	98.3	98.3			0.0
SM 5310 B-00	Organic Carbon	98.0	95.9	97.9			1.70
USGS O-2060-01	2,4-D	53.0	58.1	60.9			3.87
	Acetaminophen	134	64.5	63.0			2.42
	Bentazon	41.4	30.9	29.1			5.87
	Carbamazepine	124	100	98.5			1.73
	Diuron	103	80.4	79.7			0.775
	Fenuron	114	89.9	91.9			2.22
	Fluridone	68.5	54.5	54.6			0.257
	Imidacloprid	94.9	228	228			0.0876
	Linuron	86.9	95.7	94.0			1.86
	MCP	52.9	51.0	51.3			0.743
	Primidone	111	111	107			3.77
	Triclopyr	54.0	48.6	50.6			4.03

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1926994
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1926994
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1926995
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1926995
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1926995
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1926995
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1926996
EPA 8321B / E31780	Analysis of sucralose in water matrices by HPLC/MS/MS	1927000
SM 2120 B / E31780	True Color measured at 450 nm	1926994
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1926994
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1926994
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1926994
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1926994
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1926995
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1927000
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1927000

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/31/2017			08/31/2017 15:53	DeAsia Armster	1926994
EPA 300.0 Rev. 2.1	08/31/2017			09/15/2017	Julia Storbeck	1926994
EPA 350.1 Rev. 2.0	08/31/2017			09/06/2017	Sofia Elnemr	1926995
EPA 351.2 Rev. 2.0	08/31/2017	09/05/2017	Adrian Shelby	09/06/2017	Joseph Suarez	1926995
EPA 353.2 Rev. 2.0	08/31/2017			09/06/2017	Beverly Y. Sanders	1926995
EPA 365.1 Rev. 2.0	08/31/2017	09/05/2017	Sima Feizi	09/07/2017	Lipi Saha	1926995
EPA 365.1 Rev. 2.0 dissolved	08/31/2017			09/01/2017 14:50	Megan Treadwell	1926996
EPA 8321B	08/31/2017	09/06/2017	Hoor Shaik	09/07/2017	Julie Michelle Frank	1927000
SM 2120 B	08/31/2017			08/31/2017 16:12	Tanya Welborn	1926994
SM 2320 B-97	08/31/2017			09/08/2017	Dale L. Simmons	1926994
SM 2540 C-97	08/31/2017			09/01/2017	DeAsia Armster	1926994
SM 2540 D-97	08/31/2017			09/01/2017	DeAsia Armster	1926994
SM 4500 F-C-97	08/31/2017			09/08/2017	Dale L. Simmons	1926994
SM 5310 B-00	08/31/2017			09/07/2017	Ping Hua	1926995
USGS O-2060-01	08/31/2017	09/06/2017	Hoor Shaik	09/19/2017	Julie Michelle Frank	1927000