

Date of Request: 09-JUN-2017  
 Created By: GREEN\_C On: 09-JUN-2017  
 Modified By: GREEN\_C On: 09-JUN-2017  
 Customer: WQAP  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District:  
 Sampling Event: SMP 2016 Freshwater Kit A

**Send Coolers To:**

Phone: 850-245-8413  
 2600 Blair Stone Rd  
 MS #3560  
 Tallahassee, FL 32399-2400  
 Attn: Chris Green

Program Module Number:  
 Priority: 3  
 Event Status: P  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By:  
 Biology Request Reviewed By:  
 Sampling Kit Required: YES Ship on: 12-JUN-2017  
 Sampling Kit Shipped:  
 Sampling Kit Packed By:  
 Preservatives Needed: NO  
 Date to Receive Samples: 26-JUN-2017  
 Received By:

**Send Final Report To:**

2600 Blair Stone Rd  
 MS #3560  
 Tallahassee, FL 32399-2400  
 Attn: Michael Eckles

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: no FedEx bills or zip ties

**Bottle Group A (Water) With 20 Samples:**

| Bottle Type:            | Number of Bottles: | Preserved With:                                                                                                    |
|-------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------|
| ALKALINITY              | Template: DEFAULT  | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                        |
| CHLSUITE-W              | Template: DEFAULT  | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry |
| TURBIDITY               | Template: DEFAULT  | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                 |
| W-CL-IC                 | Template: DEFAULT  | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                  |
| W-COLOR<br>Color (true) | Template: DEFAULT  | (SM 2120 B) True Color measured at 450 nm                                                                          |
| W-F                     | Template: DEFAULT  | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)               |
| W-NH3                   | Template: DEFAULT  | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                         |
| W-NO2NO3                | Template: DEFAULT  | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                 |
| W-PO4-F                 | Template: DEFAULT  | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                           |
| W-S-A-TP                | Template: DEFAULT  | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                |
| W-TDS                   | Template: DEFAULT  | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                          |
| W-TKN                   | Template: DEFAULT  | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                   |
| W-TOC                   | Template: DEFAULT  | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                     |
| W-TSS                   | Template: DEFAULT  | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                          |