

Chemical Analysis Report

TLH-ROC-2017-10-03-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP 2017 Freshwater Kit A**
Request ID: **RQ-2017-09-25-37**
Customer: **TLH-ROC**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Michael Eckles

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator Date Certified: 18-OCT-2017 10:11



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ROCKY CREEK @ SR51

Collection Date/Time: 10/03/2017 10:35

Field ID: G1TLHR0004-2017-04

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1933661	EPA 180.1 Rev. 2.0	Turbidity	2.3		NTU	P332681	
	EPA 300.0 Rev. 2.1	Chloride	9.7		mg Cl/L	P332902	
	SM 2120 B	Color (true)	200	A	PCU	P332659	
	SM 2320 B-97	Total Alkalinity	172		mg CaCO3/L	P333034	
	SM 2540 C-97	TDS	239		mg/L	P333042	
	SM 2540 D-97	TSS	5	I	mg/L	P333088	
	SM 4500 F-C-97	Fluoride	0.066	I	mg F/L	P333149	
1933664	EPA 350.1 Rev. 2.0	Ammonia-N	0.023		mg N/L	P332931	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P332789	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P332968	
	EPA 365.1 Rev. 2.0	Total-P	0.036		mg P/L	P332805	
	SM 5310 B-00	Organic Carbon	32		mg C/L	P332961	
1933667	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.008	I	mg P/L	P332729	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: STEINHATCHEE SPRING VENT @ SE WOLF RD.

Collection Date/Time: 10/03/2017 11:45

Field ID: G1TLHR0066-2017-04

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1933662	EPA 180.1 Rev. 2.0	Turbidity	1.7	A	NTU	P332682	
	EPA 300.0 Rev. 2.1	Chloride	6.7		mg Cl/L	P332902	
	SM 2120 B	Color (true)	470		PCU	P332659	
	SM 2320 B-97	Total Alkalinity	83		mg CaCO3/L	P333034	
	SM 2540 C-97	TDS	178		mg/L	P333042	
	SM 2540 D-97	TSS	3	I	mg/L	P333088	
	SM 4500 F-C-97	Fluoride	0.10		mg F/L	P333149	
1933665	EPA 350.1 Rev. 2.0	Ammonia-N	0.037		mg N/L	P332931	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P332789	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.009	I	mg N/L	P332968	
	EPA 365.1 Rev. 2.0	Total-P	0.18		mg P/L	P332805	
	SM 5310 B-00	Organic Carbon	43		mg C/L	P332961	
1933668	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.14		mg P/L	P332729	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: FENHOLLOWAY RIVER @ PUCKETT RD

Collection Date/Time: 10/03/2017 12:55

Field ID: G1TLHR0030-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1933663	EPA 180.1 Rev. 2.0	Turbidity	14		NTU	P332682	
	EPA 300.0 Rev. 2.1	Chloride	150		mg Cl/L	P332902	
	SM 2120 B	Color (true)	980		PCU	P332659	
	SM 2320 B-97	Total Alkalinity	193		mg CaCO3/L	P333034	

Field ID: G1TLHR0030-2017-01

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1933663	SM 2540 C-97	TDS	1.12E+03		mg/L	P333042	
	SM 2540 D-97	TSS	6	I	mg/L	P333088	
	SM 4500 F-C-97	Fluoride	0.12		mg F/L	P333149	
1933666	EPA 350.1 Rev. 2.0	Ammonia-N	2.5		mg N/L	P332931	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	3.6		mg N/L	P332830	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.020		mg N/L	P332968	
	EPA 365.1 Rev. 2.0	Total-P	0.84		mg P/L	P332805	
	SM 5310 B-00	Organic Carbon	59		mg C/L	P332961	
1933669	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.65		mg P/L	P332729	

Ref. Method and Comment:
 SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P332681

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P332682

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P332902

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P332931

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P332789

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P332830

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P332968

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P332805

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P332729

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P332659

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P333034

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P333042

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P333088

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P333149

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P332961

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P332902

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P332931

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P332789

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P332830

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P332968

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	107		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P332805

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.9		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P332729

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: SM 2320 B-97
 Batch ID: P333034

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
 Batch ID: P333149

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.6		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
 Batch ID: P332961

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P332902

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933597	Chloride	102		P	90 - 110
1933599	Chloride	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P332931

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933595	Ammonia-N	104	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P332789

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933643	Kjeldahl Nitrogen	101	91.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P332830

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933707	Kjeldahl Nitrogen	89.9	92.4	F/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P332968

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933601	NO2NO3-N	108	109	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P332805

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933643	Total-P	100	96.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P332729

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933645	O-Phosphate-P	97.8	106	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P333149

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933774	Fluoride	98.4	99.6	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P332961

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1933601	Organic Carbon	95.0	95.9	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P332681

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933396	Turbidity	3.69	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P332682

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933662	Turbidity	2.41	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P332902

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933599	Chloride	0.362	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P332931

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933595	Ammonia-N	0.743	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P332789

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933643	Kjeldahl Nitrogen	6.86	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P332830

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P332830

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933707	Kjeldahl Nitrogen	2.19	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P332968

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933601	NO2NO3-N	0.341	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P332805

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933643	Total-P	3.04	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P332729

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933645	O-Phosphate-P	4.62	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P332659

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933661	Color (true)	1.02	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P333034

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933774	Total Alkalinity	0.403	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P333042

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933642	TDS	2.85	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P333149

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933774	Fluoride	0.993	Spike	P	0 - 3.0

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P332961

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1933601	Organic Carbon	0.923	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A79312
Included Lab Sample IDs: 1933661, 1933662, 1933663

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	103	P/P	85 - 115
Color (true)	98.7	103	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A79320
Included Lab Sample IDs: 1933661, 1933662, 1933663

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.5	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A79336
Included Lab Sample IDs: 1933667, 1933668, 1933669

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	102	102	P/P	90 - 110
O-Phosphate-P	98.8	99.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A79396
Included Lab Sample IDs: 1933665, 1933666

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	100	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A79401
Included Lab Sample IDs: 1933661, 1933662, 1933663

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	108	107	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A79409
Included Lab Sample IDs: 1933664, 1933665, 1933666

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A79409

Included Lab Sample IDs: 1933664, 1933665, 1933666

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	105	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A79413

Included Lab Sample IDs: 1933664, 1933665

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	94.5	97.5	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A79419

Included Lab Sample IDs: 1933664, 1933665, 1933666

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	95.6	97.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A79421

Included Lab Sample IDs: 1933664, 1933665, 1933666

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	104	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A79422

Included Lab Sample IDs: 1933664

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.8	98.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A79441

Included Lab Sample IDs: 1933666

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	93.3	93.4	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A79442

Included Lab Sample IDs: 1933661, 1933662, 1933663

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	104	100	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A79482

Included Lab Sample IDs: 1933661, 1933662, 1933663

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.1	P/P	90 - 110

Quality Assurance Report Calibration Verification

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision		
					LCS	SMP	MS
EPA 180.1 Rev. 2.0	Turbidity					3.69	
	Turbidity					2.41	
EPA 300.0 Rev. 2.1	Chloride	103	101	102		0.362	
EPA 350.1 Rev. 2.0	Ammonia-N	104	104	102			0.743
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.4	101	91.4			6.86
	Kjeldahl Nitrogen	100	89.9	92.4			2.19
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	107	108	109			0.341
EPA 365.1 Rev. 2.0	Total-P	99.9	100	96.4			3.04
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	102	97.8	106			4.62
SM 2120 B	Color (true)					1.02	
SM 2320 B-97	Total Alkalinity	103				0.403	
SM 2540 C-97	TDS					2.85	
SM 4500 F-C-97	Fluoride	98.6	98.4	99.6			0.993
SM 5310 B-00	Organic Carbon	95.6	95.0	95.9			0.923

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1933661, 1933662, 1933663
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1933661, 1933662, 1933663
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1933664, 1933665, 1933666
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1933664, 1933665, 1933666
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1933664, 1933665, 1933666
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1933664, 1933665, 1933666
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1933667, 1933668, 1933669
SM 2120 B / E31780	True Color measured at 450 nm	1933661, 1933662, 1933663
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1933661, 1933662, 1933663
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1933661, 1933662, 1933663
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1933661, 1933662, 1933663
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1933661, 1933662, 1933663
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1933664, 1933665, 1933666

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/03/2017			10/03/2017 15:52	DeAsia Armster	1933661, 1933662, 1933663
EPA 300.0 Rev. 2.1	10/03/2017			10/06/2017	Julia Storbeck	1933661, 1933662, 1933663
EPA 350.1 Rev. 2.0	10/03/2017			10/06/2017	Sofia Elnemr	1933664, 1933665, 1933666
EPA 351.2 Rev. 2.0	10/03/2017	10/05/2017	Adrian Shelby	10/06/2017	Virginia P. Brown	1933664, 1933665
	10/03/2017	10/06/2017	Adrian Shelby	10/09/2017	Virginia P. Brown	1933666
EPA 353.2 Rev. 2.0	10/03/2017			10/09/2017	Beverly Y. Sanders	1933664, 1933665, 1933666
EPA 365.1 Rev. 2.0	10/03/2017	10/05/2017	Sima Feizi	10/06/2017	Lipi Saha	1933665, 1933666
	10/03/2017	10/05/2017	Sima Feizi	10/09/2017	Lipi Saha	1933664
EPA 365.1 Rev. 2.0 dissolved	10/03/2017			10/04/2017 12:06	Megan Treadwell	1933667
	10/03/2017			10/04/2017 12:07	Megan Treadwell	1933668
	10/03/2017			10/04/2017 12:28	Megan Treadwell	1933669
SM 2120 B	10/03/2017			10/03/2017 16:30	Tanya Welborn	1933661
	10/03/2017			10/03/2017 16:39	Tanya Welborn	1933662
	10/03/2017			10/03/2017 16:40	Tanya Welborn	1933663
SM 2320 B-97	10/03/2017			10/07/2017	Dale L. Simmons	1933661, 1933662, 1933663
SM 2540 C-97	10/03/2017			10/06/2017	Yijie Li	1933661, 1933662, 1933663
SM 2540 D-97	10/03/2017			10/06/2017	Yijie Li	1933661, 1933662, 1933663
SM 4500 F-C-97	10/03/2017			10/10/2017	Dale L. Simmons	1933661, 1933662, 1933663
SM 5310 B-00	10/03/2017			10/07/2017	Ping Hua	1933664, 1933665, 1933666