

Biological Analysis Report

TLH-ROC-2017-10-30-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **SMP 2017 kit_b/t/m PCR-FILTER / PCR-HF183 / (811
Ocklawaha Creek)**
Request ID: **RQ-2017-10-30-56**
Customer: **TLH-ROC**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Michael Eckles

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 13-DEC-2017 18:58



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Microbiology and Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Woods Creek @ Osteen Rd

Collection Date/Time: 10/30/2017 11:05

Field ID: G1TLHR0067-2017-09

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1941071	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	303.2	A	MPN/100 mL	P334915	
1941072	SOP-PCR-1.0	HF183-qPCR**	6.5	T	GEU/100 mL	P334196	
	SOP-PCR-1.4	BacR-qPCR**	820	I	TSC/100 mL	P334196	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Ref. Method and Comment:
 SOP-PCR-1.4: Precision data unavailable.

Quality Assurance Report Method Blank Results

Reference Method: SM 9223 Quanti-Tray
Batch ID: P334915

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P334196

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P334196

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P334196

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	142	105	P/P	50 - 175
HF183-qPCR	101	87.5	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P334196

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	95.3	123	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P334196

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P334196

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1934547	HF183-qPCR	97.0		P	50 - 175
1934550	HF183-qPCR	92.3		P	50 - 175
1940827	HF183-qPCR	72.0		P	50 - 175
1940858	HF183-qPCR	92.3	91.5	P/P	50 - 175
1940859	HF183-qPCR	93.3		P	50 - 175
1940860	HF183-qPCR	60.9		P	50 - 175
1940861	HF183-qPCR	85.5		P	50 - 175
1941072	HF183-qPCR	96.8		P	50 - 175
1941080	HF183-qPCR	57.3		P	50 - 175
1941103	HF183-qPCR	95.7		P	50 - 175
1941104	HF183-qPCR	63.4		P	50 - 175
1941985	HF183-qPCR	74.0		P	50 - 175
1941986	HF183-qPCR	90.4		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P334196

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1934547	BacR-qPCR	89.0		P	50 - 175
1934550	BacR-qPCR	84.1		P	50 - 175
1941072	BacR-qPCR	86.8		P	50 - 175
1941076	BacR-qPCR	87.3		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 9223 Quanti-Tray
Batch ID: P334915

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1941071	Escherichia Coli-Quanti-Tray	2.94	Sample	P	0 - 80

Reference Method: SOP-PCR-1.0
Batch ID: P334196

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1940858	HF183-qPCR	0.866	Spike	P	0 - 25
1943571	HF183-qPCR	5.40	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1941072
Field Sample ID: G1TLHR0067-2017-09

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
------------------	-----------	--------	-----------	----------------

Quality Assurance Report Surrogates

Lab Sample ID: 1941072

Field Sample ID: G1TLHR0067-2017-09

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	87.5	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	108	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery			MS % Recovery			LCS	Precision SMP	MS
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray								2.94	
SOP-PCR-1.0	HF183-qPCR	142	87.5	101	92.3	91.5	93.3			0.866 5.40
		105			60.9					
SOP-PCR-1.4	BacR-qPCR	123	95.3		89.0	84.1	86.8			
					87.3					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 9223 Quanti-Tray / E31780	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	1941071
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1941072
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	1941072
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1941072

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 9223 Quanti-Tray	10/30/2017	10/30/2017 16:15	Jennifer Mihalic	10/31/2017 11:10	Carina A. Tull	1941071
SOP-PCR-1.0	10/30/2017	10/30/2017 15:30	Sarah Menz	11/06/2017	Sarah Menz	1941072
SOP-PCR-1.4	10/30/2017	10/30/2017 15:30	Sarah Menz	11/07/2017	Sarah Menz	1941072
SOP-PCR-4.0	10/30/2017	10/30/2017 15:30	Sarah Menz	12/04/2017	Puja Jasrotia	1941072