

Chemical Analysis Report

TLH-ROC-2017-11-21-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP 2017 kit_b/t/m PCR-FILTER / PCR-HF183 / (811
Ocklawaha Creek)**
Request ID: **RQ-2017-10-30-56**
Customer: **TLH-ROC**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Michael Eckles

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator Date Certified: 05-DEC-2017 12:00



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: OCKLAWAHA CREEK @ SR 65

Collection Date/Time: 11/21/2017 13:10

Field ID: G1TLHR0054-2017-04

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1948203	EPA 8321B	Sucralose**	0.010	U	ug/L	P335915	
	USGS O-2060-01	2,4-D	0.0020	U	ug/L	P335693	MS
		Diuron	8.0E-04	U	ug/L	P335693	
		Fenuron	0.0080	U	ug/L	P335693	
		Imidacloprid	8.0E-04	U	ug/L	P335693	MS
		Bentazon	8.0E-04	U	ug/L	P335693	
		Linuron	0.0040	U	ug/L	P335693	
		Acetaminophen**	0.0080	U	ug/L	P335693	
		MCP	0.0020	U	ug/L	P335693	MS
		Carbamazepine**	4.0E-04	U	ug/L	P335693	
		Triclopyr**	0.0040	U	ug/L	P335693	MS
		Primidone**	0.0040	U	ug/L	P335693	
		Fluridone**	4.0E-04	U	ug/L	P335693	

Sample Location: OCKLAWAHA CREEK @ SR 267

Collection Date/Time: 11/21/2017 13:50

Field ID: G1TLHR0053-2017-06

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1948204	EPA 8321B	Sucralose**	0.010	U	ug/L	P335915	
	USGS O-2060-01	2,4-D	0.0020	U	ug/L	P335693	MS
		Diuron	8.0E-04	U	ug/L	P335693	
		Fenuron	0.0080	U	ug/L	P335693	
		Imidacloprid	8.0E-04	U	ug/L	P335693	MS
		Bentazon	8.0E-04	U	ug/L	P335693	
		Linuron	0.0040	U	ug/L	P335693	
		Acetaminophen**	0.0080	U	ug/L	P335693	
		MCP	0.0020	U	ug/L	P335693	MS
		Carbamazepine**	4.0E-04	U	ug/L	P335693	
		Triclopyr**	0.0040	U	ug/L	P335693	MS
		Primidone**	0.0040	U	ug/L	P335693	
		Fluridone**	4.0E-04	U	ug/L	P335693	

Quality Assurance Report Method Blank Results

Reference Method: EPA 8321B
Batch ID: P335915

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: USGS O-2060-01
Batch ID: P335693

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: USGS O-2060-01
 Batch ID: P335693

Component	Result	Code	Units
Bentazon	8.0E-04	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0080	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
MCP	0.0020	U	ug/L
Primidone	0.0040	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
 Batch ID: P335915

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	123		P	40 - 150

Reference Method: USGS O-2060-01
 Batch ID: P335693

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	59.2		P	40 - 150
Acetaminophen	105		P	30 - 150
Bentazon	35.8		P	30 - 150
Carbamazepine	100		P	40 - 150
Diuron	114		P	40 - 150
Fenuron	103		P	40 - 150
Fluridone	101		P	40 - 150
Imidacloprid	90.7		P	40 - 160
Linuron	102		P	40 - 150
MCP	48.5		P	40 - 150
Primidone	88.9		P	40 - 150
Triclopyr	48.9		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
 Batch ID: P335915

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948302	Sucralose	120	133	P/P	40 - 150

Reference Method: USGS O-2060-01
 Batch ID: P335693

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947629	2,4-D	24.7	29.6	F/F	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: USGS O-2060-01
Batch ID: P335693

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947629	Acetaminophen	99.0	107	P/P	30 - 150
1947629	Bentazon	34.8	35.8	P/P	30 - 150
1947629	Carbamazepine	71.7	72.7	P/P	40 - 150
1947629	Diuron	75.2	76.1	P/P	40 - 150
1947629	Fenuron	72.1	69.1	P/P	40 - 150
1947629	Fluridone	87.6	89.9	P/P	40 - 150
1947629	Imidacloprid	178	182	F/F	40 - 160
1947629	Linuron	89.7	89.4	P/P	40 - 150
1947629	MCP	22.2	22.5	F/F	40 - 150
1947629	Primidone	80.4	82.4	P/P	40 - 150
1947629	Triclopyr	23.3	22.3	F/F	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P335915

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948302	Sucralose	10.0	Spike	P	0 - 30

Reference Method: USGS O-2060-01
Batch ID: P335693

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947629	2,4-D	18.1	Spike	P	0 - 30
1947629	Acetaminophen	7.80	Spike	P	0 - 30
1947629	Bentazon	2.79	Spike	P	0 - 30
1947629	Carbamazepine	1.45	Spike	P	0 - 30
1947629	Diuron	1.20	Spike	P	0 - 30
1947629	Fenuron	4.24	Spike	P	0 - 30
1947629	Fluridone	2.62	Spike	P	0 - 30
1947629	Imidacloprid	1.82	Spike	P	0 - 30
1947629	Linuron	0.279	Spike	P	0 - 30
1947629	MCP	1.61	Spike	P	0 - 30
1947629	Primidone	2.47	Spike	P	0 - 30
1947629	Triclopyr	4.52	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1948203
Field Sample ID: G1TLHR0054-2017-04

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Acetaminophen-d4	102	P	30 - 160

Quality Assurance Report Surrogates

Lab Sample ID: 1948203

Field Sample ID: G1TLHR0054-2017-04

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbamazepine-d10	120	P	30 - 160
EPA 8321B	Diuron-d6	98.8	P	30 - 160
EPA 8321B	Primidone-d5	109	P	30 - 160
EPA 8321B	Sucralose-d6	114	P	40 - 160
USGS O-2060-01	2,4-D-d3	37.3	P	30 - 160
USGS O-2060-01	Acetaminophen-d4	102	P	30 - 160
USGS O-2060-01	Carbamazepine-d10	120	P	30 - 160
USGS O-2060-01	Diuron-d6	98.8	P	30 - 160
USGS O-2060-01	Primidone-d5	109	P	30 - 160
USGS O-2060-01	Sucralose-d6	114	P	40 - 160

Lab Sample ID: 1948204

Field Sample ID: G1TLHR0053-2017-06

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Acetaminophen-d4	96.5	P	30 - 160
EPA 8321B	Carbamazepine-d10	115	P	30 - 160
EPA 8321B	Diuron-d6	97.2	P	30 - 160
EPA 8321B	Primidone-d5	99.4	P	30 - 160
EPA 8321B	Sucralose-d6	119	P	40 - 160
USGS O-2060-01	2,4-D-d3	39.4	P	30 - 160
USGS O-2060-01	Acetaminophen-d4	96.5	P	30 - 160
USGS O-2060-01	Carbamazepine-d10	115	P	30 - 160
USGS O-2060-01	Diuron-d6	97.2	P	30 - 160
USGS O-2060-01	Primidone-d5	99.4	P	30 - 160
USGS O-2060-01	Sucralose-d6	119	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: USGS O-2060-01

Run ID: A80505

Included Lab Sample IDs: 1948203, 1948204

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	83.5	83.6	P/P	50 - 150
2,4-D	83.6	93.9	P/P	50 - 150
Acetaminophen	111	111	P/P	60 - 150
Acetaminophen	111	114	P/P	60 - 150
Bentazon	87.5	88.8	P/P	50 - 150
Bentazon	88.8	89.9	P/P	50 - 150
Carbamazepine	106	105	P/P	60 - 150
Carbamazepine	108	106	P/P	60 - 150
Diuron	114	116	P/P	60 - 150
Diuron	116	114	P/P	60 - 150
Fenuron	106	109	P/P	60 - 150
Fenuron	109	107	P/P	60 - 150
Fluridone	113	113	P/P	60 - 160
Fluridone	114	113	P/P	60 - 160
Imidacloprid	96.5	99.0	P/P	60 - 150
Imidacloprid	99.0	106	P/P	60 - 150

Quality Assurance Report Calibration Verification

Reference Method: USGS O-2060-01

Run ID: A80505

Included Lab Sample IDs: 1948203, 1948204

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Linuron	105	112	P/P	60 - 150
Linuron	112	108	P/P	60 - 150
MCP	90.4	89.7	P/P	50 - 150
MCP	90.4	90.4	P/P	50 - 150
Primidone	107	96.4	P/P	60 - 150
Primidone	96.8	107	P/P	60 - 150
Triclopyr	92.3	92.4	P/P	50 - 150
Triclopyr	92.4	88.2	P/P	50 - 150

Reference Method: EPA 8321B

Run ID: A80568

Included Lab Sample IDs: 1948203, 1948204

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	111	132	P/P	60 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 8321B	Sucralose	123	120 133			10.0
USGS O-2060-01	2,4-D	59.2	24.7 29.6			18.1
	Acetaminophen	105	99.0 107			7.80
	Bentazon	35.8	34.8 35.8			2.79
	Carbamazepine	100	71.7 72.7			1.45
	Diuron	114	75.2 76.1			1.20
	Fenuron	103	72.1 69.1			4.24
	Fluridone	101	87.6 89.9			2.62
	Imidacloprid	90.7	178 182			1.82
	Linuron	102	89.7 89.4			0.279
	MCP	48.5	22.2 22.5			1.61
	Primidone	88.9	80.4 82.4			2.47
	Triclopyr	48.9	23.3 22.3			4.52

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 8321B / E31780	Analysis of sucralose in water matrices by HPLC/MS/MS	1948203, 1948204
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1948203, 1948204
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1948203, 1948204

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	11/21/2017	11/29/2017	Juyoung Kim	11/30/2017	Juyoung Kim	1948203, 1948204
USGS O-2060-01	11/21/2017	11/22/2017	Hoor Shaik	11/24/2017	Julie Michelle Frank	1948203, 1948204