

Log-in Checklist

RQ- 2017-11-06-40

Shipping Method: HS

Date/Time of Receipt: 11-16-17/14:42

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	3.1	10		✓			
Red	0.4	10		✓			
Red	1.5	12		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX			W-PC-AA-SF			
W-AHERB-AA (-AHB-AA-R)		<u>✓</u>	W-PCL-SQ (-R)		<u>✓</u>	
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R			
W-ENDO-AA			W-PSCL-TQ			
W-GLYPH		<u>✓</u>	W-PSNP-TQ			
W-NP-AA-SF			W-PST-CL-R			
W-PAH (-R)			W-TR-TQ			
W-PCB-R			W-CT-CI-R		<u>✓</u>	

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: SR

Coolers Unpacked/Checked by: SR Date: 11-16-17 NCRs (Y/N)? N

Event ID: TLR-TT TLH-ROC-2017-11-16-02 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

kit C_pesticides

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: TLH-ROC

Requester: Chris Green

Field Report Prepared By: Woods

Project ID: SMP

Collected By: Woods/Burchett

Sampling Agency: 4034

Location	G2TLHR0002-2017-03		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2)
Field ID	WBID 60 Field ID↑ STORET↓		☒ Grab	Date 11/16/17	Time 955	Central	Date	Time	
STORET #	Lake Seminole 200m from Boat Ramp @ River Rd G2TLHR0002		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)		A/B
Latitude	☐ dd Longitude		Temp (C) 17.76	pH 7.06	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 146		
	☐ dms		Salinity (ppt) 0.07	Comments					
Location	G2TLHR0016-2017-02		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s)
Field ID	WBID 51 E Field ID↑ STORET↓		☒ Grab	Date 11/16/17	Time 1155	Central	Date	Time	
STORET #	Chiploa River @ Magnolia Rd G2TLHR0016		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)		A/B
Latitude	☐ dd Longitude		Temp (C) 16.34	pH 7.72	Sample Depth 0.25	☐ ft	Sp. Conductance (umho/cm) 274		
	☐ dms		Salinity (ppt) 0.13	Comments					
Location	G2TLHR0016-2017-02_DUP		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s)
Field ID	WBID 51 E Field ID↑ STORET↓		☒ Grab	Date 11/16/17	Time 1205	Central	Date	Time	
STORET #	Chiploa River @ Magnolia Rd G2TLHR0016		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)		A/B
Latitude	☐ dd Longitude		Temp (C) 16.34	pH 7.72	Sample Depth 0.25	☐ ft	Sp. Conductance (umho/cm) 274		
	☐ dms		Salinity (ppt) 0.13	Comments					
Location			☐ Comp	Collection (comp begin or grab)		☐ Eastern	Composite end		Bottle Group(s)
Field ID			☐ Grab	Date	Time	Central	Date	Time	
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine (mg/L)		
Latitude	☐ dd Longitude		Temp (C)	pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)		
	☐ dms		Salinity (ppt)	Comments					

Relinquished By: Woods	Date/Time: 11/16/17 1442	Shipping Method: HD	Number of Coolers Shipped: 2	Received By: [Signature]	Date/Time: 11-16-17
------------------------	--------------------------	---------------------	------------------------------	--------------------------	---------------------

1442

Group: A	Bottle Type:	P-1L	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>3</u>
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>3</u>
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 8	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	<u>3</u>
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 8	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>3</u>
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 8	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	<u>3</u>
	W-PO4-F						
Group: B	Bottle Type:	BG-1L	# of Bottles: 16	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>7</u>
	W-AHERB-AA						
	W-GLYPH						
	W-PYR-AA-R						
	W-SUC-AA-R						
	W-UHERB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 18	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>6</u>
	W-CT-CI-R						
	W-PCL-SQ-R						
Group: B	Bottle Type:	BG-1L	# of Bottles: 18	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>7</u>
	W-PSNP-TQ						

Date of Request: 18-OCT-2017
 Created By: GREEN_C On: 18-OCT-2017
 Modified By: SWANSON_C On: 20-OCT-2017
 Customer: TLH-ROC
 Project: SMP
 Division:
 District: Not Applicable
 Sampling Event: kit C_pesticides

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Chris Green

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Michael Eckles

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 18-OCT-2017
 Biology Request Reviewed By: SWANSON_C On: 20-OCT-2017
 Sampling Kit Required: YES Ship on: 26-OCT-2017
 Sampling Kit Shipped: YES On: 31-OCT-2017
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 06-NOV-2017
 Received By: REYNOLDS_T On: 15-NOV-2017

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:
 no fedex bills, zip ties or bubble wrap

Bottle Group A (Water) With 8 Samples:

Bottle Type: P-1L	Number of Bottles: 8	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 8	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		

Bottle Group A (Water) With 8 Samples:

Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Copper
Lead
Silver

Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 8 Samples:

Bottle Type: BG-1L	Number of Bottles: 16	Preserved With: ICE
W-AHERB-AA	Template:	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-GLYPH	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
W-PYR-AA-R	Template: DEFAULT	(EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: BG-500ML	Number of Bottles: 18	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

Bottle Type: BG-1L	Number of Bottles: 18	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.