



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

March 2017

PAGE 1 OF 1

Data Qualified?

Yes / No

Location/STORET Station Name: WILLIAMS LAKE

Date: 08/30/2017
(mm/dd/yyyy)

STORET # G1SW0071

WBID: 1493D

Latitude: 28.09916111

County: Hillsborough RQ - 2017-08-28-14

ORG ID: 21FLTPA

Longitude: -82.60273611

(Decimal Degrees)

(Decimal Degrees)

Receiving Body of Water:

Field ID: G1SW0071

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Storrs		X	X			
Amason			X	X	X	X

Sampling Equipment	
☒ Sample Container	☐ Van Dorn ☐ Pole
☐ Carboy	☒ Syringe
☐ Dipper	☐ Other
Equipment ID	

Collection Method	
☐ Wading	☒ Via Boat
☐ From Shore	☒ Canoe/Kayak
☐ Other (note below)	☐ Electric Motor
	☐ Gasoline Motor

Water Level:		Matrix:	
Dry / Pooled / Low / Normal / <u>High</u> / Flooded		Fresh / Marine / DI	
Meter ID#	Photos:	Tide Falling:	
BFO #2	Yes / No	Yes / No / <u>NA</u>	

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (umhos/cm)	Temp. (C°)
EST	1425	0.5	4.0	6.60	89.4	6.68	0.08	1.5	176	31.35
CEN	1423	3.5		5.19	67.9	6.16	0.08		176	29.54

Biological Samples Collected:	SBIO ID Numbers:	RPS ID:	Macrophyte ID:	LIMS#:
None HA SCI RPS Algae ID LVS <u>LVI</u> Other	SBIO-ID: 77973		Macrophyte-ID: 10738	LIMS#: 1926850

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	7163030	6/12/18	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHL / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLOC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coll ☐ F Coll ☐ Enterococci ☐ qPCR	☐ Ice			
Tracers	☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			

Notes:	RQ-2017-08-28-14	Field ID	STORET
Access granted by Vincent Alterio in 2017. 10519 Lake Williams Dr. 813-926-5176 (H) or 727-580-7802. No need to call ahead Kit A, LVI	Date:	G1SW0071	G1SW0071
Signature: <i>Curtis LM</i>	Time:	Williams Lake	
	Date:	8/30/2017	

Field Parameters Entered into LIMS: SM 09/20/2017 & Biology

Field Parameters QC in LIMS:

Date Migrated to STORET:

Field Sheets Scanned/Saved: SM 10/02/2017

(Initials/Date)

(Initials/Date)

(Initials/Date)

Williams Lake
1493D



82.60313
28.10079

82.6023
28.1008

82.6015
28.1003

82.60349
28.09993

82.601
28.099

82.60269
28.09911

82.60369
28.09924

82.60182
28.09895

82.60184
28.09822

82.60415
28.09842

82.60352
28.09787

82.60267
28.09764

82.60194
28.09746

0 0.025 0.05 0.1 Miles

DEP FORM FD 9000-31: LAKE OBSERVATION FIELD SHEET

SAMPLE ID: 77973 MACROPHYTE ID: 10738 LATITUDE: 28.09916111
 COUNTY: Hillsborough STORET #: 6155007 LONGITUDE: 82.60273611
 DATE: 8-30-17 TIME: 1425 SAMPLING AGENCY: FDEP
 SITE NAME: Lake Williams Center WBID: 1493D
 FIELD ID/NAME: 6155007 LAKE SIZE: _____ RQ: 2017-08-28-14
 WATERSHED / LAKESIDE FEATURES

PREDOMINANT LAND USE IN WATERSHED (specify relative percent in each category - from GIS): Forest/Natural <u>25</u> Silviculture _____ Field/Pasture _____ Agricultural _____ Residential <u>1655</u> Commercial _____ Industrial _____ Other (Specify) _____						LANDSCAPE DEVELOPMENT INTENSITY (100 m buffer) DI: _____			
Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☐ No evidence ☐ Slight ☐ Moderate ☒ Heavy						Artificially Impounded ☐ Yes ☒ No Land Use Source & Year: _____			
STORMWATER INPUTS <u>3</u>		Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation 20 19 18 17 16		Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place 15 14 13 12 11		Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place 10 9 8 7 6		Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place 5 4 <u>3</u> 2 1	
LAKESIDE ALTERATIONS <u>3</u>		Very few man-made structures, roads, or other disturbance adjacent to lake (<10% lakeside affected) 20 19 18 17 16		Moderate disturbance visible - structures, roads or other (10%-49% lakeside affected) 15 14 13 12 11		Many structures, roads or other human disturbance visible (50%-70% lakeside affected) 10 9 8 7 6		Highly developed or disturbed (>70% of lakeside affected) 5 4 <u>3</u> 2 1	
BUFFER ZONE <u>2</u>		Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer 20 19 18 17 16		89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer 15 14 13 12 11		50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer 10 9 8 7 6		< 29% of shoreline with >18m buffer 5 4 3 <u>2</u> 1	

WATER / SUBSTRATE / BIOLOGICAL: SAMPLES AND OBSERVATIONS

Water: Nutrient Sample Taken? ☒ Yes ☐ No Preserved? ☒ Yes ☐ No pH < 2 ☐ No Color Sample Taken? ☒ Yes ☐ No Lot # <u>716330</u> Exp. Date: <u>6/12/17</u> Alkalinity Sample Taken? ☒ Yes ☐ No Water Level ☐ Low ☐ Normal ☒ High						Water Odors: ☒ Normal ☐ Sewage ☐ Petroleum ☐ Other _____ Water Surface Oils: ☒ None ☐ Sheen/Slick ☐ Glob ☐ Other _____											
Meter Readings: Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat. (%) Cond. (UMHO/CM) Salinity (PPT) Top: <u>0.5</u> <u>31.35</u> <u>6.68</u> <u>6.60</u> <u>89.4</u> <u>176</u> <u>0.08</u> Mid-Depth: _____ Bottom: <u>3.5</u> <u>29.54</u> <u>6.16</u> <u>5.04</u> <u>67.9</u> <u>176</u> <u>0.08</u>						Clarity: ☐ Clear ☒ Opaque ☐ Turbid ☐ Slightly Turbid Color: ☐ Clear ☒ Tannic ☐ Green SECCHI (M) <u>1.5</u> Total Station Depth (M) <u>4.0</u> VOB ☐											
Sediment Type: (may check more than one) ☐ Sandy ☒ Organic fibrous (peaty, CPOM) ☒ Sand/Silt ☐ Organic smooth (muck) Sample Taken? ☐ Yes ☒ No ☒ Vegetated ☐ Other (Specify): _____						Sediment Odors: ☒ Normal ☐ Other (Specify): _____ ☐ Anaerobic											
Biological Communities: LVI Conducted? ☒ Yes ☐ No Phytoplankton Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☐ No Lot #: _____ Exp. Date: _____ Algal Bloom/Algal ID Sample Taken? Yes ☒ No Active Vegetation Mgmt? ☒ Yes ☐ No ☐ Don't Know						Abundance: Absent Rare Common Abundant Periphyton ☐ ☐ ☒ ☐ Nuisance Plants ☐ ☐ ☒ ☐ Submersed Plants ☐ ☒ ☐ ☐ Exotic Apple Snails ☐ ☒ ☐ ☐						Additional Notes: <u>Heavy Rain Post 2 Days</u>					
Weather Conditions: <u>90's, Clear SKYS, No Precipitation</u>																	
SAMPLING TEAM: <u>Curtis Mussen, Jason Stotts</u>						SIGNATURE: <u>[Signature]</u>			DATE: <u>8/30/17</u>								

STATE OF FLORIDA, DEPARTMENT OF ENVIRONMENTAL PROTECTION
Lake Habitat Assessment Field Sheet

STORET STATION NUMBER: G15W0071	DATE (M/D/Y): 8/30/17	LAKE NAME: Williams Lake		FIELD ID / NAME: G15W0071
ECO-REGION:	COUNTY: Hillsborough	SAMPLING LOCATION/DESCRIPTION: Williams Lake Center		LAKE SIZE:
PARAMETER	No surface inflow or outflow present, very long water residence time, groundwater seepage dominates ☒	Surface water inflow present, but flow is rare, moderate to long water residence time ☐	Surface water inflow and outflow present (or outflow only), sometimes with visible flow, short water residence time ☐	Impounded, hydrology of system artificially controlled ☐
HYDROLOGY				
	Very clear, uncolored water (benthic sampling appropriate) ☐	Water somewhat tannin stained (benthic sampling appropriate) ☐	Dark, discolored water (water color 20 PCU or higher) ☒	Visibility extremely reduced due to high color ☐
	Optimal	Suboptimal	Marginal	Poor
Secchi 11	Secchi > 3 m Secchi (m) Or VOB 20 19 18 17 16	3 2.6 2.2 1.8 1.4 15 14 13 12 11	1.0 0.9 0.8 0.7 0.6 10 9 8 7 6	0.5 0.4 0.3 0.2 0.1 5 4 3 2 1
Vegetation Quality 12	Diverse, expected native vegetation (emergent or submersed), less than 5% nuisance taxa 20 19 18 17 16	Mostly expected native plants, but moderate growths (6%-20% of lake) of nuisance macrophytes, or more than 50% of lake covered with plants 15 14 13 12 11	Large masses (21%-40%) of nuisance macrophytes (e.g., Hydrilla, hyacinth, cattail, etc.) or algal mats 10 9 8 7 6	Lake choked (>40%) with nuisance macrophytes (duckweed, hyacinth, etc.) or algal mats, or few plants present at all (e.g., plants removed) 5 4 3 2 1
Stormwater Inputs 3	Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation 20 19 18 17 16	Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place 15 14 13 12 11	Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place 10 9 8 7 6	Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place 5 4 3 2 1
Bottom Substrate Quality 12	Diverse mixture of sand, detritus, with small amounts of CPOM/mud/muck. SAV may be present 20 19 18 17 16	Mixture of sand or clay and detritus with higher % CPOM/mud/muck content. SAV may be present 15 14 13 12 11	Moderate layer of CPOM/mud/muck, or hardpacked sand only, or moderate algal growth (mats or Chara) on bottom 10 9 8 7 6	Thick deposits of CPOM, or fine detritus and anaerobic muck/mud/silt, or algal growth or nuisance plants (Hydrilla) cover bottom 5 4 3 2 1
Lakeside Adverse Human Alterations 3	Very few man-made structures, roads, or other disturbance adjacent to lake (<10%) 20 19 18 17 16	Moderate disturbance visible (structures, roads or other), 10%-49% lakeside affected 15 14 13 12 11	Many structures, roads or other human disturbance visible (50%-70%) lakeside affected 10 9 8 7 6	Highly developed or disturbed (>70% of lakeside affected) 5 4 3 2 1
Upland Buffer Zone 2	Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer 20 19 18 17 16	89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer 15 14 13 12 11	50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer 10 9 8 7 6	< 29% of shoreline with >18m buffer 5 4 3 2 1
Adverse Watershed Land Use 9	Score the potential effects from adverse human land uses, based on a continuum of amount and type, with least to most adverse as follows: Native vegetation, Silviculture, Pasture or Citrus, Low Density Residential, Row Crops, Commercial, High Density Residential, Urban, Industrial 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1			
TOTAL SCORE	52	COMMENTS:		
ANALYSIS DATE: 8/30/17	ANALYST: Curtis Mossen	SIGNATURE: <i>Curtis Mossen</i>		

Form FD9000-27 Lake Vegetation Index Data Sheet (06-21-11)

Waterbody: <u>Williams</u>				County: <u>Hillsborough</u>				Date: <u>8/30/17</u>			
Analyst: <u>C. Musson / J. Storrer</u>				Signature: <u>C. Musson</u>				STORET: <u>GLW0071</u>			
Except where noted as "sp." species level identification required. *Genera that may require lab verification*								Lake units sampled (circle one group):			
Plants in bold= FLEPPC invasive exotic.								1, 4, 7, 10 2, 5, 8, 11			
It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.								3, 6, 9, 12			
SPECIES	2	5	8	11	Collected? (✓)	SPECIES	2	5	8	11	Collected? (✓)
<i>Acer rubrum</i>	X					<i>Habenaria repens</i>	X				
<i>Alternanthera philoxeroides</i>	X					<i>Hydrilla verticillata</i>					
<i>Andropogon</i> sp.						<i>Hydrocotyle</i> sp.	X	X	X	X	
<i>Azolla filiculoides</i> (<i>A. caroliniana</i>)	X					<i>Hygrophila polysperma</i>					
<i>Baccharis</i> sp.	X					* <i>Hypericum fasciculatum</i>					
<i>Bacopa caroliniana</i>	X					* <i>Hypericum hypericoides</i>					
<i>Bacopa monnieri</i>				X		* <i>Hypericum myrtifolium</i>					
<i>Bidens laevis</i>						<i>Ilex cassine</i>					
<i>Bidens mitis</i>						<i>Ipomoea aquatica</i>					
<i>Blechnum serrulatum</i>						<i>Ipomoea sagittata</i>					
<i>Boehmeria cylindrica</i>						<i>Itea virginica</i>					
<i>Brasenia schreberi</i>						<i>Juncus effusus</i>					
<i>Cabomba caroliniana</i>						* <i>Juncus marginatus</i>					
<i>Casuarina equisetifolia</i>						* <i>Juncus megacephalus</i>					
<i>Centella asiatica</i>						<i>Juncus repens</i>					
<i>Cephalanthus occidentalis</i>				X		* <i>Juncus scirpoides</i>					
<i>Ceratophyllum demersum</i>						<i>Lachnanthes caroliniana</i>					
<i>Chara</i> sp.						<i>Leersia hexandra</i>					
<i>Cladium jamaicense</i>						<i>Landoltia punctata</i> (<i>Spirodela punctata</i>)					
<i>Cliftonia monophylla</i>						<i>Lemna</i> sp.					
<i>Colocasia esculenta</i>						<i>Leucothoe racemosa</i> (<i>Eubotrys racemosa</i>)					
* <i>Commelina</i>						<i>Limnium spongiosa</i>					
<i>Crinum americanum</i>						<i>Limnophila sessiliflora</i>					
* <i>Cyperus alternifolius</i> (<i>C. involucratus</i>)						<i>Liquidambar styraciflua</i>					
<i>Cyperus articulatus</i>						* <i>Ludwigia arcuata</i>					
<i>Cyperus haspan</i>						* <i>Ludwigia leptocarpa</i>					
* <i>Cyperus lecontei</i> <u>long seed</u>	X					* <i>Ludwigia linearis</i>					
* <i>Cyperus polystachyos</i>						* <i>Ludwigia octovalvis</i>					
* <i>Cyperus odoratus</i>		X		X		* <i>Ludwigia peruviana</i>		X	X	X	
* <i>Cyperus surinamensis</i>						* <i>Ludwigia repens</i>					
<i>Cyrtia racemiflora</i>						* <i>Ludwigia grandiflora</i>	X				
<i>Decodon verticillatus</i>						<i>Luziola fluitans</i> (<i>Hydrochloa carolinensis</i>)					
<i>Diodia virginiana</i>						<i>Lyonia lucida</i>					
* <i>Echinochloa crus-galli</i>						<i>Magnolia virginiana</i>					
* <i>Echinochloa muricatum</i>						<i>Mayaca fluviatilis</i>					
<i>Echinochloa walteri</i>						<i>Melaleuca quinquenervia</i>					
<i>Eclipta prostrata</i> (<i>E. alba</i>)						<i>Micranthemum glomeratum</i>					
<i>Egeria densa</i>						<i>Micranthemum umbrosum</i>					
<i>Eichhornia crassipes</i>						<i>Mikania scandens</i>		X	X	X	
* <i>Eleocharis baldwinii</i>				X		<i>Mimosa pigra</i>					
* <i>Eleocharis</i> <u>viridula</u>				X		<i>Myrica cerifera</i>		X	X	X	
<i>Eleocharis cellulosa</i>						<u>Boschmannia</u>		X	X	X	
<i>Eleocharis equisetoides</i>						<u>trifoliate 3 leaf Fern</u>		X	X	X	
<i>Eleocharis interstincta</i>		X		X		<u>yellow flower</u>		X	X	X	
* <i>Eriocaulon compressum</i>						<u>small head cyperus</u>		X	X	X	
* <i>Eriocaulon decangulare</i>						<u>dead head cyperus</u>		X	X	X	
<i>Eupatorium capillifolium</i>	X	X		X							
* <i>Fuirena</i>											
<i>Fuirena scirpoidea</i>											
<i>Gordonia lasianthus</i>											

Site:

Williams

Date:

8/30/17

SPECIES	2	5	8	11	Collected? (✓)	SPECIES	2	5	8	11	Collected? (✓)
Myriophyllum aquaticum						Salix caroliniana					
*Myriophyllum heterophyllum						Salvinia minima					
*Myriophyllum laxum						Sambucus canadensis					
*Myriophyllum pinnatum						Sapium sebiferum					
Myriophyllum spicatum						Saururus cernuus					
*Najas filifolia						Schinus terebinthifolius					✓
*Najas guadalupensis						*Schoenoplectus californicus					
*Najas minor						*Schoenoplectus pungens					
Nelumbo lutea						*Schoenoplectus tabernaemontani (Scirpus validus)					
Nitella spp.						Scirpus cubensis (Oxycaryon cubense)					
Nuphar sp.						Scirpus cyperinus					
Nymphaea odorata						*Sesbania					✓
Nymphoides aquatica						Solidago sp.					
Nyssa sylvatica var. biflora						Sparganium americanum					
Orontium aquaticum						Spartina bakeri					
Osmunda cinnamomea						Spirodela polyrhiza					
Osmunda regalis						Taxodium sp.					✓
Panicum hemitomon						Thalia geniculata					✓
Panicum repens						Thelypteris palustris					
Paspalidium geminatum						Triadenum virginicum					
*Paspalum repens						Typha sp.					✓
Paspalum urvillei						Urochloa mutica (Brachiaria mutica)					✓
Peltandra sp.						*Utricularia gibba (U. biflora)					
Persea sp.						*Utricularia floridana					
Pennisetum purpureum						*Utricularia foliosa					
Phragmites australis						*Utricularia inflata					
Pinus elliotii						*Utricularia purpurea					
Pistia stratioides						*Utricularia cornuta					
Pluchea sp.						*Utricularia radiata					
*Polygonum glabrum (densiflorum)						Vallisneria americana					
*Polygonum hydropiperoides						*Websteria confervoides					
*Polygonum punctatum						Wedelia trilobata (Sphagneticola trilobata)					
*Polygonum						Wolffia spp.					
Pontederia cordata						Woodwardia virginica					
*Potamogeton diversifolius						Xyris sp.					
*Potamogeton illinoensis						Zizania aquatica					
*Potamogeton pusillus						Zizaniopsis milacea					
*Potamogeton pectinatus (Stuckenia pectinatus)						Hydrocotyle					✓
Proserpinaca pectinata						Nephrrolepis					✓
*Rhexia						Cyperus distinctus					✓
*Rhynchospora corniculata						Cyperus sp. (ashleyi form)					✓
*Rhynchospora inundata						Hydrocotyle 3 leaf per yellow flower					✓
Rhynchospora tracyi						- need to identify - vine - more					
Ricciocarpus natans						Hydrocotyle quadrivalvis					✓
Sabal palmetto						Furcraea squarrosa					✓
Sacciolepis striata											
*Sagittaria filiformis											
*Sagittaria graminea											
*Sagittaria isoetiformis											
Sagittaria lancifolia											
Sagittaria latifolia											

Central Laboratory Submittal Form

Sampling Agency: FDEP

Clotry

Group: A	Bottle Type: P-1L	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 6	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	5
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 6	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	5
W-PO4-F					
Group: B	Bottle Type: QPCR-P-250ML	# of Bottles: 8	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
PCR-FILTER PCR-HF183					
Group: B	Bottle Type: P-120ML WC-THI	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
SWD-AEL-EC					
Group: B	Bottle Type: BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
W-AHERB-AA W-SUC-AA-R W-UHERB-AA					

From Please print and press hard.

Date **8-30-17**

Sender's FedEx Account Number

SENDER'S ACCOUNT NUMBER

Sender's Name

Phone **(813) 470-5700**

Company **FDEP**

Address **13051 N Telecom Pkwy**

Dept./Floor/Suite/Room **101**

City **Temple Terrace** State **FL** ZIP **33637**

Your Internal Billing Reference

First 24 characters will appear on invoice.

To Recipient's Name **SAMPLE RECEIVING**

Phone **(850) 245-8085**

Company **FLORIDA DEP/CHEMISTRY SECTION**

Address **2600 BLAIRSTONE RD**

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City **TALLAHASSEE** State **FL** ZIP **32399**

0126430468



Ship it. Track it. Pay for it. All online.
Go to fedex.com

Form ID No. **0215**

4 Express Package Service

* To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
Next business morning.* Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Standard Overnight
Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.* Saturday Delivery NOT available.

☐ FedEx 2Day
Second business afternoon.* Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Express Saver
Third business day.* Saturday Delivery NOT available.

5 Packaging * Declared value limit \$500.

☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without obtaining a signature for delivery.

☐ Direct Signature
Someone at recipient's address may sign for delivery.

☐ Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.
☒ No ☐ Yes As per attached Shipper's Declaration. ☐ Yes Shipper's Declaration not required.

☐ Dry Ice
Dry Ice, 9 UN 1845 x kg

☐ Cargo Aircraft Only

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

☐ Sender Acct. No. in Section 1 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check
FedEx Acct. No. **4470-2262-7** Exp. Date

Total Packages **1** Total Weight **50** lbs. Total Declared Value* \$ **—**

*Our liability is limited to US\$100 unless you declare a higher value. See back for details. By using this airbill you agree to the service conditions on the back of this airbill and in the current FedEx Service Guide, including terms that limit our liability.

Rev. Date 6/15 • Part #161314 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

611

From Please print and press hard.

Date **8-30-17**

Sender's FedEx Account Number

SENDER'S ACCOUNT NUMBER

Sender's Name

Phone **(813) 470-5700**

Company **FDEP**

Address **13051 N Telecom Pkwy**

Dept./Floor/Suite/Room **101**

City **Temple Terrace** State **FL** ZIP **33637**

Your Internal Billing Reference

First 24 characters will appear on invoice.

To Recipient's Name **SAMPLE RECEIVING**

Phone **(850) 245-8085**

Company **FLORIDA DEP/CHEMISTRY SECTION**

Address **2600 BLAIRSTONE RD**

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City **TALLAHASSEE** State **FL** ZIP **32399**

0126430468

Form ID No. **0215**

4 Express Package Service

* To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
Next business morning.* Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Standard Overnight
Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.* Saturday Delivery NOT available.

☐ FedEx 2Day
Second business afternoon.* Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Express Saver
Third business day.* Saturday Delivery NOT available.

5 Packaging * Declared value limit \$500.

☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without obtaining a signature for delivery.

☐ Direct Signature
Someone at recipient's address may sign for delivery.

☐ Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.
☒ No ☐ Yes As per attached Shipper's Declaration. ☐ Yes Shipper's Declaration not required.

☐ Dry Ice
Dry Ice, 9 UN 1845 x kg

☐ Cargo Aircraft Only

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

☐ Sender Acct. No. in Section 1 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check
FedEx Acct. No. **4470-2262-7** Exp. Date

Total Packages **1** Total Weight **50** lbs. Total Declared Value* \$ **—**

*Our liability is limited to US\$100 unless you declare a higher value. See back for details. By using this airbill you agree to the service conditions on the back of this airbill and in the current FedEx Service Guide, including terms that limit our liability.

Rev. Date 5/15 • Part #161314 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

611

PULL AND RETAIN THIS COPY BEFORE AFFIXING TO THE PACKAGE. NO POUCH NEEDED.

PULL AND RETAIN THIS COPY BEFORE AFFIXING TO THE PACKAGE. NO POUCH NEEDED.