

Chemical Analysis Report

SW-DIST-2017-03-08-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP RUN 14**
Request ID: **RQ-2017-03-06-20**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 20-MAR-2017 14:17

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: TROUT CRK

Collection Date/Time: 03/07/2017 10:00

Field ID: G2SW0021

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1878331	EPA 8321B	Sucralose**	0.42		ug/L	P321083	
	USGS O-2060-01	2,4-D	0.0040	U	ug/L	P321159	
		Diuron	0.0040	U	ug/L	P321159	
		2,4-DB	0.010	U	ug/L	P321159	
		Fenuron	0.0080	U	ug/L	P321159	
		2,4,5-T	0.0040	U	ug/L	P321159	
		Acifluorfen	0.010	U	ug/L	P321159	RPD
		Imidacloprid	0.0040	U	ug/L	P321159	
		Bentazon	0.070		ug/L	P321159	
		Linuron	0.0040	U	ug/L	P321159	
		Dicamba	0.050	U	ug/L	P321159	
		Dichlorprop	0.0040	U	ug/L	P321159	
		Dinoseb	0.020	U	ug/L	P321159	MS, RPD
		MCPA	0.0040	U	ug/L	P321159	
		Acetaminophen**	0.0040	U	ug/L	P321159	
		MCPD	0.0040	U	ug/L	P321159	
		Picloram	0.050	U	ug/L	P321159	RPD
		Carbamazepine**	4.0E-04	U	ug/L	P321159	
		Silvex	0.0040	U	ug/L	P321159	
		Triclopyr**	0.010	U	ug/L	P321159	
		Primidone**	0.0080	U	ug/L	P321159	
		Fluridone**	0.0035		ug/L	P321159	

Quality Assurance Report Method Blank Results

Reference Method: EPA 8321B

Batch ID: P321083

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: USGS O-2060-01

Batch ID: P321159

Component	Result	Code	Units
2,4,5-T	0.0040	U	ug/L
2,4-D	0.0040	U	ug/L
2,4-DB	0.010	U	ug/L
Acetaminophen	0.0040	U	ug/L
Acifluorfen	0.010	U	ug/L
Bentazon	0.0040	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Dicamba	0.050	U	ug/L
Dichlorprop	0.0040	U	ug/L
Dinoseb	0.020	U	ug/L
Diuron	0.0040	U	ug/L
Fenuron	0.0080	U	ug/L
Fluridone	4.0E-04	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: USGS O-2060-01
Batch ID: P321159

Component	Result	Code	Units
Imidacloprid	0.0040	U	ug/L
Linuron	0.0040	U	ug/L
MCPA	0.0040	U	ug/L
MCPP	0.0040	U	ug/L
Picloram	0.050	U	ug/L
Primidone	0.0080	U	ug/L
Silvex	0.0040	U	ug/L
Triclopyr	0.010	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P321083

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	99.0		P	40 - 140

Reference Method: USGS O-2060-01
Batch ID: P321159

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4,5-T	83.2		P	40 - 140
2,4-D	96.4		P	40 - 140
2,4-DB	72.0		P	40 - 140
Acetaminophen	94.0		P	40 - 140
Acifluorfen	46.4		P	40 - 140
Bentazon	126		P	40 - 140
Carbamazepine	97.6		P	40 - 140
Dicamba	85.2		P	40 - 140
Dichlorprop	107		P	40 - 140
Dinoseb	66.8		P	40 - 140
Diuron	65.6		P	40 - 140
Fenuron	82.4		P	40 - 140
Fluridone	86.4		P	40 - 140
Imidacloprid	76.4		P	40 - 160
Linuron	67.6		P	40 - 140
MCPA	85.2		P	40 - 140
MCPP	94.8		P	40 - 140
Picloram	79.2		P	40 - 140
Primidone	62.4		P	40 - 140
Silvex	104		P	40 - 140
Triclopyr	123		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P321083

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P321083

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878109	Sucralose	108	123	P/P	40 - 140

Reference Method: USGS O-2060-01
Batch ID: P321159

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878905	2,4,5-T	74.8	82.4	P/P	40 - 140
1878905	2,4-D	84.4	90.8	P/P	40 - 140
1878905	2,4-DB	68.0	74.8	P/P	40 - 140
1878905	Acetaminophen	92.8	89.6	P/P	40 - 140
1878905	Acifluorfen	44.8	66.8	P/P	40 - 140
1878905	Bentazon	129	137	P/P	40 - 140
1878905	Carbamazepine	86.4	87.6	P/P	40 - 140
1878905	Dicamba	68.4	89.2	P/P	40 - 140
1878905	Dichlorprop	88.0	83.6	P/P	40 - 140
1878905	Dinoseb	93.6	6.76	P/F	40 - 140
1878905	Diuron	61.6	62.0	P/P	40 - 140
1878905	Fenuron	63.2	72.4	P/P	40 - 140
1878905	Fluridone	75.6	77.6	P/P	40 - 140
1878905	Imidacloprid	83.6	74.4	P/P	40 - 160
1878905	Linuron	66.4	64.8	P/P	40 - 140
1878905	MCPA	87.2	92.4	P/P	40 - 140
1878905	MCPP	92.0	93.2	P/P	40 - 140
1878905	Picloram	49.6	106	P/P	40 - 140
1878905	Primidone	62.8	67.6	P/P	40 - 140
1878905	Silvex	108	105	P/P	40 - 140
1878905	Triclopyr	112	120	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P321083

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878109	Sucralose	12.2	Spike	P	0 - 30

Reference Method: USGS O-2060-01
Batch ID: P321159

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878905	2,4,5-T	9.67	Spike	P	0 - 30
1878905	2,4-D	7.31	Spike	P	0 - 30
1878905	2,4-DB	9.52	Spike	P	0 - 30
1878905	Acetaminophen	3.51	Spike	P	0 - 30
1878905	Acifluorfen	39.4	Spike	F	0 - 30
1878905	Bentazon	6.32	Spike	P	0 - 30
1878905	Carbamazepine	1.38	Spike	P	0 - 30
1878905	Dicamba	26.4	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: USGS O-2060-01
Batch ID: P321159

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878905	Dichlorprop	5.13	Spike	P	0 - 30
1878905	Dinoseb	173	Spike	F	0 - 30
1878905	Diuron	0.647	Spike	P	0 - 30
1878905	Fenuron	13.6	Spike	P	0 - 30
1878905	Fluridone	2.61	Spike	P	0 - 30
1878905	Imidacloprid	11.6	Spike	P	0 - 30
1878905	Linuron	2.44	Spike	P	0 - 30
1878905	MCPA	5.79	Spike	P	0 - 30
1878905	MCPP	1.30	Spike	P	0 - 30
1878905	Picloram	72.2	Spike	F	0 - 30
1878905	Primidone	7.36	Spike	P	0 - 30
1878905	Silvex	3.01	Spike	P	0 - 30
1878905	Triclopyr	6.92	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1878331
Field Sample ID: G2SW0021

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	106	P	40 - 150
USGS O-2060-01	2,4-D-d3	101	P	40 - 150
USGS O-2060-01	Acetaminophen-d4	74.0	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	67.6	P	40 - 160
USGS O-2060-01	Diuron-d6	49.2	P	40 - 150
USGS O-2060-01	Primidone-d5	64.6	P	40 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
Run ID: A75006
Included Lab Sample IDs: 1878331

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	112	102	P/P	60 - 150

Reference Method: USGS O-2060-01
Run ID: A75047
Included Lab Sample IDs: 1878331

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4,5-T	91.8	93.6	P/P	50 - 150
2,4-D	111	106	P/P	50 - 150
2,4-DB	80.0	89.8	P/P	50 - 150
Acifluorfen	84.6	80.6	P/P	50 - 150

Quality Assurance Report Calibration Verification

Reference Method: USGS O-2060-01
Run ID: A75047
Included Lab Sample IDs: 1878331

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bentazon	94.2	102	P/P	50 - 150
Dicamba	105	113	P/P	50 - 150
Dichlorprop	109	110	P/P	50 - 150
Dinoseb	99.2	115	P/P	50 - 150
MCPA	99.8	108	P/P	50 - 150
MCPP	99.4	114	P/P	50 - 150
Picloram	120	109	P/P	50 - 150
Silvex	94.2	97.2	P/P	50 - 150
Triclopyr	104	111	P/P	50 - 150

Reference Method: USGS O-2060-01
Run ID: A75078
Included Lab Sample IDs: 1878331

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acetaminophen	96.4	99.6	P/P	60 - 150
Carbamazepine	113	120	P/P	60 - 150
Diuron	84.0	93.6	P/P	60 - 150
Fenuron	96.4	96.0	P/P	60 - 150
Fluridone	96.8	104	P/P	60 - 150
Imidacloprid	85.6	96.8	P/P	60 - 150
Linuron	110	97.2	P/P	60 - 150
Primidone	88.4	80.4	P/P	60 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 8321B	Sucralose	99.0	108 123			12.2
USGS O-2060-01	2,4,5-T	83.2	74.8 82.4			9.67
	2,4-D	96.4	84.4 90.8			7.31
	2,4-DB	72.0	68.0 74.8			9.52
	Acetaminophen	94.0	92.8 89.6			3.51
	Acifluorfen	46.4	44.8 66.8			39.4
	Bentazon	126	129 137			6.32
	Carbamazepine	97.6	86.4 87.6			1.38
	Dicamba	85.2	68.4 89.2			26.4
	Dichlorprop	107	88.0 83.6			5.13
	Dinoseb	66.8	93.6 6.76			173
	Diuron	65.6	61.6 62.0			0.647
	Fenuron	82.4	63.2 72.4			13.6
	Fluridone	86.4	75.6 77.6			2.61
	Imidacloprid	76.4	83.6 74.4			11.6
	Linuron	67.6	66.4 64.8			2.44
	MCPA	85.2	87.2 92.4			5.79

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
USGS O-2060-01	MCP	94.8	92.0	93.2		1.30
	Picloram	79.2	49.6	106		72.2
	Primidone	62.4	62.8	67.6		7.36
	Silvex	104	108	105		3.01
	Triclopyr	123	112	120		6.92

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1878331
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1878331
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1878331

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	03/08/2017	03/09/2017	Mohammad Ghaffari	03/09/2017	Mohammad Ghaffari	1878331
USGS O-2060-01	03/08/2017	03/10/2017	Hoor Shaik	03/11/2017	Juyoung Kim	1878331