

UN 15

Customer: WQAP

Project ID: SMP

Requester: Judy Ashton

Collected By: J. Ashton L. Bazotter

Field Report Prepared By:

Sampling Agency:

Location	☒ Comp ☐ Grab		Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field ID	Date		Time		Central	Date Time		(See pg 2)
STORET #	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	A.B
Latitude	Temp (C)		pH		☐ ft ☒ m		Sp. Conductance (umho/cm)	
Longitude	Salinity (ppt)		Comments					
Field ID	Date		Time		Eastern	Composite end		Bottle Group(s)
STORET #	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	A.B
Latitude	Temp (C)		pH		☐ ft ☒ m		Sp. Conductance (umho/cm)	
Longitude	Salinity (ppt)		Comments					
Field ID	Date		Time		Eastern	Composite end		Bottle Group(s)
STORET #	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
Latitude	Temp (C)		pH		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Longitude	Salinity (ppt)		Comments					
Field ID	Date		Time		Eastern	Composite end		Bottle Group(s)
STORET #	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
Latitude	Temp (C)		pH		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Longitude	Salinity (ppt)		Comments					

Requisitioned By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
HOJ Austin	3-13-17 1700	Fed Ex	1		3-14-17 12:47

Group: A	Bottle Type: P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
ALKALINITY TURBIDITY W-F W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 3	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	2
W-PO4-F					
Group: B	Bottle Type: QPCR-P-250ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	2 4
PCR-FILTER					
Group: B	Bottle Type: P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	0 Dropped off at AEL
SWD-AEL-EN					
Group: B	Bottle Type: BG-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
W-SUC-AA-R W-UHERB-AA					



Advanced
Environmental Laboratories, Inc.

6601 Southpoint Pkwy. • Jacksonville, FL 32218 • 904.363.8350 • Fax 904.363.9354 • E82574
9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.0616 • Fax 813.630.4327 • E84509
2106 NW 67th Place, Ste. 7 • Gainesville, FL 32606 • 352.387.1500 • Fax 352.387.0050 • E82620
528 S. North Lake Blvd., Ste. 1016 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597 • E53076

LAB NUMBER:

Page 1 of 2

CLIENT NAME: FDEP - SW District		PROJECT NAME: TMDL / SMP		BOTTLE SIZE & TYPE		Sterile Plastic Bottle												LAB NUMBER	
ADDRESS: 13051 N. Telecom Pkwy		P.O. NUMBER/PROJECT NUMBER:																	
Temple Terrace, FL 33637		PROJECT LOCATION:		Florida															
PHONE: 813-470-5700		FAX:		813-470-5996															
CONTACT: Matthew Bearden Sarah Ernst		SAMPLED BY:																	
TURN AROUND TIME:		REMARKS/SPECIAL INSTRUCTIONS:																	
☒ STANDARD ☐ RUSH		PO E84589																	
Samples are ambient water and not suspected to contain chlorine																			
WW=waste water		SW=surface water		GW=ground water		DW=drinking water		O=oil		A=air		SO=soil		SL=sediment					
Field ID		SITE NAME		Grab Comp		SAMPLING		MATRIX		NO. COUNT		Preserv		Ice, T					
						DATE		TIME											
RQ-2017-03-13-20		G2SW0024		Grab		3/13/17		1000		SW		1							
Date: 03/13/17		↓STORET Field ID ↑																	
Time:		Gilley Creek																	
		G2SW0024																	
RQ-2017-03-13-20		G2SW0030		Grab		3/13/17		1100		SW		1							
Date: 03/13/17		↓STORET Field ID ↑																	
Time:		Gap Creek																	
		G2SW0030																	
RQ-2017-03-13-20		G2SW0031		Grab		3/13/17		1130		SW		1							
Date: 03/13/17		↓STORET Field ID ↑																	
Time:		Wares Creek Fresh																	
		G2SW0031																	
RQ-2017-03-13-2040		G2SW0029		Grab		3/13/17		1211		SW		1							
Date: 03/13/17		↓STORET Field ID ↑																	
Time:		Wares Creek Tidal																	
		G2SW0029																	

H=HCl		S=(H ₂ SO ₄)		N=(HNO ₃)		T=(Sodium Thiosulfate)				Relinquish by:		Date		Time		Received by:		Date		Time	
Shipment		Method		Sample Kit		Cooler #				1		Matthew Bearden		3/13/17		3/13/17		03-13		15:56	
Out:		Via:		RB		D/T				2		3/13/17									
Ret:		Via:		AB		D/T				3											
				Trip Bl.						4											

Received on 1c ☐ Yes ☐ No QC ☐ sent ☐ received

revised 1/12



Advanced
Environmental Laboratories, Inc.

6601 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354 • E82574
9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327 • E84589
2108 NW 67th Place, Ste. 7 • Gainesville, FL 32606 • 352.367.1500 • Fax 352.367.0050 • E82620
528 S. North Lake Blvd., Ste. 1016 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597 • E53076

LAB NUMBER:

Page

2 of 2

CLIENT NAME:		PROJECT NAME:		BOTTLE SIZE & TYPE		Sterile Plastic Bottle		LABORATORY	
ADDRESS:		P.O. NUMBER/PROJECT NUMBER:		PROJECT LOCATION:		FAX:		SAMPLED BY:	
PHONE:		FAX:		REMARKS/SPECIAL INSTRUCTIONS:		A R		N E	
CONTACT:		TURN AROUND TIME:		PO E84589		A Q		L U	
STANDARD		RUSH		*Samples are ambient water and not suspected to contain chlorine*		Y I		S R	
VW=waste water		SW=surface water		GW=ground water		DW=drinking water		O=oil	
A=air		SO=soil		SL=sediment		Preserv		Ice, T	
Field ID	SITE NAME	Grab Comp	SAMPLING DATE	TIME	MATRIX	NO. COUNT			
RQ-2017-03-13-20 Date: 03/13/17 Time:	G2SW0023 ↓STORET Field ID ↑ Little Manatee R	Grab	3/13/17	1322	SW	1		✓	
RQ-2017-03-13-2040 Date: 03/13/17 Time:	G1SW0056 ↓STORET Field ID ↑ Simms Branch	Grab	3/13/17	1430	SW	1		✓	
RQ-2017-03-13-20 Date: 03/13/17 Time:	G2SW0032 ↓STORET Field ID ↑ Rice Creek	Grab	3/13/17	1515	SW	1		✓	
		Grab			SW				
		Grab			SW				

H=HCl S=(H ₂ SO ₄) N=(HNO ₃) T=(Sodium Thiosulfate)		Relinquish by:		Date		Time		Received by:		Date		Time	
Shipment	Out:	Method	Sample Kit	Cooler #									
		Via:	RB	D/T									
		Via:	AB	D/T									
		Via:	Trip Bl.										

Received on

Yes No

QC sent

received

revised 1/12

Date of Request: 22-FEB-2017
 Created By: ASHTON_J On: 22-FEB-2017
 Modified By: MATTHEWS_D On: 28-FEB-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: RUN 15

Send Coolers To:

Phone: 813-470-5772
 13051 N. Telecome Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-FEB-2017
 Biology Request Reviewed By: MATTHEWS_D On: 28-FEB-2017
 Sampling Kit Required: YES Ship on: 03-MAR-2017
 Sampling Kit Shipped: YES On: 02-MAR-2017
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 14-MAR-2017
 Received By: SHAIK_A On: 14-MAR-2017

Send Final Report To:

13051 N. Telecom Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Marine Kit, No Metals

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type:	Number of Bottles: 2	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-03-13-40

Shipping Method: FedEx

Date/Time of Receipt: 03-14-17/09:47

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No				
Real	1.1C	14		✓			814 711 0513

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
<u>W-PCB-R</u>			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ASB

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init:

Coolers Unpacked/Checked by: ASB Date: 3-14-17

NCRs (Y/N)?

Event ID: RUN 15

NCR #

WQAP-2017-03-14-02 (SMP)

Date Received: 14-MAR-2017 09:47

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments: