

RUN 4

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: WQAP

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: J. Ashton, L. BrinkerSampling Agency: FDEP

Location		RQ-2017-04-24-22	Field ID		Date: 04-27-17	Time: 0950		Collection (comp begin or grab)		☒ Grab	Date: 4-27-17	Time: 0950	Eastern	Composite end	Date	Time	Bottle Group(s)
Field ID		G5SW0039	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine		mg/L		%				A/B
STORET #			Temp (C)		pH		Sample Depth		ft		m		Sp. Conductance (umho/cm)				
Latitude			Salinity (ppt)		Comments												
Location		RQ-2017-04-24-22	Field ID		Date: 04-27-17	Time: 1110		Collection (comp begin or grab)		☒ Grab	Date: 4-27-17	Time: 1110	Eastern	Composite end	Date	Time	Bottle Group(s)
Field ID		G5SW0119	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine		mg/L		%				A
STORET #			Temp (C)		pH		Sample Depth		ft		m		Sp. Conductance (umho/cm)				
Latitude			Salinity (ppt)		Comments												
Location		RQ-2017-04-24-22	Field ID		Date: 04-27-17	Time: 1300		Collection (comp begin or grab)		☒ Grab	Date: 4-27-17	Time: 1300	Eastern	Composite end	Date	Time	Bottle Group(s)
Field ID		G5SW0118	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine		mg/L		%				A/B
STORET #			Temp (C)		pH		Sample Depth		ft		m		Sp. Conductance (umho/cm)				
Latitude			Salinity (ppt)		Comments												
Location			Field ID					Collection (comp begin or grab)		☐ Comp	Date	Time	Eastern	Composite end	Date	Time	Bottle Group(s)
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L		Total Res. Chlorine		mg/L		%				
Latitude			Temp (C)		pH		Sample Depth		ft		m		Sp. Conductance (umho/cm)				
Longitude			Salinity (ppt)		Comments												

Relinquished By: <u>J. Ashton</u>	Date/Time: <u>4-27-17 1700</u>	Shipping Method: <u>FMA Rep</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>SRH-281/19:55</u>	Date/Time: <u>4-28-17 19:55</u>
-----------------------------------	--------------------------------	---------------------------------	-------------------------------------	-----------------------------------	---------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: B	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	PCR-FILTER						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	SWD-AEL-EC <i>2. E. coli REPORTED NOT AEL</i>						
Group: B	Bottle Type:	BG-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	W-AHERB-AA W-SUC-AA-R W-UHERB-AA						



6601 Southpoint Pkwy. • Jacksonville, FL 32218 • 904.383.9350 • Fax 904.363.9354 • E82574
6610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9610 • Fax 813.630.4327 • E84569
2108 NW 67th Place, Ste. 7 • Gainesville, FL 32606 • 352.367.1500 • Fax 352.367.0050 • E82620
525 E. North Lake Blvd., Ste. 1018 • Altamonte Springs, FL 32701 • 407.537.1594 • Fax 407.537.1597 • E53076

LAB NUMBER:

Page 1 of 1

CLIENT NAME:						PROJECT NAME:						
FDEP - SW District						TMDL / SMP						
ADDRESS: 13051 N. Telecom Pkwy Temple Terrace, FL 33837						P.O. NUMBER/PROJECT NUMBER: 						
PHONE: 813-470-5700						PROJECT LOCATION: Florida						
CONTACT: Matthew Boarden Sarah Ernst						FAX: 813-470-5998						
TURN AROUND TIME:						SAMPLED BY:						
						REMARKS/SPECIAL INSTRUCTIONS: PO AF315E						
☒ STANDARD												
☐ RUSH _____												
Samples are ambient water and not suspected to contain chlorine												
WW=waste water SW=surface water GW=ground water DW=drinking water C=oil A=air SO=soil SL=sediment												
Field ID		SITE NAME	Grab Comp	SAMPLING		COUNT	PRESERV.	ICE, T				
				DATE	TIME	MATRIX	NQ COUNT					
RQ-2017-04-24-22	Date: 04-27-17	G5SW0039	(Grab)	4-27-17	0950	SW	1					
Klosterman-Inbrook		STORET ↑ G5SU0039										
RQ-2017-04-24-22	Date: 04-27-17	G5SW0118	(Grab)	4-27-17	1300	SW	1					
PP Ditch #5		STORET ↓ G5SU0118										
			Grab			SW						
			Grab			SW						
			Grab			SW						
			Grab			SW						
			Grab			SW						

revised 1/12

Date of Request: 27-MAR-2017
 Created By: ASHTON_J On: 27-MAR-2017
 Modified By: MATTHEWS_D On: 06-APR-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: RUN 4

Send Coolers To:

Phone: 813-470-5772
 13051 N. Telecom Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 03-APR-2017
 Biology Request Reviewed By: MATTHEWS_D On: 06-APR-2017
 Sampling Kit Required: YES Ship on: 11-APR-2017
 Sampling Kit Shipped: YES On: 13-APR-2017
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 27-APR-2017
 Received By:

Send Final Report To:

13051 N. Telecom Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE

Bottle Group B (Water) With 3 Samples:

Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE
W-AHERB-AA	Template: SFWMD	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-04-24-22

Shipping Method: Fedex

Date/Time of Receipt: 4-28-17/9:55

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No		Yes	No	Yes	No	
Red	0.6	17		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: SR

Coolers Unpacked/Checked by: SR Date: 4-28-17

NCRs (Y/N)? N

Event ID: WQAP-2017-04-28-02

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments:

00265

01000

FedEx Package
Express US Airbill

FedEx Tracking Number 8104 1405 9631

1 From

Date 4-27-17

Sender's Name

Phone 813 470-5700

Company FDEP SWROC

Address 13051 N. Telecom Pkwy

City Temple Terrace State FL ZIP 33637

2 Your Internal Billing Reference

3 To

Recipient's Name SAMPLE RECEIVING

Phone 850 245-8085

Company FLORIDA DEP/CHEMISTRY SECTION

Address 2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City TALLAHASSEE

State FL ZIP 32397-6542



8104 1405 9631

0124452251

Form ID No. 0215

Recipient's Copy

4 Express Package Service

* To most locations.

 Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
Next business morning.* Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Standard Overnight
Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.* Saturday Delivery NOT available.

☐ FedEx 2Day
Second business afternoon.* Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Express Saver
Third business day.* Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐ FedEx Envelope*

☐ FedEx Pak*

☐ FedEx Box

☐ FedEx Tube

☒ Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required

Package may be left without obtaining a signature for delivery.

☐ Direct Signature

Someone at recipient's address may sign for delivery.

☐ Indirect Signature

If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No

☐ Yes

As per attached Shipper's Declaration.

☐ Yes

Shipper's Declaration not required.

☐ Dry Ice

Dry Ice, 9 UN 1845 _____ x _____ kg

☐ Cargo Aircraft Only

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip. Acct. No.

☐ Sender
Acct. No. in Section I will be billed.

☒ Recipient

☐ Third Party

☐ Credit Card

☐ Cash/Check

Total Packages

Total Weight

1 50 lbs.

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

611

fedex.com 1800.GoFedEx 1800.463.3339

fedex.com 1800.GoFedEx 1800.463.3339