

Chemical Analysis Report

WQAP-2017-05-16-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SIMS BRANCH**
Request ID: **RQ-2017-05-15-49**
Customer: **WQAP**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Tampa, FL 33637
Attn: Judy Ashton

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 12-JUN-2017 12:36

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ROCKY CREEK

Collection Date/Time: 05/15/2017 10:15

Field ID: G1SW0053

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1899358	EPA 8321B	Sucralose**	0.54		ug/L	P325291	
	USGS O-2060-01	2,4-D	8.0E-04	U	ug/L	P325285	
		Diuron	0.0020	I	ug/L	P325285	
		Fenuron	0.0040	U	ug/L	P325285	
		Imidacloprid	0.013		ug/L	P325285	MS
		Bentazon	0.014		ug/L	P325285	
		Linuron	0.0040	U	ug/L	P325285	
		Acetaminophen**	0.0080	U	ug/L	P325285	
		MCP	8.0E-04	U	ug/L	P325285	
		Carbamazepine**	0.0023		ug/L	P325285	
		Triclopyr**	0.0040	U	ug/L	P325285	
		Primidone**	0.0049	I	ug/L	P325285	
		Fluridone**	0.010		ug/L	P325285	

Sample Location: SIMS BRANCH

Collection Date/Time: 05/15/2017 11:55

Field ID: G1SW0056

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1899359	EPA 8321B	Sucralose**	0.84		ug/L	P325291	
	USGS O-2060-01	2,4-D	8.0E-04	U	ug/L	P325285	
		Diuron	0.0015	I	ug/L	P325285	
		Fenuron	0.0040	U	ug/L	P325285	
		Imidacloprid	8.0E-04	U	ug/L	P325285	MS
		Bentazon	8.0E-04	U	ug/L	P325285	
		Linuron	0.0040	U	ug/L	P325285	
		Acetaminophen**	0.0080	U	ug/L	P325285	
		MCP	8.0E-04	U	ug/L	P325285	
		Carbamazepine**	0.0021		ug/L	P325285	
		Triclopyr**	0.0040	U	ug/L	P325285	
		Primidone**	0.0044	I	ug/L	P325285	
		Fluridone**	0.0010	I	ug/L	P325285	

Ref. Method and Comment:
 USGS O-2060-01: Results confirmed in re-extraction.

Sample Location: SIMS BRANCH

Collection Date/Time: 05/15/2017 11:55

Field ID: G1SW0056

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1899349	EPA 180.1 Rev. 2.0	Turbidity	2.7		NTU	P325376	
	SM 2320 B-97	Total Alkalinity	130		mg CaCO3/L	P325701	
	SM 2540 D-97	TSS	7	I	mg/L	P325681	
	SM 4500 F-C-97	Fluoride	0.91		mg F/L	P325704	
1899350	EPA 350.1 Rev. 2.0	Ammonia-N	0.005		mg N/L	P325659	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.49		mg N/L	P325537	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P325485	

Field ID: G1SW0056

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1899350	EPA 365.1 Rev. 2.0	Total-P	0.12		mg P/L	P325436	
	SM 5310 B-00	Organic Carbon	3.8		mg C/L	P326008	
1899351	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.089		mg P/L	P325387	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 4500 F-C-97: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P325376

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P325659

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P325537

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0

Batch ID: P325485

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P325436

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P325387

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B

Batch ID: P325291

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P325701

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 D-97
Batch ID: P325681

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P325704

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P326008

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: USGS O-2060-01
Batch ID: P325285

Component	Result	Code	Units
2,4-D	8.0E-04	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0040	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
MCPP	8.0E-04	U	ug/L
Primidone	0.0040	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P325659

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.7		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P325537

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P325485

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P325436

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P325387

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	104		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P325291

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	78.3		P	40 - 140

Reference Method: SM 2320 B-97
Batch ID: P325701

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P325704

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.1		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P326008

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.0		P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P325285

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	88.4		P	40 - 140
Acetaminophen	86.2		P	40 - 140
Bentazon	70.6		P	40 - 140
Carbamazepine	107		P	40 - 140
Diuron	108		P	40 - 140
Fenuron	93.2		P	40 - 140
Fluridone	103		P	40 - 140
Imidacloprid	92.0		P	40 - 160
Linuron	100		P	40 - 140
MCP	91.4		P	40 - 140

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: USGS O-2060-01
Batch ID: P325285

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Primidone	98.0		P	40 - 140
Triclopyr	94.8		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P325659

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1899416	Ammonia-N	101	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P325537

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1899409	Kjeldahl Nitrogen	94.4	93.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P325485

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1898790	NO2NO3-N	103	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P325436

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1899350	Total-P	97.2	97.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P325387

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1899455	O-Phosphate-P	102	102	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P325291

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1898904	Sucralose	59.7	55.5	P/P	40 - 140

Reference Method: SM 5310 B-00
Batch ID: P326008

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1898609	Organic Carbon	92.6	92.1	P/P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: USGS O-2060-01
 Batch ID: P325285

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1898769	2,4-D	81.2	80.8	P/P	40 - 140
1898769	Acetaminophen	97.0	95.4	P/P	40 - 140
1898769	Bentazon	45.6	45.4	P/P	40 - 140
1898769	Carbamazepine	110	122	P/P	40 - 140
1898769	Diuron	111	97.2	P/P	40 - 140
1898769	Fenuron	85.0	88.2	P/P	40 - 140
1898769	Fluridone	46.0	45.0	P/P	40 - 140
1898769	Imidacloprid	156	161	P/F	40 - 160
1898769	Linuron	97.6	102	P/P	40 - 140
1898769	MCP	82.0	75.4	P/P	40 - 140
1898769	Primidone	102	112	P/P	40 - 140
1898769	Triclopyr	83.2	82.4	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P325376

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1899321	Turbidity	0.327	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P325659

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1899416	Ammonia-N	0.884	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P325537

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1899409	Kjeldahl Nitrogen	1.18	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P325485

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1898790	NO2NO3-N	0.976	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P325436

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1899350	Total-P	0.156	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P325387

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1899455	O-Phosphate-P	0.0976	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P325291

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1898904	Sucralose	6.94	Spike	P	0 - 30

Reference Method: SM 2320 B-97
 Batch ID: P325701

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1899343	Total Alkalinity	0.355	Sample	P	0 - 4.8

Reference Method: SM 4500 F-C-97
 Batch ID: P325704

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1899343	Fluoride	1.48	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
 Batch ID: P326008

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1898609	Organic Carbon	0.394	Spike	P	0 - 20

Reference Method: USGS O-2060-01
 Batch ID: P325285

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1898769	2,4-D	0.480	Spike	P	0 - 30
1898769	Acetaminophen	1.66	Spike	P	0 - 30
1898769	Bentazon	0.440	Spike	P	0 - 30
1898769	Carbamazepine	10.4	Spike	P	0 - 30
1898769	Diuron	12.9	Spike	P	0 - 30
1898769	Fenuron	3.70	Spike	P	0 - 30
1898769	Fluridone	2.20	Spike	P	0 - 30
1898769	Imidacloprid	2.81	Spike	P	0 - 30
1898769	Linuron	4.21	Spike	P	0 - 30
1898769	MCP	8.39	Spike	P	0 - 30
1898769	Primidone	9.74	Spike	P	0 - 30
1898769	Triclopyr	0.966	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1899358
Field Sample ID: G1SW0053

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	92.5	P	40 - 150
USGS O-2060-01	2,4-D-d3	79.0	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	89.4	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	87.4	P	30 - 160
USGS O-2060-01	Diuron-d6	74.5	P	30 - 150
USGS O-2060-01	Primidone-d5	83.8	P	30 - 150

Lab Sample ID: 1899359
Field Sample ID: G1SW0056

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	74.0	P	40 - 150
USGS O-2060-01	2,4-D-d3	78.0	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	69.6	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	109	P	30 - 160
USGS O-2060-01	Diuron-d6	93.6	P	30 - 150
USGS O-2060-01	Primidone-d5	103	P	30 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A76462
Included Lab Sample IDs: 1899349

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.0	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A76466
Included Lab Sample IDs: 1899351

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	101	98.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A76509
Included Lab Sample IDs: 1899350

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.5	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A76510
Included Lab Sample IDs: 1899350

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	104	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A76559

Included Lab Sample IDs: 1899358, 1899359

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	104	80.8	P/P	60 - 150

Reference Method: USGS O-2060-01

Run ID: A76569

Included Lab Sample IDs: 1899358, 1899359

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	92.4	88.0	P/P	50 - 150
Acetaminophen	82.8	74.0	P/P	60 - 150
Bentazon	98.8	90.8	P/P	50 - 150
Carbamazepine	85.6	80.4	P/P	60 - 150
Diuron	78.4	80.0	P/P	60 - 150
Fenuron	88.0	78.0	P/P	60 - 150
Fluridone	86.8	81.6	P/P	60 - 150
Imidacloprid	81.6	71.2	P/P	60 - 150
Linuron	78.0	78.8	P/P	60 - 150
MCPP	90.8	86.0	P/P	50 - 150
Primidone	83.6	82.0	P/P	60 - 150
Triclopyr	97.2	88.0	P/P	50 - 150

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A76600

Included Lab Sample IDs: 1899350

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A76606

Included Lab Sample IDs: 1899350

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.0	97.7	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A76617

Included Lab Sample IDs: 1899349

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	105	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A76617

Included Lab Sample IDs: 1899349

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	105	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-00
 Run ID: A76758
 Included Lab Sample IDs: 1899350

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.8	92.3	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				0.327	
EPA 350.1 Rev. 2.0	Ammonia-N	98.7	101 102			0.884
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	94.4 93.1			1.18
EPA 353.2 Rev. 2.0	NO2NO3-N	100	103 102			0.976
EPA 365.1 Rev. 2.0	Total-P	103	97.2 97.4			0.156
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	104	102 102			0.0976
EPA 8321B	Sucralose	78.3	59.7 55.5			6.94
SM 2320 B-97	Total Alkalinity	104			0.355	
SM 4500 F-C-97	Fluoride	99.1				1.48
SM 5310 B-00	Organic Carbon	95.0	92.6 92.1			0.394
USGS O-2060-01	2,4-D	88.4	81.2 80.8			0.480
	Acetaminophen	86.2	97.0 95.4			1.66
	Bentazon	70.6	45.6 45.4			0.440
	Carbamazepine	107	110 122			10.4
	Diuron	108	111 97.2			12.9
	Fenuron	93.2	85.0 88.2			3.70
	Fluridone	103	46.0 45.0			2.20
	Imidacloprid	92.0	156 161			2.81
	Linuron	100	97.6 102			4.21
	MCP	91.4	82.0 75.4			8.39
	Primidone	98.0	102 112			9.74
	Tricopyr	94.8	83.2 82.4			0.966

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1899349
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1899350
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1899350
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1899350
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1899350
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1899351
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1899358, 1899359
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1899349

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1899349
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1899349
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1899350
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1899358, 1899359
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1899358, 1899359

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	05/16/2017			05/16/2017 15:00	Sima Feizi	1899349
EPA 350.1 Rev. 2.0	05/16/2017			05/22/2017	Julia Storbeck	1899350
EPA 351.2 Rev. 2.0	05/16/2017	05/19/2017	Adrian Shelby	05/23/2017	Joseph Suarez	1899350
EPA 353.2 Rev. 2.0	05/16/2017			05/18/2017	Beverly Y. Sanders	1899350
EPA 365.1 Rev. 2.0	05/16/2017	05/17/2017	Vijayalakshmi Reddy	05/18/2017	Lipi Saha	1899350
EPA 365.1 Rev. 2.0 dissolved	05/16/2017			05/16/2017 15:43	Anthony C. Onicha	1899351
EPA 8321B	05/16/2017	05/18/2017	Mohammad Ghaffari	05/18/2017	Mohammad Ghaffari	1899358, 1899359
SM 2320 B-97	05/16/2017			05/23/2017	Dale L. Simmons	1899349
SM 2540 D-97	05/16/2017			05/17/2017	Yijie Li	1899349
SM 4500 F-C-97	05/16/2017			05/23/2017	Dale L. Simmons	1899349
SM 5310 B-00	05/16/2017			05/30/2017	Julie Michelle Frank	1899350
USGS O-2060-01	05/16/2017	05/17/2017	Hoor Shaik	05/20/2017	Juyoung Kim	1899358, 1899359