

Request Number: 2017-06-19-28

Florida Department of Environmental Protection

Central Laboratory Submittal Form

1032

Page 1 of 2

last revised Apr 7, 2016

RUN 6

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: J. Ashton, L. Baetler

Sampling Agency: FSEP

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-20-17 Time 940	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID	RQ-2017-06-19-28 Date: 06/20/17 Time: 65SW0100	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #	Time: 65SW0100	Temp (C) 28.6	pH 7.5	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 148
Latitude	☐ dms	☐ dd ☐ dms	Salinity (ppt) 0.07	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-20-17 Time 1030	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	RQ-2017-06-19-28 Date: 06/20/17 Time: 65SW0104	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.3	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #	Time: 65SW0104	Temp (C) 28.2	pH 6.9	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 41
Latitude	☐ dms	☐ dd ☐ dms	Salinity (ppt) 0.02	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-20-17 Time 1100	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	RQ-2017-06-19-28 Date: 06/20/17 Time: 65SW0107	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #	Time: 65SW0107	Temp (C) 28.5	pH 6.4	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 104
Latitude	☐ dms	☐ dd ☐ dms	Salinity (ppt) 0.05	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-20-17 Time 1215	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	RQ-2017-06-19-28 Date: 06/20/17 Time: 65SW0113	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.8	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #	Time: 65SW0113	Temp (C) 29.1	pH 6.7	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 188
Latitude	☐ dms	☐ dd ☐ dms	Salinity (ppt) 0.09	Comments		

Relinquished By: J. Ashton	Date/Time 6-20-17 1700	Shipping Method Fed Ex	Number of Coolers Shipped: 1	Received By: [Signature]	Date/Time 6-21-17 950
-------------------------------	---------------------------	---------------------------	---------------------------------	-----------------------------	--------------------------

Group: A Bottle Type: P-1L # of Bottles: 6 Preservative: ICE Enter Number of Bottles Sent to Lab 4

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: A Bottle Type: BP-1L # of Bottles: 6 Preservative: ICE Enter Number of Bottles Sent to Lab 4

CHLSUITE-W

Group: A Bottle Type: P-500ML # of Bottles: 6 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 4

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 6 Preservative: ICE-FLTR Enter Number of Bottles Sent to Lab 4

W-PO4-F

Date of Request: 24-MAY-2017
 Created By: ASHTON_J On: 24-MAY-2017
 Modified By: MATTHEWS_D On: 06-JUN-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: Run 6

Send Coolers To:

Phone: 813-470-5772
 13051 N. Telecom Parkway
 Tampa, FL 33637
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-JUN-2017
 Biology Request Reviewed By: MATTHEWS_D On: 06-JUN-2017
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 20-JUN-2017
 Received By: SHAIK_A On: 21-JUN-2017

Send Final Report To:

13051 N. Telecom Parkway
 Tampa, FL 33637
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ-2017-06-19-28

Shipping Method: Fed Ex

Date/Time of Receipt: 6/21/17 9:50

Cooler ID	Cooler Temperature*	No Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)	
			Present? Yes No	*Intact? Yes No		
Due	1.3	16		☒		8111 7111 4287

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: [Signature]

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: [Signature]

Coolers Unpacked/Checked by: [Signature] Date: 6/21/17 NCRs (Y/N)? [Signature]

Event ID: Run 6
WQAP-2017-06-21-03 (SMP)
 Date Received: 21-JUN-2017 09:50

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No b

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: