

Biological Analysis Report

WQAP-2017-07-12-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Advanced Environmental Laboratories - Tampa
9610 Princess Palm Avenue
Tampa, Florida 33619
DOH Accreditation E84589

Event Description: **RUN 16**
Request ID: **RQ-2017-07-10-23**
Customer: **WQAP**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Tampa, FL 33637
Attn: Judy Ashton

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Cheryl Swanson - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

This Report replaces the previous Report Serial Number: 0098577

Revision certified by: Jennifer Walters, Environmental Manager

Date Certified: 05-SEP-2017 16:37



Report Comments:
Corrected site location from Poly Crk to Poley Crk.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Mattress Drain

Collection Date/Time: 07/11/2017 10:15

Field ID: G4SW0092

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1912855	SM 10200 H (mod.)	Chlorophyll-a, Corrected	23		ug/L	P328612	
		Phaeophytin-a	22		ug/L	P328612	
		Chlorophyll/Phaeophytin Ratio	1.4			P328612	
		Chlorophyll-a, Uncorrected	38		ug/L	P328612	

Sample Location: Peace River

Collection Date/Time: 07/11/2017 11:40

Field ID: G3SW0042

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1912856	SM 10200 H (mod.)	Chlorophyll-a, Corrected	110		ug/L	P328612	
		Phaeophytin-a	19		ug/L	P328612	
		Chlorophyll/Phaeophytin Ratio	1.6			P328612	
		Chlorophyll-a, Uncorrected	120		ug/L	P328612	

Sample Location: Peace River

Collection Date/Time: 07/11/2017 11:40

Field ID: G3SW0042

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1912866	EPA 1603	Escherichia coli-Membrane Filter**	1200	BQ	cfu/100 mL		

Sample Location: Peace River

Collection Date/Time: 07/11/2017 11:40

Field ID: G3SW0042

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1912858	SOP-PCR-1.0	HF183-purified-qPCR**	8.2	TJ	GEU/100 mL	P329512	LCS, SUR
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Ref. Method and Comment:
 SOP-PCR-1.0: Quality control failure(s) observed. See QA report for details.

Sample Location: Poley Crk

Collection Date/Time: 07/11/2017 12:15

Field ID: G2SW0014

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1912867	EPA 1603	Escherichia coli-Membrane Filter**	420	Q	cfu/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
 Batch ID: P328612

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0
Batch ID: P329512

Component	Result	Code	Units
HF183-purified-qPCR	47	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P328612

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	111		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P329512

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-purified-qPCR	98.4	0.835	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P329512

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1912565	HF183-purified-qPCR	104		P	50 - 175
1912858	HF183-purified-qPCR	92.1		P	50 - 175
1916651	HF183-purified-qPCR	96.7	105	P/P	50 - 175
1917257	HF183-purified-qPCR	73.6		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P328612

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1912777	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1912777	Chlorophyll-a, Corrected	3.32	Sample	P	0 - 25
1912777	Chlorophyll-a, Uncorrected	6.75	Sample	P	0 - 25
1912777	Phaeophytin-a	24.5	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P329512

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1916651	HF183-purified-qPCR	8.29	Spike	P	0 - 25

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1912858
 Field Sample ID: G3SW0042

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	7.93	F	30 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll-a, Corrected	111			3.32	
	Chlorophyll-a, Uncorrected				6.75	
	Phaeophytin-a				24.5	
SOP-PCR-1.0	HF183-purified-qPCR	0.835 98.4	104 92.1 96.7 105			8.29

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1603 / E84589	Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD	1912866, 1912867
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	1912855, 1912856
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1912858
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1912858

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1603	07/11/2017			07/11/2017 15:27	AEL - Tampa	1912866, 1912867
SM 10200 H (mod.)	07/12/2017	07/12/2017 14:20	Amelia G. Rankin	07/17/2017	Jennifer Mihalic	1912855, 1912856
SOP-PCR-1.0	07/12/2017	07/12/2017 13:30	Avril Wood	08/04/2017	Sarah Menz	1912858
SOP-PCR-4.0	07/12/2017	07/12/2017 13:30	Avril Wood	07/28/2017	Puja Jasrotia	1912858