

Date of Request: 22-JUN-2017
 Created By: ASHTON_J On: 22-JUN-2017
 Modified By: WATTS_J On: 27-JUN-2017
 Customer: WQ-ASSESS
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: RUN 11 Moccasin

Send Coolers To:

Phone: 813-470-5772
 Division Of Water Facilities, FL DEP
 13051 N. Telecom Parkway
 Tampa, FL 33637
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 27-JUN-2017
 Biology Request Reviewed By: WATTS_J On: 27-JUN-2017
 Sampling Kit Required: YES Ship on: 28-JUN-2017
 Sampling Kit Shipped: YES On: 27-JUN-2017
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 20-JUL-2017
 Received By: SHAIK_A On: 21-JUL-2017

Send Final Report To:

Division Of Water Facilities, FL DEP
 13051 N. Telecom Parkway
 Tampa, FL 33637
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit With Metals
 Group B: Pesticides

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template:	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Nickel
Silver

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template:	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
*Triclopyr		
2,4,5-T		
2,4-D		
2,4-DB		
Acifluorfen		
Bentazon		
Dichlorprop		
Dinoseb		
MCPA		
MCPP		
Picloram		
Silvex		
W-GLYPH	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
*Glyphosate		
W-PYR-AA-R	Template: DEFAULT	(EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS
*Pyraclostrobin		
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
*Sucralose		
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
*Acetaminophen		
*Carbamazepine		
*Fluridone		
*Primidone		
Diuron		
Fenuron		
Imidacloprid		
Linuron		

Bottle Group C (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
*HF183 - Human Source Marker		

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD

Enterococci-Membrane Filter

Bottle Group D (Water) With 2 Samples:

Bottle Type: BG-1L	Number of Bottles: 6	Preserved With: ICE
--------------------	----------------------	---------------------

Bottle Group D (Water) With 2 Samples:

Bottle Type: BG-1L Number of Bottles: 6 Preserved With: ICE
 W-PSNP-TQ Template: DEFAULT (EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Acetochlor
 Alachlor
 Ametryn
 Atrazine
 Atrazine Desethyl
 Azinphos Methyl
 Bromacil
 Butylate
 Chlorpyrifos Ethyl
 Chlorpyrifos Methyl
 Cyanazine
 Demeton
 Diazinon
 Disulfoton
 EPTC
 Ethion
 Ethoprop
 Fenamiphos
 Fipronil
 Fipronil Sulfide
 Fipronil Sulfone
 Fonofos
 Hexazinone
 Malathion
 Metalaxyl
 Metolachlor
 Metribuzin
 Mevinphos
 Molinate
 Norflurazon
 Parathion Ethyl
 Parathion Methyl
 Pendimethalin
 Phorate
 Prometon
 Prometryn
 Simazine
 Terbufos
 Terbutylazine

Bottle Type: BG-500ML Number of Bottles: 6 Preserved With: ICE
 W-CT-CI-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

*Chlordane
 *Toxaphene

W-PCL-SQ-R Template: DEFAULT (EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

Aldrin
 Alpha-BHC
 Alpha-Chlordane
 Beta-BHC
 Carbophenothion
 Chlorothalonil
 Cypermethrin
 DDD-p,p'
 DDE-p,p'
 DDT-p,p'
 Delta-BHC
 Dicofol
 Dieldrin

Bottle Group D (Water) With 2 Samples:

Bottle Type: BG-500ML Number of Bottles: 6 Preserved With: ICE
W-PCL-SQ-R Template: DEFAULT (EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Endosulfan I
Endosulfan II
Endosulfan Sulfate
Endrin
Endrin Aldehyde
Endrin Ketone
Gamma-BHC
Gamma-Chlordane
Heptachlor
Heptachlor Epoxide
Methoxychlor
Mirex
Permethrin
Trifluralin

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.