

RUN 11

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: WQAP

Requester: Judy Ashton

Field Report Prepared By: L. Bachler

Project ID: SMP

Collected By: L. Bachler, J. Ashton

Sampling Agency: FDEP

Location	RQ-2017-10-23-39 Date: 10/26/17 Time:	 Field ID STORET G5SW0002	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10-26-17 Time 0950	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 5.5	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #	Stevenson Creek	 G5SW0002		Temp (C) 21.4	pH 6.8	Sample Depth 0.3	Sp. Conductance (umho/cm) 367	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt) 0.18	Comments: Dropped off E. Coli at AEL			F
Location	RQ-2017-10-23-39 Date: 10/26/17 Time:	 Field ID STORET G1SW0054	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10-26-17 Time 1020	Eastern Central	Composite end Date Time	Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 7.3	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #	Bishop Tidal Group B	 G1SW0054		Temp (C) 19.1	pH 7.3	Sample Depth 0.3	Sp. Conductance (umho/cm) 3895	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt) 2.07	Comments: Dropped off entero at AEL			B
Location	RQ-2017-10-23-39 Date: 10/26/17 Time:	 Field ID STORET G5SW0130	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10-26-17 Time 1130	Eastern Central	Composite end Date Time	Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 7.8	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #	McKay Tidal Group E	 G5SW0130		Temp (C) 22.1	pH 7.2	Sample Depth 0.3	Sp. Conductance (umho/cm) 1455	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt) 0.81	Comments: Dropped off entero at AEL			E
Location	RQ-2017-10-23-39 Date: 10/26/17 Time:	 Field ID STORET G5SW0128	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10-26-17 Time 1216	Eastern Central	Composite end Date Time	Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 5.8	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #	Cedar Creek Tidal 1556	 G5SW0128		Temp (C) 21.1	pH 7.3	Sample Depth 0.3	Sp. Conductance (umho/cm) 651	
Latitude	☐ dms		☐ dd ☐ dms	Salinity (ppt) 0.32	Comments: Dropped off entero at AEL			A

Relinquished By: L. Bachler	Date/Time: 10-26-17/1500	Shipping Method: FedEx	Number of Coolers Shipped: 3	Received By: J. E.	Date/Time: 10/27/17 10:00
-----------------------------	--------------------------	------------------------	------------------------------	--------------------	---------------------------

Group: A Bottle Type: P-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1

ALKALINITY
TURBIDITY
W-F
W-TSS

LEDAAR - B-KIT
PRELIM TIDAL

Group: A Bottle Type: BP-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1

CHLSUITE-W

Group: A Bottle Type: QPCR-P-250ML # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2

PCR-FILTER
PCR-GFD
PCR-GULL2
PCR-HF183

Group: A Bottle Type: P-120ML-WC-THI # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 0

SWD-AEL-EN

Group: A Bottle Type: BG-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1

W-AHERB-AA
W-SUC-AA-R
W-UHERB-AA

Group: A Bottle Type: P-500ML # of Bottles: 1 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 1

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 1 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab 1

W-PO4-F

Group: B Bottle Type: P-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1

ALKALINITY
TURBIDITY
W-F
W-TSS

BISHOP - B-KIT
~~LEDAAR - TIDAL~~ B-KIT

Group: B Bottle Type: BP-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1

CHLSUITE-W

RUN 11

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: WQAP

Requester: Judy Ashton

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>10-26-17</u> Time <u>1230</u>		Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field ID		RQ-2017-10-23-39 Date: 10/26/17 Time:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>8.6</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		D	
STORET #		Cedar Creek Fresh 1556A		Temp (C) <u>19.6</u>		pH <u>7.9</u>		Sample Depth <u>0.3</u> ☐ ft ☒ m			
Latitude		☐ dd ☐ dms		Salinity (ppt) <u>0.33</u>		Comments <u>Dropped off E. Coli at AEL</u>					
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>10-26-17</u> Time <u>1300</u>		Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		RQ-2017-10-23-39 Date: 10/26/17 Time:		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>7.2</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		C	
STORET #		Klosterman Group C		Temp (C) <u>21.8</u>		pH <u>7.6</u>		Sample Depth <u>0.3</u> ☐ ft ☒ m			
Latitude		☐ dd ☐ dms		Salinity (ppt) <u>1.92</u>		Comments <u>Dropped off Entero at AEL</u>					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #				Temp (C)		pH		Sample Depth ☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments			
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #				Temp (C)		pH		Sample Depth ☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: <u>J. Q.</u>	Date/Time <u>10/27/17 10:05</u>
------------------	-----------	-----------------	----------------------------	---------------------------	---------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-F W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER PCR-GFD PCR-GULL2 PCR-HF183					
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EN					
Group: A	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-AHERB-AA W-SUC-AA-R W-UHERB-AA					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-F W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					

Group: B	Bottle Type: QPCR-P-250ML PCR-FILTER PCR-GULL2 PCR-HF183	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: P-120ML-WC-THI SWD-AEL-EN	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>Ø</u>
Group: B	Bottle Type: BG-1L W-AHERB-AA W-SUC-AA-R W-UHERB-AA	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: P-125ML W-PO4-F	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: P-1L ALKALINITY TURBIDITY W-F W-TSS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: BP-1L CHLSUITE-W	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: QPCR-P-250ML PCR-GFD <i>FILTER, PCR-GFD</i> PCR-GULL2 PCR-HF183	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: P-120ML-WC-THI SWD-AEL-EN	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>Ø</u>
Group: C	Bottle Type: BG-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>

KLDSTEAMAN

Group: C	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-AHERB-AA						
	W-SUC-AA-R						
	W-UHERB-AA						
Group: C	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: C	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: D	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: D	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: D	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	PCR-FILTER						
	PCR-GFD						
	PCR-GULL2						
	PCR-HF183						
Group: D	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	SWD-AEL-EC						
Group: D	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-AHERB-AA						
	W-SUC-AA-R						

Group: D Bottle Type: BG-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1
W-UHERB-AA

Group: D Bottle Type: P-500ML # of Bottles: 1 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 1
W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: D Bottle Type: P-125ML # of Bottles: 1 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab 1
W-PO4-F

Group: E Bottle Type: QPCR-P-250ML # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2
PCR-FILTER
PCR-GFD
PCR-GULL2

Group: E Bottle Type: P-120ML-WC-THI # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab Ø
SWD-AEL-EN

Group: E Bottle Type: BG-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1
W-AHERB-AA
W-SUC-AA-R
W-UHERB-AA

Group: F Bottle Type: P-120ML-WC-THI # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab Ø
SWD-AEL-EC

STEVENSON CREEK

MCKAY TIDAL



428 S. North Lake Blvd., Ste. 1016 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597 • E53076

Page

①

2

Received on 1c ☐ Yes ☐ No ☐ QC ☐ sent ☐ received

revised 1/12



Advanced
Environmental Laboratories, Inc.

6601 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.6350 • Fax 904.363.0354 • E62574
9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.8610 • Fax 813.630.4327 • E64569
2106 NW 67th Place, Ste. 7 • Gainesville, FL 32606 • 352.367.1500 • Fax 352.367.0050 • E62620
526 S. North Lake Blvd., Ste. 1016 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597 • E53078

LAB NUMBER:

Page 2 of 2

CLIENT NAME: FDEP - SW District		PROJECT NAME: TMDL / SMP		BOTTLE SIZE & TYPE	Sterile Plastic Bottle											L A B N U M B E R		
ADDRESS: 13051 N. Telecom Pkwy		P.O. NUMBER/PROJECT NUMBER:		A R N E A Q L U Y I S R I E S D	Fecal Coliforms	E. Coli	Enteroc											
Temple Terrace, FL 33637		PROJECT LOCATION: Florida																
PHONE: 813-470-5700		FAX: 813-470-5998																
CONTACT: Matthew Bearden Sarah Ernst		SAMPLED BY:																
TURN AROUND TIME:		REMARKS/SPECIAL INSTRUCTIONS:																
STANDARD		RUSH		PO AF315E														
Samples are ambient water and not suspected to contain chlorine																		
WW=waste water	SW=surface water	GW=ground water	DW=drinking water	O=oil	A=air	SO=soil	SL=sediment											
Field ID	SITE NAME	Grab Comp	SAMPLING		MATRIX	NO. COUNT	Preserv	Ice, T										
			DATE	TIME														
RQ-2017-10-23-39 Date: 10/26/17 Time: Cedar Creek Fresh 1556A	G5SW0129 Field ID STORET G5SW0129	Grab	10-26-17	1230	SW	1			1									
		Grab			SW													
RQ-2017-10-23-39 Date: 10/26/17 Time: Klosterman Group C	G5SW0035 Field ID STORET G5SW0035	Grab	10-26-17	1300	SW	1			1									
		Grab			SW													
		Grab			SW													
		Grab			SW													

Shipment	Method	Sample Kit	Cooler #	Relinquish by:	Date	Time	Received by:	Date	Time
Out:	Via:	RB	D/T	1. burner	10-26-17	1400		10-26-17	1400
Ret:	Via:	AB	D/T						
		Trip BL							

Received on to

☐ Yes ☐ No

QC ☐ sent

☐ received

revised 1/12

Date of Request: 09-OCT-2017
 Created By: ASHTON_J On: 09-OCT-2017
 Modified By: SWANSON_C On: 10-OCT-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: RUN 11

Send Coolers To:

Phone: 813-470-5772
 13051 N. Telecome Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Send Final Report To:

13051 N. Telecom Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Program Module Number:

Priority: 3

Event Status: S

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 10-OCT-2017

Biology Request Reviewed By: SWANSON_C On: 10-OCT-2017

Sampling Kit Required: YES Ship on: 11-OCT-2017

Sampling Kit Shipped: YES On: 11-OCT-2017

Sampling Kit Packed By: GREENWOO_J

Preservatives Needed: NO

Date to Receive Samples: 26-OCT-2017

Received By:

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Group A: Marine Kit, No Metals

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-GFD	Template: DEFAULT	(SOP-PCR-1.3) Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction
PCR-GULL2	Template: DEFAULT	(SOP-PCR-1.2) Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-GULL2	Template: DEFAULT	(SOP-PCR-1.2) Detection and quantification of coastal bird specific <i>Catellibacoccus marimammali</i> Gull2 genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 <i>Bacteroides</i> genetic marker with quantitative polymerase chain reaction

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD

Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-GFD	Template: DEFAULT	(SOP-PCR-1.3) Detection and quantification of bird specific <i>Helicobacter</i> GFD genetic marker with quantitative polymerase chain reaction
PCR-GULL2	Template: DEFAULT	(SOP-PCR-1.2) Detection and quantification of coastal bird specific <i>Catellibacoccus marimammali</i> Gull2 genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 <i>Bacteroides</i> genetic marker with quantitative polymerase chain reaction

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD

Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-GFD	Template: DEFAULT	(SOP-PCR-1.3) Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction
PCR-GULL2	Template: DEFAULT	(SOP-PCR-1.2) Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group E (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-GFD	Template: DEFAULT	(SOP-PCR-1.3) Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction
PCR-GULL2	Template: DEFAULT	(SOP-PCR-1.2) Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group F (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
--------------	----------------------	---------------------

Bottle Group F (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-10-23-39

Shipping Method: FedEx

Date/Time of Receipt: 10/27/17 10:05

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLUE	-0.1°C	11		✓			
RED	0.0°C	15		—			
RED	0.6°C	5		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		✓	W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CL-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: J. Q.

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: J. Q.

Coolers Unpacked/Checked by: J. Q. Date: 10/27/17 NCRs (Y/N)?

Event ID: WQAR-2017-10-27-03 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

1000

FedEx Package
Express US Airbill
FedEx
Tracking
Number

8119 7780 9817

Form
ID No.

0215

Recipient's Copy

1 From

Date 10/26/17

Sender's
Name

Phone

813 4705700

Company

FIVE P SWRCC

Address

13051 N. Telecom Pkwy

Dept./Floor/Suite/Room

City

Temple Terrace

State

FL

ZIP

33637

2 Your Internal Billing Reference

3 To

Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-6065

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

Dept./Floor/Suite/Room

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399

Hold Weekday

FedEx location address
REQUIRED. NOT available for
FedEx First Overnight.

Hold Saturday

FedEx location address
REQUIRED. Available ONLY for
FedEx Priority Overnight and
FedEx 2Day to select locations.

8119 7780 9817

4 Express Package Service

* To most locations.

Next Business Day

☐ FedEx First Overnight.
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight.
Next business morning.* Friday shipments will be
delivered on Monday unless Saturday Delivery
is selected.

☐ FedEx Standard Overnight.
Next business afternoon.*
Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.*
Saturday Delivery NOT available.

☐ FedEx 2Day.
Second business afternoon.* Thursday shipments
will be delivered on Monday unless Saturday
Delivery is selected.

☐ FedEx Express Saver.
Third business day.*
Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐ FedEx Envelope*

☐ FedEx Pak*

☐ FedEx
Box

☐ FedEx
Tube

☒ Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required.
Package may be left without
obtaining a signature for delivery.

☐ Direct Signature.
Someone at recipient's address
may sign for delivery.

☐ Indirect Signature.
If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No ☐ Yes
As per attached
Shipper's Declaration. ☐ Yes
Shipper's Declaration
not required.

☐ Dry Ice
Dry Ice, 8, UN 1845 x kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.
Acct. No. ☐
☐ Sender
Acct. No. in Section
I will be billed.

☒ Recipient

☐ Third Party

☐ Credit Card

☐ Cash/Check

Total Packages

Total Weight

lbs.

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #163134 • ©1994–2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800.GoFedEx 1800.463.3339

fedex.com 1800.GoFedEx 1800.463.3339

01000


 Package
US Airbill

 FedEx
Tracking
Number

8119 7780 9770

1 From

Date

 Sender's
Name

Phone

Company

Address

Dept./Floor/Suite/Room

City

State

ZIP

2 Your Internal Billing Reference

3 To

 Recipient's
Name

Phone

Company

Address

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

State

ZIP

 Hold Weekday
FedEx location address
REQUIRED. NOT available for
FedEx First Overnight.

 Hold Saturday
FedEx location address
REQUIRED. Available ONLY for
FedEx Priority Overnight and
FedEx 2Day to select locations.


8119 7780 9770

Form ID No. 0215

Recipient's Copy

4 Express Package Service

* To most locations.

 Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
Next business morning*. Friday shipments will be
delivered on Monday unless Saturday Delivery
is selected.

☐ FedEx Standard Overnight
Next business afternoon*. Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning*. Saturday Delivery NOT available.

☐ FedEx 2Day
Second business afternoon*. Thursday shipments
will be delivered on Monday unless Saturday
Delivery is selected.

☐ FedEx Express Saver
Third business day*. Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐ FedEx Envelope*

☐ FedEx Pak*

☐ FedEx
Box

☐ FedEx
Tube

☒ Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without
obtaining a signature for delivery.

☐ Direct Signature
Someone at recipient's address
may sign for delivery.

☐ Indirect Signature
If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No ☐ Yes
As per attached
Shipper's Declaration.

☐ Yes
Shipper's Declaration
not required.

☐ Dry Ice
Dry Ice, 9, UN 1845 x lbs.

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.

☐ Sender
Acct. No. in Section
I will be billed.

☒ Recipient

☐ Third Party

☐ Credit Card

☐ Cash/Check

Total Packages

Total Weight

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #163134 • ©1994–2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800.GoFedEx 1800.463.3339

fedex.com 1800.GoFedEx 1800.463.3339

01000

FedEx
ExpressPackage
US AirbillFedEx
Tracking
Number

8119 7780 9806

1 From

Date

10-16-17

Sender's
Name

Phone

813 4705700

Company

FDP SWROC

Address

13051 N. Telecom Pkwy

Dept./Floor/Suite/Room

City

Temple Terrace

State

FL

ZIP

33637

2 Your Internal Billing Reference

3 To

Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-8088

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399

Hold Weekday
FedEx location address
REQUIRED. NOT available for
FedEx First Overnight.☐Hold Saturday
FedEx location address
REQUIRED. Available ONLY for
FedEx Priority Overnight and
FedEx 2Day to select locations.☐

0127857428



8119 7780 9806

Form
ID No.

0215

Recipient's Copy

4 Express Package Service

* To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight

Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight

Next business morning.* Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Standard Overnight

Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.

Second business morning.* Saturday Delivery NOT available.

☐ FedEx 2Day

Second business afternoon.* Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Express Saver

Third business day.* Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐ FedEx Envelope*☐ FedEx Pak*☐ FedEx
Box☐ FedEx
Tube☒ Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required

Package may be left without obtaining a signature for delivery.

☐ Direct Signature

Someone at recipient's address may sign for delivery.

☐ Indirect Signature

If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

☒ No

One box must be checked.

☐ YesAs per attached
Shipper's Declaration.☐ YesShipper's Declaration
not required.☐ Dry Ice
Dry Ice, 9, UN 1845

x kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.
Acct. No.☐ Sender
Acct. No. in Section
1 will be billed.☒ Recipient☐ Third Party☐ Credit Card☐ Cash/Check

Total Packages

Total Weight

lbs.

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #163134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800.GoFedEx 1800.463.3339

fedex.com 1800.GoFedEx 1800.463.3339