

Date of Request: 14-NOV-2017
 Created By: ASHTON_J On: 14-NOV-2017
 Modified By: WATTS_J On: 28-NOV-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: Pinellas LR3

Send Coolers To:

Phone: 813-470-5772
 13051 N. Telecom Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Send Final Report To:

13051 N. Telecom Parkway

 Tampa, FL 33637
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 28-NOV-2017
 Biology Request Reviewed By: WATTS_J On: 28-NOV-2017
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 21-NOV-2017
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 06-DEC-2017
 Received By: REYNOLDS_T On: 07-DEC-2017

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Pinellas County to collect & Analyze E.coli

Bottle Group A (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML Number of Bottles: 2 Preserved With: ICE
 PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
 *HF183 - Human Source Marker
 PCR-GULL2 Template: DEFAULT (SOP-PCR-1.2) Detection and quantification of coastal bird specific *Catellibacoccus marimammali* Gull2 genetic marker with quantitative polymerase chain reaction
 *GULL2-qPCR
 PCR-HF183 Template: DEFAULT (SOP-PCR-1.0) Detection and quantification of human-specific HF183 *Bacteroides* genetic marker with quantitative polymerase chain reaction
 *HF183-qPCR

Bottle Type: BG-1L Number of Bottles: 1 Preserved With: ICE
 W-AHERB-AA Template: DEFAULT (USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
 *Triclopyr
 2,4-D
 Bentazon
 MCPP
 W-SUC-AA-R Template: DEFAULT (EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
 *Sucralose
 W-UHERB-AA Template: DEFAULT (USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
 *Acetaminophen
 *Carbamazepine
 *Fluridone
 *Primidone
 Diuron
 Fenuron
 Imidacloprid
 Linuron

Bottle Group B (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML Number of Bottles: 2 Preserved With: ICE

Bottle Group B (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML Number of Bottles: 2 Preserved With: ICE
PCR-HF183 Template: DEFAULT (SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker
with quantitative polymerase chain reaction

*HF183-qPCR

Bottle Type: BG-1L Number of Bottles: 1 Preserved With: ICE
W-AHERB-AA Template: DEFAULT (USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS

*Triclopyr

2,4-D

Bentazon

MCPP

W-SUC-AA-R Template: DEFAULT (EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS

*Sucralose

W-UHERB-AA Template: DEFAULT (USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

*Acetaminophen

*Carbamazepine

*Fluridone

*Primidone

Diuron

Fenuron

Imidacloprid

Linuron

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.