

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-02-06-18
Client Project #: SMP Ft. Pierce
Date Sampled: Feb 9, 2017
Feb 10, 2017; Invoice: 323115

Report Summary

Date Received: Feb 9, 2017

FCL Project Manager: Philip D. Loucks


Laboratory #	Sample Description	Analysis	Chemist	Location	Sample Matrix
323115SW1	28042339	ENTEROLERT	DDB	South Lab	Surface Water
323115SW2	28010001	SM9223B	DDB	South Lab	Surface Water
323115SW3	28010045	SM9223B	DDB	South Lab	Surface Water

Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAP Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.
President/Technical Director



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050


Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-02-06-18
Client Project #: SMP Ft. Pierce
Date Sampled: Feb 9, 2017
Feb 10, 2017; Invoice: 323115

Analysis Report

Lab #: 323115SW1		Sampled: 02/09/17 10:45 AM		Desc: 28042339						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Enterococci	99.0	mpn/100mL	10.0	10.0	10.0	10333292	ENTEROLERT		02/09/17	03:55 PM
Lab #: 323115SW2		Sampled: 02/09/17 11:00 AM		Desc: 28010001						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	770	mpn/100mL	1.00	1.00	1.00	10333204	SM9223B		02/09/17	04:10 PM
Lab #: 323115SW3		Sampled: 02/09/17 11:15 AM		Desc: 28010045						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	122	mpn/100mL	1.00	1.00	1.00	10333204	SM9223B		02/09/17	04:10 PM



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-02-06-18
Client Project #: SMP Ft. Pierce
Date Sampled: Feb 9, 2017
Feb 10, 2017; Invoice: 323115

Quality Report

Quality Control Batch: 10333204

Analyst: DDB

Blank

E. Coli

Result

1.00U

Units

mpn/100mL

Quality Control Batch: 10333292

Analyst: DDB

Blank


Enterococci

Result

1.00U

Units

mpn/100mL



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-02-06-18
Client Project #: SMP Ft. Pierce
Date Sampled: Feb 9, 2017
Feb 10, 2017; Invoice: 323115

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results are reported on a wet weight basis for aqueous matrices and on a dry weight basis for sludge and soil matrices unless otherwise noted. Sample results reported as dissolved were field filtered.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	Estimated value; one or more QC components associated with this data value exceed current QC limits.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
W	The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.
Z	Too numerous to count colonies on plate.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.