

SMP-IRL Run

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SE-DIST

Requester: Matt Sewell

Field Report Prepared By: Matt Sewell

Project ID: SMP

Collected By: Ashley BarkerSampling Agency: DFWPB

Location <u>IRL @ melody lake</u>		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>4/27</u> Time <u>1200</u>		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field ID <u>G2SE0028</u>		Matrix (type, e.g., Salt, Fresh, etc) <u>Salt</u>		Diss. Oxygen <u>5.2</u>		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____		
STORET # <u>G2SE0028</u>		Temp (C) <u>25.4</u>		pH <u>8.0</u>		Sample Depth <u>0.3</u>	☐ ft ☒ m		Sp. Conductance (umho/cm) <u>55622</u>
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>36.9</u>		Comments					
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)		pH		Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)		pH		Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)		pH		Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)		pH		Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments					

Relinquished By: <u>[Signature]</u>	Date/Time <u>4/27/17 1700</u>	Shipping Method <u>fedex</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>SA</u>	Date/Time <u>4-28-17/9:55</u>
-------------------------------------	----------------------------------	---------------------------------	--	------------------------	----------------------------------

Date of Request: 08-FEB-2017
 Created By: SEWELL_M On: 08-FEB-2017
 Modified By: MATTHEWS_D On: 22-FEB-2017
 Customer: SE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Sampling Event: SMP-IRL Run

Send Coolers To:

Phone: (772) 448-5883
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 20-FEB-2017
 Biology Request Reviewed By: MATTHEWS_D On: 22-FEB-2017
 Sampling Kit Required: YES Ship on: 24-FEB-2017
 Sampling Kit Shipped: YES On: 24-FEB-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 06-MAR-2017
 Received By: GREENWOO_J On: 29-MAR-2017

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Sampler comments:
 Clear additional sites with C. Musson

Bottle Group A (Water) With 6 Samples:

Bottle Type: P-1L	Number of Bottles: 6	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 6	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group A (Water) With 6 Samples:

Bottle Type: P-125ML Number of Bottles: 6 Preserved With: ICE-FLTR
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

2017-02-20-13

Log-in Checklist

RQ-2017-03-06-25

Shipping Method:

Fedex

Date/Time of Receipt:

4-28-17/9:55

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
White	0.4	10		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included?

Yes

No

CONTAINER CHECK

**Evidence Tape on Bottles?

Yes

No

If yes, is it intact?

Yes

No

**Caps on tight?

Yes

No

**Containers intact?

Yes

No

**Sufficient Sample Volume:

Yes

No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0?

Yes

No

NA

Init:

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes

No

NA

Init:

Coolers Unpacked/Checked by:

Date:

NCRs (Y/N)?

Event ID:

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

Do Not Lift Using This Tag

ORIGIN ID:FPRA

SHIP DATE: 27APR17
ACTWGT: 35.50 LB
CAD: /POS1801
DIMS: 20x12x13 IN

BILL RECIPIENT

UNITED STATES US

TO **FL. DEPT/CHEMISTRY SECTION**
FL DEP/CHEMISTRY
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 245-8086

REF:

THU:

PO:

DEPT:



FedEx
Express



TRK#
0215 8111 7111 2480

FRI - 28 APR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399

FL-US TLH



Part # 156297V433 R112 EXP 03/18 **