

Central Laboratory Submittal Form

Customer: SE-DIST

Requester: Matt Sewell

Field Report Prepared By:

James Pitts

Project ID: SMP

Collected By:

Drew Liddich

Sampling Agency:

ZIKLWPB

Location Pompano Canal @ SR11		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/23/17 Time 0945		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s) (See pg 2) A
Field ID 28030591		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.2	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET # 28030591		Temp (C) 22.8	pH 7.8	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 641		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.31	Comments					
Location Cypress Canal 441 bridge		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/23/17 Time 1020		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s) A
Field ID 28030508		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.1	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET # 28030508		Temp (C) 22.4	pH 7.7	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 852		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.42	Comments					
Location Middle R Canal @ NW 31 Ave		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/23/17 Time 1045		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s) A
Field ID 28030516		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.8	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET # 28030516		Temp (C) 22.7	pH 7.9	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 574		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.28	Comments					
Location Middle R Canal @ NW 31 Ave		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/23/17 Time 1100		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s) A
Field ID 28030516 - Duplicate		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments Duplicate					

Relinquished By:

James Pitts

Date/Time

3/23/17 1400

Shipping Method

Fed EX

Number of Coolers Shipped:

4

Received By:

Judy Reynolds

Date/Time

03/24/17 10:17am

Group: A	Bottle Type:	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SE-FSE-ENQ					
Group: A	Bottle Type:	2-BG-40ML NO ACID	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-LCMS-DIJ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 4	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 4	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: A	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-UHERB-AA					
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-F					
	W-TSS					

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: SE-DIST

Requester: Matt Sewell

Field Report Prepared By: James Pass

Project ID: SMP

Collected By: Drew Liddick

Sampling Agency: 21 FL WFB

Location C-13 east @ NW 21st Ave Bridge		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/23/17 Time 1120	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID G4SEB011		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.9	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET # G4SEB011		Temp (C) 23.8	pH 7.3	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 19172
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 11.38	Comments			
Location Sospito Canal @ Las Olas Blvd		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/23/17 Time 1215	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID 420011013		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET # 420011013		Temp (C) 24.0	pH 7.7	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 44017
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 28.4	Comments			
Location Sospito Canal @ Las Olas Blvd		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/23/17 Time 1230	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID 420011013 - Blank		Matrix (type, e.g., Salt, Fresh, etc) DI		Diss. Oxygen f	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C) —	pH —	Sample Depth —	☐ ft ☐ m	Sp. Conductance (umho/cm) —
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) —	Comments Field Blank			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By: James Pass	Date/Time 3/23/17	Shipping Method Fed Ex	Number of Coolers Shipped: 4	Received By: Jyly J L	Date/Time 03/24/17 10:13
--------------------------------	----------------------	---------------------------	---------------------------------	--------------------------	-----------------------------

Date of Request: 08-FEB-2017
 Created By: SEWELL_M On: 08-FEB-2017
 Modified By: MATTHEWS_D On: 22-FEB-2017
 Customer: SE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Sampling Event: SMP-Broward 3 Run

Send Coolers To:

Phone: (772) 448-5883
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 20-FEB-2017
 Biology Request Reviewed By: MATTHEWS_D On: 22-FEB-2017
 Sampling Kit Required: YES Ship on: 24-FEB-2017
 Sampling Kit Shipped: YES On: 24-FEB-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 06-MAR-2017
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Sampler comments:
 Bottle group A = 3270 3271 3273 DUPE
 Bottle group B = 3274
 Bottle group C = 3226G4
 Bottle group D = Blank

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 1210 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: QPCR-P-250ML	Number of Bottles: 8	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type:	Number of Bottles: 4	Preserved With: ICE
SE-FSE-ENQ	Template: DEFAULT	(Enterolert/QT) Escherichia coli by Enterolert Quanti-Tray method by Florida Spectrum for SED
Bottle Type: 2-BG-40ML NO	Number of Bottles: 4	Preserved With: ICE
W-LCMS-DIJ	Template: DEFAULT	(EPA 8321B) Water soluble organic compounds by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: SE-FSE-ENQ	Number of Bottles: 1	Preserved With: ICE
Template: DEFAULT		(Enterolert/QT) Escherichia coli by Enterolert Quanti-Tray method by Florida Spectrum for SED
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Chromium

Iron

Zinc

W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
---------	----------------	---

Arsenic

Cadmium

Copper

Lead

Nickel

Silver

Bottle Type: 2-BG-40ML NO	Number of Bottles: 1	Preserved With: ICE
W-LCMS-DIJ	Template: DEFAULT	(EPA 8321B) Water soluble organic compounds by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: SE-FSE-ENQ	Number of Bottles: 1	Preserved With: ICE
Template: DEFAULT		(Enterolert/QT) Escherichia coli by Enterolert Quanti-Tray method by Florida Spectrum for SED
Bottle Type: 2-BG-40ML NO	Number of Bottles: 1	Preserved With: ICE
W-LCMS-DIJ	Template: DEFAULT	(EPA 8321B) Water soluble organic compounds by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: 2-BG-40ML NO	Number of Bottles: 1	Preserved With: ICE
W-LCMS-DIJ	Template: DEFAULT	(EPA 8321B) Water soluble organic compounds by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-03-06-27

Shipping Method: Fedex

Date/Time of Receipt: 03/24/17 10:13 am

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	-0.7	8		✓			
Red	-0.1	12		✓			
Red	-0.3	14		✓			
Red	-0.8	14		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-Cl-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: JK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: JK

Coolers Unpacked/Checked by: JK Date: 03/24/17 NCRs (Y/N)? N

Event ID: SE-DIST-2017-03-24-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

Ex Pouch Here

This Tag

RT **856**

FZ

1
10:30

B
5345
03.24

ORIGIN ID:FXEA

SHIP DATE: 23MAR17
ACTWGT: 62.00 LB MAN
CAD: /POS1801
DIMS: 21x16x13 IN

BILL RECIPIENT

UNITED STATES US

TO


**FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD**

TALLAHASSEE FL 32399

(850) 245-8085
INVT
POT

REF

DEPT



FedEx
Express



J17117021401ev

4 of 4

MPS# **7860 0609 5345**

Metr# 8085 1642 6990


0215

36 TLHA

**FRI - 24 MAR 10:30A
PRIORITY OVERNIGHT**

32399

FL-US **TLH**



Do Not Liftsing This Tag

Align FedEx Pouch Here

ORIGIN ID:FXEA

SHIP DATE: 23MAR17
ACTWGT: 63.00 LB MAN
CAD: /POS1801
DIMS: 21x16x13 IN
BILL RECIPIENT

UNITED STATES US

TO


FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8085

REF:

DEPT:



FedEx
Express



J171117021410v


3 of 4
MPS# 7860 0609 5334
0681
Metr# 8085 1642 6990

0215

FRI - 24 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US TLH



RT 856

1 10:30

B

5334
03.24

FZ

ORIGIN ID:FXEA

SHIP DATE: 23MAR17
ACTWGT: 53.00 LB MAN
CAD: /POS1801
DIMS: 21x16x13 IN
BILL RECIPIENT

UNITED STATES US

TO


FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 246-8086
THU
PDI

REF:

DEPT:



FedEx
Express



2 of 4

MPS# 7860 0609 5323

Metr# 8085 1642 6990

0215

36 TLHA

FRI - 24 MAR 10:30A
PRIORITY OVERNIGHT

32399
FL-US TLH



5323
03.24

10:30
B

FZ

01000
00817

FedEx Package Express US Airbill

Tracking Number **0085 1642 6990**

01759

1 From

Date **3/23/17**

Sender's Name

Jared Pinn

Phone

941 201 6227

Company

FEDER

Address

2177 S Rock Rd.

City

Fort Pierce

State

FL

ZIP

34945

2 Your Internal Billing Reference

3 To

Recipient's Name

SAMPLE RECEIVING

Phone

850 245 8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address **2600 BLAIRSTONE RD**

Dept./Room/Suite/Room

Dept./Room/Suite/Room

Use this line for the HOLD location address or for continuation of your shipping address.

Dept./Room/Suite/Room

City **TALLAHASSEE**

State

FL

ZIP

32309-6542



0085 1642 6990

0119879085

4 Express Package Service

NOTE: Service order has changed. Please select carefully.

Next Business Day

FedEx First Overnight

Business morning delivery to select business addresses only. Not available on Monday unless SATURDAY Delivery is selected.

FedEx Priority Overnight

Business morning delivery to select business addresses only. Not available on Monday unless SATURDAY Delivery is selected.

FedEx Standard Overnight

Business morning delivery to select business addresses only. Not available on Monday unless SATURDAY Delivery is selected.

5 Packaging

*Declared value limit \$500.

FedEx Envelope*

FedEx Pak*

FedEx Box

FedEx Tube

Other

6 Special Handling and Delivery Signature Options

SATURDAY Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

No Signature Required

Obtaining a signature for delivery.

Direct Signature

Signature at recipient's address may sign for delivery. Not applicable for residential deliveries only. Not applicable for international deliveries only.

Indirect Signature

Signature at recipient's address may sign for delivery. Not applicable for residential deliveries only. Not applicable for international deliveries only.

7 Payment Bill to:

Sender

Recipient

Third Party

Credit Card

Cash/Check

Obtain recip.

Acct. No.

Card No.

Card Exp. Date

Cardholder Name

Cardholder Address

Cardholder City

Cardholder State

Cardholder ZIP

Cardholder Phone

Cardholder Email

Cardholder Fax

Cardholder Title

Cardholder Company

Cardholder Department

Cardholder Division

Cardholder Division

Recipient's Name

Address

City

State

ZIP

Phone

Fax

Email

Company

Department

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division

Division