

SMP-Broward 2 Run

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SE-DIST

Requester: Matt Sewell

Field Report Prepared By: James Pigg

Project ID: SMP

Collected By: Drew Liddick

Sampling Agency: 21 FL WPB

Location <u>North New R. @ University Dr.</u>		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date <u>3/13/17</u>	Time <u>1130</u>	☒ Eastern	Composite end	Bottle Group(s)
Field ID <u>G4SENNR3</u>		Matrix (type, e.g., Salt, <u>Fresh</u> , etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		A
STORET # <u>G4SENNR3</u>		Temp (C) <u>24.5</u>		pH <u>8.1</u>		☐ % sat		(mg/L)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) <u>0.35</u>		Sample Depth <u>0.3</u>		Sp. Conductance (umho/cm) <u>728</u>		
Location <u>Flamingo Rd. & Stirling Rd.</u>		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date <u>3/13/17</u>	Time <u>1200</u>	☒ Eastern	Composite end	Bottle Group(s)
Field ID <u>28030548</u>		Matrix (type, e.g., Salt, <u>Fresh</u> , etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		A
STORET # <u>28030548</u>		Temp (C) <u>24.0</u>		pH <u>8.0</u>		☐ % sat		(mg/L)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) <u>0.35</u>		Sample Depth <u>0.3</u>		Sp. Conductance (umho/cm) <u>715</u>		
Location <u>New R. @ Andrews Ave</u>		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date <u>3/13/17</u>	Time <u>1300</u>	☒ Eastern	Composite end	Bottle Group(s)
Field ID <u>28030521</u>		Matrix (type, e.g., <u>Salt</u> , Fresh, etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		B
STORET # <u>28030521</u>		Temp (C) <u>26.1</u>		pH <u>7.7</u>		☐ % sat		(mg/L)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) <u>19.0</u>		Sample Depth <u>0.3</u>		Sp. Conductance (umho/cm) <u>30647</u>		
Location <u>New River North Fork @ Sunrise</u>		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date <u>3/13/17</u>	Time <u>1410</u>	☒ Eastern	Composite end	Bottle Group(s)
Field ID <u>G4SEB064</u>		Matrix (type, e.g., <u>Salt</u> , Fresh, etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		B
STORET # <u>G4SEB064</u>		Temp (C) <u>26.2</u>		pH <u>7.7</u>		☐ % sat		(mg/L)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) <u>8.0</u>		Sample Depth <u>0.3</u>		Sp. Conductance (umho/cm) <u>14849</u>		

Relinquished By: <u>James P. Pitts</u>	Date/Time <u>3/13/17 1700</u>	Shipping Method <u>Fed Ex</u>	Number of Coolers Shipped: <u>3</u>	Received By: <u>J.P.</u>	Date/Time <u>3/14/17 9:47</u>
--	-------------------------------	-------------------------------	-------------------------------------	--------------------------	-------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SE-FSE-ENQ					
Group: A	Bottle Type:	2-BG-40ML NO ACID	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-LCMS-DIJ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: A	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-UHERB-AA					
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-F W-TSS					

SMP-Broward 2 Run

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SE-DIST

Requester: Matt Sewell

Field Report Prepared By:

James Pitts

Project ID: SMP

Collected By:

Drew Liddick

Sampling Agency:

21 FL WPB

Location C-12 @ 926 ave & Sunrise		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3/13/17 Time 1450		☒ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field ID G4SEB128		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.7		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
STORET # G4SEB128		Temp (C) 25.4		pH 8.1		Sample Depth 0.3		Sp. Conductance (umho/cm) 633			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.31		Comments Changed to bottle group A (fresh)					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		☐ Eastern ☐ Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By: James Pitts	Date/Time 3/13/17	Shipping Method Fed Ex	Number of Coolers Shipped: 3	Received By: J. J.	Date/Time 3/14/17 9:47
---------------------------------	----------------------	---------------------------	---------------------------------	-----------------------	---------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SE-FSE-ENQ					
Group: A	Bottle Type:	2-BG-40ML NO ACID	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-LCMS-DIJ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: A	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-UHERB-AA					
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-F					
	W-TSS					

Date of Request: 08-FEB-2017
 Created By: SEWELL_M On: 08-FEB-2017
 Modified By: MATTHEWS_D On: 14-MAR-2017
 Customer: SE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Sampling Event: SMP-Broward 2 Run

Send Coolers To:

Phone: (772) 448-5883
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Program Module Number: 1306
 Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 23-FEB-2017
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 06-MAR-2017
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: 1 - Case of Sulfuric acid

Sampler comments:
 Bottle group A = 3277C 3279A
 Bottle group B = 3277A 3276 3276A

Bottle Group A (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
SE-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Miami Overflow Laboratories for SED
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
SE-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Miami Overflow Laboratories for SED
Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ-2017-03-06-28

Shipping Method: Fed Ex

Date/Time of Receipt: 3/14/17 9:47

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	1.9°C	14		✓			
RED	0.8°C	14		✓			7858 9573 8963
RED	1.1°C	7		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: J.D.

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: J.D.

Coolers Unpacked/Checked by: J.D. Date: 3/14/17 NCRs (Y/N)?

Event ID: SE-DIST-2017-03-14-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

00140

01000

03474

fedex.com 1800.GoFedEx 1800.463.3339

06325007

FedEx
Express

 Package
US Airbill

 FedEx
Tracking
Number

8111 7111 1417

1 From

Date

3/13/17

Sender's Name

James P. ...

Phone

941 807-6227

Company

FDEP

Address

2199 S. Rock Rd.

City

Fort Pierce

State

FL

ZIP

34945

2 Your Internal Billing Reference

3 To

Recipient's Name

Phone

850 245-8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399-6542

Hold Weekday

FedEx location address

REQUIRED. NOT available for

FedEx First Overnight.

Hold Saturday

FedEx location address

REQUIRED. Available ONLY for

FedEx Priority Overnight and

FedEx 2Day to select locations.

4 Express Package Service

* To most locations.

Next Business Day

☐

FedEx First Overnight

Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☒

FedEx Priority Overnight

Next business morning.* Friday shipments will be delivered on Monday unless Saturday Delivery is selected.

☐

FedEx Standard Overnight

Next business afternoon.* Saturday Delivery NOT available.

2 or 3 Business Days

☐

FedEx 2Day A.M.

Second business morning.* Saturday Delivery NOT available.

☐

FedEx 2Day

Second business afternoon.* Thursday shipment will be delivered on Monday unless Saturday Delivery is selected.

☐

FedEx Express Saver

Third business day.* Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐

FedEx Envelope*

☐

FedEx Pak*

☐

FedEx Box

☐

FedEx Tube

6 Special Handling and Delivery Signature Options

Fees may apply. See the

☐

Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☒

No Signature Required

Package may be left without obtaining a signature for delivery.

☐

Direct Signature

Someone at recipient's address may sign for delivery.

☐

Indirect Sign

If no one is available, someone at address may sign residential delivery.

Does this shipment contain dangerous goods?

One box must be checked.

☒

No

☐

Yes

As per attached Shipper's Declaration.

☐

Yes

Shipper's Declaration not required.

☐

Dry Ice

Dry Ice, 9, UN 1845

☐

Cargo Aircraft

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

☐

Sender

Acct. No. in Section 1 will be billed.

☒

Recipient

☐

Third Party

☐

Credit Card

Total Packages

Total Weight

Credit Card Auth.



8111 7111 1417

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #163134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM