

Biological Analysis Report

SE-DIST-2017-04-20-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Flowers Chemical Laboratories Inc.
571 NW Mercantile Pl. Ste. 111
Port St. Lucie, FL 34986
DOH Accreditation E86562

Event Description: **SMP-G5 North Run**
Request ID: **RQ-2017-04-17-35**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8177

Certified by: Jennifer Walters, Environmental Manager

Date Certified: 26-MAY-2017 16:07



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Kid Creek @ Old Dixie

Collection Date/Time: 04/19/2017 10:55

Field ID: G5SE0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890625	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.70	I	ug/L	P324001	
		Phaeophytin-a	0.40	U	ug/L	P324001	
		Chlorophyll/Phaeophytin Ratio	1.6			P324001	
		Chlorophyll-a, Uncorrected	0.83	I	ug/L	P324001	
1890632	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	2420		MPN/100 mL		

Sample Location: Mills Ditch Weir off Dixie Rd

Collection Date/Time: 04/19/2017 11:20

Field ID: G5SE0063

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890622	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.3	I	ug/L	P324001	
		Phaeophytin-a	2.4	V	ug/L	P324001	
		Chlorophyll/Phaeophytin Ratio	1.2			P324001	
		Chlorophyll-a, Uncorrected	2.8		ug/L	P324001	

Ref. Method and Comment:

SM 10200 H (mod.): Result is V-qualified due to laboratory blank failure for Phaeophytin-a component only.

Sample Location: C-54 W of I-95

Collection Date/Time: 04/19/2017 11:50

Field ID: G5SE0057

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890623	SM 10200 H (mod.)	Chlorophyll-a, Corrected	59		ug/L	P324001	
		Phaeophytin-a	2.3	IV	ug/L	P324001	
		Chlorophyll/Phaeophytin Ratio	1.7			P324001	
		Chlorophyll-a, Uncorrected	63		ug/L	P324001	

Ref. Method and Comment:

SM 10200 H (mod.): Result is V-qualified due to laboratory blank failure for Phaeophytin-a component only.

Sample Location: C 54 1700 m West of I-95

Collection Date/Time: 04/19/2017 12:15

Field ID: G5SE0060

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890624	SM 10200 H (mod.)	Chlorophyll-a, Corrected	83	A	ug/L	P324001	
		Phaeophytin-a	3.2	AV	ug/L	P324001	
		Chlorophyll/Phaeophytin Ratio	1.7	A		P324001	
		Chlorophyll-a, Uncorrected	89	A	ug/L	P324001	

Ref. Method and Comment:

SM 10200 H (mod.): Result is V-qualified due to laboratory blank failure for Phaeophytin-a component only.

Sample Location: South Relief Canal @ US1

Collection Date/Time: 04/19/2017 09:00

Field ID: G5SE0044

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890626	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.5		ug/L	P324001	
		Phaeophytin-a	3.4	V	ug/L	P324001	
		Chlorophyll/Phaeophytin Ratio	1.4			P324001	
		Chlorophyll-a, Uncorrected	6.7		ug/L	P324001	

Field ID: G5SE0044

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890629	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
1890633	Enterolert/QT	Enterococci-Quanti-Tray	31.0		MPN/100 mL		
	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	129		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Result is V-qualified due to laboratory blank failure for Phaeophytin-a component only.

Sample Location: Main Canal @ US1

Collection Date/Time: 04/19/2017 09:40

Field ID: G5SE0045

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890627	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.2		ug/L	P324001	
		Phaeophytin-a	1.6	V	ug/L	P324001	
		Chlorophyll/Phaeophytin Ratio	1.4			P324001	
		Chlorophyll-a, Uncorrected	3.3		ug/L	P324001	
1890630	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
1890634	Enterolert/QT	Enterococci-Quanti-Tray	30.0		MPN/100 mL		
	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	51.2		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Result is V-qualified due to laboratory blank failure for Phaeophytin-a component only.

Sample Location: Main Canal @ US1

Collection Date/Time: 04/19/2017 09:45

Field ID: BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890636	Enterolert/QT	Enterococci-Quanti-Tray	10.0	U	MPN/100 mL		
	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1.00	U	MPN/100 mL		

Sample Location: North Canal Below Weir

Collection Date/Time: 04/19/2017 10:10

Field ID: G5SE0043

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1890628	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.5		ug/L	P324001	
		Phaeophytin-a	1.2	V	ug/L	P324001	
		Chlorophyll/Phaeophytin Ratio	1.5			P324001	
		Chlorophyll-a, Uncorrected	3.3		ug/L	P324001	
1890631	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
1890635	Enterolert/QT	Enterococci-Quanti-Tray	20.0		MPN/100 mL		
	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	142		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Result is V-qualified due to laboratory blank failure for Phaeophytin-a component only.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P324001

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P324001

Component	Result	Code	Units
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.41	I	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P324001

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	100		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P324001

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1890624	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1890624	Chlorophyll-a, Corrected	0.939	Sample	P	0 - 25
1890624	Chlorophyll-a, Uncorrected	0.760	Sample	P	0 - 25
1890624	Phaeophytin-a	6.77	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll-a, Corrected	100			0.939	
	Chlorophyll-a, Uncorrected				0.760	
	Phaeophytin-a				6.77	

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
Enterolert/QT / E86562	Enterococci by Enterolert Quanti-Tray method by Flowers Overflow Laboratory for Southeast District	1890633, 1890634, 1890635, 1890636
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1890622, 1890623, 1890624, 1890625, 1890626, 1890627, 1890628
SM 9223 Quanti-Tray / E86562	Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Southeast District	1890632, 1890633, 1890634, 1890635, 1890636
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1890629, 1890630, 1890631

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	04/19/2017			04/19/2017 16:20	Flowers-PSL	1890633, 1890634, 1890635, 1890636
SM 10200 H (mod.)	04/20/2017	04/20/2017 13:00	Jennifer Mihalic	04/25/2017	Kim M. Spencer	1890622, 1890623, 1890624, 1890625, 1890626, 1890627, 1890628
SM 9223 Quanti-Tray	04/19/2017			04/19/2017 16:35	Flowers-PSL	1890632, 1890633, 1890634, 1890635, 1890636
SOP-PCR-4.0	04/20/2017	04/20/2017 13:00	Avril Wood	05/03/2017	Puja Jasrotia	1890629, 1890630, 1890631