

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-04-07-36
Client Project #: G-5 South
Date Sampled: Apr 18, 2017
Apr 19, 2017; Invoice: 329497

Report Summary

Date Received: Apr 18, 2017

FCL Project Manager: Philip D. Loucks


Laboratory #	Sample Description	Analysis	Chemist	Location	Sample Matrix
329497SW1	G5SE0058	SM9223B	DDB	South Lab	Surface Water
329497SW2	28010984	SM9223B	DDB	South Lab	Surface Water
329497SW3	28010984	ENTEROLERT	DDB	South Lab	Surface Water
329497SW4	G5SE0059	SM9223B	DDB	South Lab	Surface Water
329497SW5	G5SE0059	ENTEROLERT	DDB	South Lab	Surface Water

Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAP Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.
President/Technical Director



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050


Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-04-07-36
Client Project #: G-5 South
Date Sampled: Apr 18, 2017
Apr 19, 2017; Invoice: 329497

Analysis Report

Lab #: 329497SW1		Sampled: 04/18/17 10:45 AM		Desc: G5SE0058						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	19.2	mpn/100mL	2.00	2.00	2.00	10339147	SM9223B		04/18/17	02:35 PM
Lab #: 329497SW2		Sampled: 04/18/17 12:15 PM		Desc: 28010984						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	263	mpn/100mL	2.00	2.00	2.00	10339147	SM9223B		04/18/17	02:35 PM
Lab #: 329497SW3		Sampled: 04/18/17 12:15 PM		Desc: 28010984						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Enterococci	145	mpn/100mL	10.0	10.0	10.0	10339237	ENTEROLERT		04/18/17	02:50 PM
Lab #: 329497SW4		Sampled: 04/18/17 12:45 PM		Desc: G5SE0059						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	104	mpn/100mL	2.00	2.00	2.00	10339147	SM9223B		04/18/17	02:35 PM
Lab #: 329497SW5		Sampled: 04/18/17 12:45 PM		Desc: G5SE0059						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Enterococci	52.0	mpn/100mL	10.0	10.0	10.0	10339237	ENTEROLERT		04/18/17	02:50 PM



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-04-07-36
Client Project #: G-5 South
Date Sampled: Apr 18, 2017
Apr 19, 2017; Invoice: 329497

Quality Report

Quality Control Batch: 10339147

Analyst: DDB

Blank

E. Coli

Result

1.00U

Units

mpn/100mL

Quality Control Batch: 10339237

Analyst: DDB

Blank


Enterococci

Result

1.00U

Units

mpn/100mL



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP - Port St. Lucie
2199 S. Rock Rd.
Ft. Pierce, FL 34945

PO #: RQ-2017-04-07-36
Client Project #: G-5 South
Date Sampled: Apr 18, 2017
Apr 19, 2017; Invoice: 329497

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results are reported on a wet weight basis for aqueous matrices and on a dry weight basis for sludge and soil matrices unless otherwise noted. Sample results reported as dissolved were field filtered.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	Estimated value; one or more QC components associated with this data value exceed current QC limits.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
W	The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.
Z	Too numerous to count colonies on plate.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.