

Biological Analysis Report

SE-DIST-2017-05-24-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Flowers Chemical Laboratories Inc.
571 NW Mercantile Pl. Ste. 111
Port St. Lucie, FL 34986
DOH Accreditation E86562

Event Description: **SMP-G3 WPB Run**
Request ID: **RQ-2017-05-22-13**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Daisys Matthews,

Date Certified: 15-JUN-2017 07:48

A handwritten signature in black ink, appearing to read "D Matthews". The signature is stylized with a large, sweeping initial "D" and a cursive "Matthews".

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Acne North @ South Shore Blvd

Collection Date/Time: 05/23/2017 10:00

Field ID: 32012006

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901433	SM 10200 H (mod.)	Chlorophyll-a, Corrected	24	A	ug/L	P325975	
		Phaeophytin-a	5.9	A	ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.6	A		P325975	
		Chlorophyll-a, Uncorrected	29	A	ug/L	P325975	

Sample Location: Acne South @ Lake worth Rd

Collection Date/Time: 05/23/2017 10:30

Field ID: G3SE0016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901434	SM 10200 H (mod.)	Chlorophyll-a, Corrected	26		ug/L	P325975	
		Phaeophytin-a	6.9		ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.6			P325975	
		Chlorophyll-a, Uncorrected	31		ug/L	P325975	

Sample Location: Okeeheelee Park @ Fisherman Trl

Collection Date/Time: 05/23/2017 10:45

Field ID: G35E0015

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901439	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.2		ug/L	P325975	
		Phaeophytin-a	0.64	I	ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.6			P325975	
		Chlorophyll-a, Uncorrected	4.7		ug/L	P325975	

Sample Location: Lake Clarke @ Pine Tree Lane

Collection Date/Time: 05/23/2017 11:25

Field ID: 28010809

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901438	SM 10200 H (mod.)	Chlorophyll-a, Corrected	68		ug/L	P325975	
		Phaeophytin-a	3.6		ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.7			P325975	
		Chlorophyll-a, Uncorrected	73		ug/L	P325975	
1901443	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	18.7		MPN/100 mL		

Sample Location: Pine Lake

Collection Date/Time: 05/23/2017 12:00

Field ID: 32008010

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901437	SM 10200 H (mod.)	Chlorophyll-a, Corrected	31		ug/L	P325975	
		Phaeophytin-a	5.5		ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.6			P325975	
		Chlorophyll-a, Uncorrected	35		ug/L	P325975	
1901440	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
1901442	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	365		MPN/100 mL		

Sample Location: Clear Lake @ Okeechobee Rd

Collection Date/Time: 05/23/2017 13:00

Field ID: 28010896

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901435	SM 10200 H (mod.)	Chlorophyll-a, Corrected	11		ug/L	P325975	
		Phaeophytin-a	0.97	I	ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.6			P325975	
		Chlorophyll-a, Uncorrected	12		ug/L	P325975	

Sample Location: C-17 @ SR-702

Collection Date/Time: 05/23/2017 13:20

Field ID: 32008003

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1901436	SM 10200 H (mod.)	Chlorophyll-a, Corrected	26		ug/L	P325975	
		Phaeophytin-a	6.9		ug/L	P325975	
		Chlorophyll/Phaeophytin Ratio	1.6			P325975	
		Chlorophyll-a, Uncorrected	31		ug/L	P325975	
1901441	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	42.6		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P325975

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P325975

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	85.8		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P325975

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901433	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1901433	Chlorophyll-a, Corrected	4.00	Sample	P	0 - 25
1901433	Chlorophyll-a, Uncorrected	5.44	Sample	P	0 - 25
1901433	Phaeophytin-a	15.5	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll-a, Corrected	85.8			4.00	
	Chlorophyll-a, Uncorrected				5.44	
	Phaeophytin-a				15.5	

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1901433, 1901434, 1901435, 1901436, 1901437, 1901438, 1901439
SM 9223 Quanti-Tray / E86562	Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Southeast District	1901441, 1901442, 1901443
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1901440

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	05/24/2017	05/24/2017 15:55	Morgan Lane	05/30/2017	Brian Cumbie	1901433, 1901434, 1901435, 1901436, 1901437, 1901438, 1901439
SM 9223 Quanti-Tray	05/23/2017			05/23/2017 14:50	Flowers-PSL	1901441, 1901442, 1901443
SOP-PCR-4.0	05/24/2017	05/24/2017 15:00	Avril Wood	06/02/2017	Puja Jasrotia	1901440