

Biological Analysis Report

SE-DIST-2017-06-07-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Advanced Environmental Labs - Miami
10200 USA Today Way
Mirimar, FL 33025
DOH Accreditation E82535

Event Description: **SMP- Dade Purple Run**
Request ID: **RQ-2017-06-05-26**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Cheryl Swanson - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Environmental Manager

Date Certified: 28-JUL-2017 15:35



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: C-6 Miami Canal

Collection Date/Time: 06/06/2017 10:45

Field ID: G4SE0094

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1904144	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.8		ug/L	P326638	
		Phaeophytin-a	0.40	U	ug/L	P326638	
		Chlorophyll/Phaeophytin Ratio	1.7			P326638	
		Chlorophyll-a, Uncorrected	1.8		ug/L	P326638	
1904148	SOP-PCR-1.0	HF183-qPCR**	580		GEU/100 mL	P328846	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				
1904152	EPA 1600	Enterococci-Membrane Filter	168		cfu/100 mL		

Sample Location: Waqier Creek (WC-02)

Collection Date/Time: 06/06/2017 11:10

Field ID: G4SEWC02

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1904145	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.75	I	ug/L	P326638	
		Phaeophytin-a	0.40	U	ug/L	P326638	
		Chlorophyll/Phaeophytin Ratio	2.1			P326638	
		Chlorophyll-a, Uncorrected	0.60	I	ug/L	P326638	
1904149	SOP-PCR-1.0	HF183-qPCR**	730		GEU/100 mL	P328846	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				
1904153	EPA 1600	Enterococci-Membrane Filter	430		cfu/100 mL		

Sample Location: Miami Canal @ S-26

Collection Date/Time: 06/06/2017 11:40

Field ID: 42009024

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1904146	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.7		ug/L	P326638	
		Phaeophytin-a	0.40	U	ug/L	P326638	
		Chlorophyll/Phaeophytin Ratio	1.7			P326638	
		Chlorophyll-a, Uncorrected	2.9		ug/L	P326638	
1904150	SOP-PCR-1.0	HF183-qPCR**	20	T	GEU/100 mL	P328846	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				
1904154	EPA 1600	Enterococci-Membrane Filter	242		cfu/100 mL		

Sample Location: C-6 Miami Canal

Collection Date/Time: 06/06/2017 11:50

Field ID: G4SE0095

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1904143	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.3		ug/L	P326638	
		Phaeophytin-a	0.40	U	ug/L	P326638	
		Chlorophyll/Phaeophytin Ratio	1.6			P326638	
		Chlorophyll-a, Uncorrected	2.5		ug/L	P326638	
1904147	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
1904151	EPA 1603	Escherichia coli-Membrane Filter**	389		cfu/100 mL		

**Quality Assurance Report
Method Blank Results**

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P326638

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P328846

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P326638

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	103		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P328846

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	116	94.6	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P328846

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1904148	HF183-qPCR	101		P	50 - 175
1904149	HF183-qPCR	102		P	50 - 175
1904150	HF183-qPCR	103		P	50 - 175
1904515	HF183-qPCR	70.9		P	50 - 175
1904516	HF183-qPCR	98.5		P	50 - 175
1905343	HF183-qPCR	100		P	50 - 175
1905506	HF183-qPCR	71.8		P	50 - 175
1907480	HF183-qPCR	86.3		P	50 - 175
1907482	HF183-qPCR	108		P	50 - 175
1908240	HF183-qPCR	121		P	50 - 175
1908241	HF183-qPCR	73.8		P	50 - 175
1908242	HF183-qPCR	103	87.3	P/P	50 - 175

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P326638

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1904177	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1904177	Chlorophyll-a, Corrected	1.68	Sample	P	0 - 25
1904177	Chlorophyll-a, Uncorrected	0.797	Sample	P	0 - 25
1904177	Phaeophytin-a	5.68	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
 Batch ID: P328846

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1908242	HF183-qPCR	16.1	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1904148
 Field Sample ID: G4SE0094

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	110	P	50 - 300

Lab Sample ID: 1904149
 Field Sample ID: G4SEWC02

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	140	P	50 - 300

Lab Sample ID: 1904150
 Field Sample ID: 42009024

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	119	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision SMP	MS
					LCS			
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio						0.0	
	Chlorophyll-a, Corrected	103					1.68	
	Chlorophyll-a, Uncorrected						0.797	
	Phaeophytin-a						5.68	
SOP-PCR-1.0	HF183-qPCR	94.6	116	101	102	103		16.1
				70.9				

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1600 / E82535	Enterococci by membrane filter method by Advanced Environmental Miami Overflow Laboratories for SED	1904152, 1904153, 1904154
EPA 1603 / E82535	Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Miami Overflow Laboratories for SED	1904151
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1904143, 1904144, 1904145, 1904146
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1904148, 1904149, 1904150
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1904147, 1904148, 1904149, 1904150

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1600	06/06/2017			06/06/2017 17:25	AEL - Mirimar	1904152, 1904153, 1904154
EPA 1603	06/06/2017			06/06/2017 14:10	AEL - Mirimar	1904151
SM 10200 H (mod.)	06/07/2017	06/07/2017 14:15	Cathy Sherrer	06/12/2017	Kim M. Spencer	1904143, 1904144, 1904145, 1904146
SOP-PCR-1.0	06/07/2017	06/07/2017 13:35	Puja Jasrotia	07/26/2017	Puja Jasrotia	1904148, 1904149, 1904150
SOP-PCR-4.0	06/07/2017	06/07/2017 13:35	Avril Wood	07/20/2017	Puja Jasrotia	1904147, 1904148, 1904149, 1904150