

Chemical Analysis Report

SE-DIST-2017-06-09-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP- IRL metals**
Request ID: **RQ-2017-06-05-73**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 07-JUL-2017 12:22

A handwritten signature in black ink, appearing to read "Colin Wright", is placed over a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Metals.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: IRL @ ROYAL PALM

Collection Date/Time: 06/07/2017 11:10

Field ID: G5SE0051

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1905141	EPA 200.7 Rev. 4.4	Iron	360	I	ug/L	P326778	
	EPA 200.8 Rev. 5.4	Arsenic	2.1	I	ug/L	P326778	
		Cadmium	0.10	U	ug/L	P326778	
		Chromium	2.0	U	ug/L	P326778	
		Copper	1.7	I	ug/L	P326778	
		Lead	0.29	I	ug/L	P326778	
		Nickel	1.0	U	ug/L	P326778	
		Silver	0.050	U	ug/L	P326778	
		Zinc	5.0	U	ug/L	P326778	

Sample Location: IRL NEAR FORLEY ISLAND

Collection Date/Time: 06/07/2017 11:30

Field ID: G5SE0060

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1905142	EPA 200.7 Rev. 4.4	Iron	240	I	ug/L	P326778	
	EPA 200.8 Rev. 5.4	Arsenic	2.1		ug/L	P326778	
		Cadmium	0.10	U	ug/L	P326778	
		Chromium	2.0	U	ug/L	P326778	
		Copper	1.7	I	ug/L	P326778	
		Lead	0.25	U	ug/L	P326778	
		Nickel	1.0	U	ug/L	P326778	
		Silver	0.050	U	ug/L	P326778	
		Zinc	5.0	U	ug/L	P326778	

Quality Assurance Report Method Blank Results

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P326778

Component	Result	Code	Units
Iron	30	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P326778

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.20	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.20	U	ug/L
Silver	0.010	U	ug/L
Zinc	1.0	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P326778

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Iron	104		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P326778

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	98.0		P	85 - 115
Cadmium	98.8		P	85 - 115
Chromium	98.8		P	85 - 115
Copper	97.0		P	85 - 115
Lead	96.3		P	85 - 115
Nickel	100		P	85 - 115
Silver	95.0		P	85 - 115
Zinc	98.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P326778

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1903834	Iron	103	102	P/P	70 - 130

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P326778

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1903834	Arsenic	91.8	93.4	P/P	70 - 130
1903834	Cadmium	93.6	91.2	P/P	80 - 120
1903834	Chromium	86.7	87.2	P/P	80 - 120
1903834	Copper	94.4	95.7	P/P	80 - 120
1903834	Lead	100	102	P/P	80 - 120
1903834	Nickel	102	103	P/P	80 - 120
1903834	Silver	88.8	89.2	P/P	80 - 120
1903834	Zinc	92.0	92.7	P/P	80 - 120

Quality Assurance Report Precision

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P326778

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1903834	Iron	1.29	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P326778

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1903834	Arsenic	1.62	Spike	P	0 - 20
1903834	Cadmium	2.65	Spike	P	0 - 20
1903834	Chromium	0.604	Spike	P	0 - 20
1903834	Copper	1.28	Spike	P	0 - 20
1903834	Lead	1.15	Spike	P	0 - 20
1903834	Nickel	1.09	Spike	P	0 - 20
1903834	Silver	0.374	Spike	P	0 - 20
1903834	Zinc	0.777	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4
Run ID: A77123
Included Lab Sample IDs: 1905141, 1905142

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Iron	104	104	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A77218
Included Lab Sample IDs: 1905141, 1905142

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Cadmium	95.9	96.5	P/P	90 - 110
Chromium	95.6	94.4	P/P	90 - 110
Nickel	99.4	101	P/P	90 - 110
Silver	95.0	96.4	P/P	90 - 110
Zinc	97.1	97.3	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A77321
Included Lab Sample IDs: 1905141, 1905142

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	99.3	98.0	P/P	90 - 110
Lead	96.4	95.3	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A77403
Included Lab Sample IDs: 1905141

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	92.7	93.7	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4
 Run ID: A77530
 Included Lab Sample IDs: 1905141, 1905142

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Copper	101	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 200.7 Rev. 4.4	Iron	104	103	102		1.29
EPA 200.8 Rev. 5.4	Arsenic	98.0	91.8	93.4		1.62
	Cadmium	98.8	93.6	91.2		2.65
	Chromium	98.8	86.7	87.2		0.604
	Copper	97.0	94.4	95.7		1.28
	Lead	96.3	100	102		1.15
	Nickel	100	102	103		1.09
	Silver	95.0	88.8	89.2		0.374
	Zinc	98.1	92.0	92.7		0.777

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	1905141, 1905142
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	1905141, 1905142

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 200.7 Rev. 4.4	06/09/2017	06/14/2017	Elliott D. Healy	06/15/2017	Betina Topolski	1905141, 1905142
EPA 200.8 Rev. 5.4	06/09/2017	06/14/2017	Elliott D. Healy	06/20/2017	Robert K Palmer	1905141, 1905142
	06/09/2017	06/14/2017	Elliott D. Healy	06/24/2017	Robert K Palmer	1905141, 1905142
	06/09/2017	06/14/2017	Elliott D. Healy	06/28/2017	Robert K Palmer	1905141
	06/09/2017	06/14/2017	Elliott D. Healy	07/05/2017	Nadine Brooks	1905141, 1905142