



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

March 2017

PAGE 1 OF

Data Qualified?

Yes / No

Location/STORET Station Name: Caney Creek Downstream of 158A

Date: 11/28/2017

(mm/dd/yyyy)

STORET # G1WA0060

WBID: 716

Latitude: 30.52

County: Jefferson

RQ - 2017-11-27-25

ORG ID: 21FLWQA

Longitude: -83.94

(Decimal Degrees)

Receiving Body of Water: Lake Miccosukee

Field ID: G1WA0060

(Decimal Degrees)

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Ben Ralls								
Ray Stuart								
Curtis Musson								

Sampling Equipment			
☒ Sample Container	☐ Van Dorn	☐ Pole	
☐ Carboy	☒ Syringe		
☐ Dipper	☐ Other		
Equipment ID			

Collection Method			
☒ Wading	☐ Via Boat		
☐ From Shore	☐ Canoe/Kayak		
☐ Other (note below)	☐ Electric Motor		
	☐ Gasoline Motor		

Water Level: Dry / Pooled / Low / Normal / High / Flooded				Matrix: Fresh / Marine / DI			
Meter ID# B10 #2				Photos: Yes / No			
Tide Falling: Yes / No / NA							

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1255	0.1	0.2	11.82	113.8	7.16	0.05	0.8	106	13.43
CEN										

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other

SBIO ID Numbers: SBIO-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	7275010	10/2/18	☒ <2
Metals	☒ W-ICPMS ☒ W-ICP	☒ Ice ☒ HNO3	7261120	9/18/18	☒ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci ☒ qPCR	☐ Ice			
Tracers	☒ W-SUC-AA-R ☒ W-UHERB-AA ☒ W-AHERB-AA	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			

Notes:

Kit
Metals
Ecoli
Tracers
BacR, HF183Caney Creek
Downstream
of 158A

STORET ↓



G1WA0060

Field ID: →
Caney Creek
Downstream
of 158A

Nov 28, 2017



G1WA0060

Signature:

Date:

11/28/17

Field Parameters Entered into LIMS:

(Initials/Date)

Field Parameters QC in LIMS:

(Initials/Date)

Date Migrated to STORET:

(Initials/Date)

Field Sheets Scanned/Saved:

(Initials/Date)

Jefferson
Wickliffe R Bick CRK

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this page.

Meter ID: Bio #2

RQ-

Project: Sm

- Notes:** (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Curtis Musson	11/28/17	6:59	20.62	8.985	8.98	100.0	51.2	-	☒ P / ☐ F	☒ L / ☐ F
ICV	Curtis Musson	11/28/17	7:01	20.62	8.985	9.00	100.3	51.2	-	☒ P / ☐ F	☒ L / ☐ F
CCV	Ben Rahes	11/28/17	2:43	20.28	9.05	9.22	102.0	28.8	-	☒ P / ☐ F	☒ L / ☐ F
CCV										P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	Curtis Musson	11/28/17	7:02	171005D	10/2018	1000	1000	☒ P / ☐ F	☒ L / ☐ F
ICV	Curtis Musson	11/28/17	7:03	171005D	10/2018	1000	1001	☒ P / ☐ F	☒ L / ☐ F
CCV	Ben Rahes	11/28/17	2:46	171005E	10/2018	100	99	☒ P / ☐ F	☒ L / ☐ F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Curtis Musson	11/28/17	7:07	170614B	12/2018	7.00	7.00	10.0	☒ P / ☐ F	☒ L / ☐ F
Calibr.	Curtis Musson	11/28/17	7:09	171005A	10/2018	4.01	4.01	183	☒ P / ☐ F	☒ L / ☐ F
Calibr.	Curtis Musson	11/28/17	7:10	170310C	9/2018	10.01	9.98	-158	☒ P / ☐ F	☒ L / ☐ F
ICV	Curtis Musson	11/28/17	7:12	170310C	9/2018	10.01	9.97	-156	☒ P / ☐ F	☒ L / ☐ F
CCV	Ben Rahes	11/28/17	2:48	171005A	10/2018	4.0	3.92	187.8	☒ P / ☐ F	☒ L / ☐ F
CCV									P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Is meter equipped with depth sensor? ☒ Yes / No If yes, list date of last quarterly depth verification

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value meters	Pass / Fail	Lab / Field
Pressure mode in air	Curtis Musson	11/28/17	7:04	0.00	0.00	☒ P / ☐ F	☒ L / ☐ F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Central Lab Sample Submittal Form

Request Number: RQ-2017-11-27-25
 Black, Caney, Chicke, Ward, Wakulla
 Customer: WAS-SECT
 Project ID: SMP

Requester: Curtis Musson

Collected By: Curtis Musson, Ben Bahys

Field Report Prepared By: Curtis Musson
 Sampling Agency: FDEP

Requester: Curtis Musson		Collected By: Curtis Musson, Ben Bahys		Field Report Prepared By: Curtis Musson		Sampling Agency: FDEP	
Request Number: RQ-2017-11-27-25	Black, Caney, Chicke, Ward, Wakulla	Customer: WAS-SECT	Project ID: SMP	Requester: Curtis Musson	Collected By: Curtis Musson, Ben Bahys	Field Report Prepared By: Curtis Musson	Sampling Agency: FDEP
Black Creek upstream of SR 375  G1WA00047	Wakulla River Below Highway 98 Bridge  G1WA00028	Chicken Branch at Old Plank Rd  G1WA00031					
STORET ↓ Field ID → Black Creek upstream of SR 375 Nov 28, 2017 G1WA00047	STORET ↓ Field ID → Wakulla River Below Highway 98 Bridge Nov 28, 2017 G1WA00028	STORET ↓ Field ID → Chicken Branch at Old Plank Rd Nov 28, 2017 G1WA00031					
☐ Comp ☒ Grab Matrix (Salt, Fresh) Fresh Temp (C) 11.15 Salinity (ppt) 0.05 Latitude (Decimal Degrees)	☐ Comp ☒ Grab Matrix (Salt, Fresh) Fresh Temp (C) 18.57 Salinity (ppt) 0.16 Latitude (Decimal Degrees)	☐ Comp ☒ Grab Matrix (Salt, Fresh) Fresh Temp (C) 12.06 Salinity (ppt) 0.15 Latitude (Decimal Degrees)					
Collection (comp begin or grab) Date 11/28/17 Time 8:20 Diss. Oxygen (mg/L) 11.07 pH 7.18 Comments	Collection (comp begin or grab) Date 11/28/17 Time 9:30 Diss. Oxygen (mg/L) 6.70 pH 7.94 Comments	Collection (comp begin or grab) Date 11/28/17 Time 10:16 Diss. Oxygen (mg/L) 6.78 pH 7.30 Comments					
Sample Depts (m) 0.1 Sp. Conductance (umho/cm) 101 Longitude (Decimal Degrees)	Sample Depts (m) 0.3 Sp. Conductance (umho/cm) 341 Longitude (Decimal Degrees)	Sample Depts (m) 0.3 Sp. Conductance (umho/cm) 307 Longitude (Decimal Degrees)					
Bottle Group(s) C,D,E	Bottle Group(s) A	Bottle Group(s) A,C D,E					

Relinquished By: Curtis Musson	Date/Time: 11/28/17 1316	Number of Coolers: 3	Received By: [Signature]	Date/Time: 11/28/17 1355
--------------------------------	--------------------------	----------------------	--------------------------	--------------------------

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Request Number: RQ-2017-11-27-25

Black, Caney, Chicke, Ward, Wakulla

Customer: WAS-SECT

Project ID: SMP

Requester: Curtis Musson

Field Report Prepared By: Curtis Musson

Sampling Agency: FDEP

Collected By: Curtis Musson, Ben Ralys

Caney Creek
Upstream of
US 90

Field ID →
Caney Creek
Upstream of
US 90
Nov 28, 2017

Wards Creek
upstream of
bridge at CR 259

Field ID →
Wards Creek upstream
of bridge at CR 259
Nov 28, 2017

Caney Creek
Downstream
of 158A

Field ID →
Caney Creek
Downstream
of 158A
Nov 28, 2017

Collection (comp begin or grab)		Collection (comp begin or grab)		Collection (comp begin or grab)	
Comp	Grab	Date	Time	Date	Time
☐	☒	11/28/17	1110	11/28/17	1140
Matrix (Salt, Fresh)		Diss. Oxygen (mg/L)		Diss. Oxygen (mg/L)	
Fresh		12.41		2.97	
Temp (C)		pH		pH	
12.19		7.37		5.70	
Salinity (ppt)		Comments		Comments	
0.05				0.02	
Latitude (Decimal Degrees)		Longitude (Decimal Degrees)		Latitude (Decimal Degrees)	
Bottle Group(s)		Bottle Group(s)		Bottle Group(s)	
A,B,C D,E		A,C D,D E		A,B,C D,E	

Relinquished By: Curtis Musson	Date/Time: 11/28/17	Number of Coolers: 3	Received By: [Signature]	Date/Time: 11/28/17 1355
--------------------------------	---------------------	----------------------	--------------------------	--------------------------

Group: A	Bottle Type: P-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 5	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	5
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 5	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	5
W-PO4-F					
Group: B	Bottle Type: P-500ML	# of Bottles: 2	Preservative: HNO3	Enter Number of Bottles Sent to Lab	2
W-ICP W-ICPMS					
Group: C	Bottle Type: P-250ML-WO-THI	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
ECOLI-18QT					
Group: D	Bottle Type: BG-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
W-AHERB-AA W-SUC-AA-R W-UHERB-AA					
Group: E	Bottle Type: QPCR-P-250ML	# of Bottles: 10	Preservative: ICE	Enter Number of Bottles Sent to Lab	10
PCR-BACR PCR-GFD PCR-HF183					

Cooler Packing Worksheet for Request: RQ-2017-11-27-25

Black, Caney, Ward, Chicken, Wakulla

Ship Cooler On: 11/21/2017

Customer/Project: WAS-SECT/SMP

Assigned To: GREENWOO_J

Requester: Curtis Musson

Priority: 3

850-245-8453

2600 Blair Stone Rd

Tallahassee, FL 32399

Attn: Curtis Musson

Comments:

No preservatives needed.

Group A: Freshwater Kit

Group B: Metals

Group C: ECOLI

Group D: Tracers (AHERB Short List)

Group E: PCR

Requested Analyses:

Bottle Group: A

of Sites: 5

Container ID: P-1L

Qty: 5 Preservation: ICE

Lot # DCD69122

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices

Container ID: BP-1L

Qty: 5 Preservation: ICE

Lot # 1214297

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 5 Preservation: ICE And H2SO4

Lot # 00009255

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Description

Ammonia in aqueous matrices as mg N/L
Nitrite/Nitrate in aqueous matrices as mg N/L
Total Phosphorus in aqueous matrices as mg P/L
Total Kjeldahl Nitrogen in aqueous matrices
Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 5 Preservation: FILTER-ICE

Lot # 00068595

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 2

Container ID: P-500ML

Qty: 2 Preservation: HNO3

Lot # 00009255

Description: Plastic Bottle 500 mL

Affix RED nitric acid dot to container.

Analysis

W-ICP
W-ICPMS

Description

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Bottle Group: C

of Sites: 5

Container ID: P-250ML-WO-THI

Qty: 5 Preservation: ICE

Lot # 417048

Description:

Analysis

ECOLI-18QT

Description

Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Group: D

of Sites: 5

Container ID: BG-1L

Qty: 5 Preservation: ICE

Lot # 00069348

Description: Brown Glass Bottle 1L

Affix BLUE dot to container.

Analysis

W-AHERB-AA

W-SUC-AA-R

W-UHERB-AA

Description

Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS

Analysis of sucralose in water matrices by HPLC/MS/MS

Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group: E

of Sites: 5

Container ID: QPCR-P-250ML

Qty: 10 Preservation: ICE

Lot # 00067801

Description:

Analysis

PCR-BACR

PCR-GFD

PCR-HF183

Description

Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction

Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction

Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

Cooler Packed By: 9.2

Number of Coolers: 3

Date: 11/21/17

Kit must also include:

- ☒ Field Sheets
☒ Temperature Control Bottle
☒ FedEx Bills, if applicable
☒ Plastic Bags
☒ Zip Ties

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2017-11-27-25