

Date of Request: 13-JAN-2017
 Created By: MUSSON_C On: 13-JAN-2017
 Modified By: MUSSON_C On: 13-JAN-2017
 Customer: WQ-ASSESS
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: Megginnis Arm, Tallavanna, Little River, Swamp Creek, Salem Branch

Send Coolers To:

Phone: 850-245-8453
 Division Of Water Facilities, FL DEP
 2600 Blair Stone Rd.
 Tallahassee, FL 32399-2400
 Attn: Curtis Musson

Program Module Number:
 Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 23-JAN-2017
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 07-FEB-2017
 Received By:

Send Final Report To:

Division Of Water Facilities, FL DEP
 2600 Blair Stone Rd.
 Tallahassee, FL 32399-2400
 Attn: Curtis Musson

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals; E. coli
 Group B: Freshwater Kit, No Metals; E. coli; Tracers; Markers
 Group C: E. coli; Tracers; Markers

Bottle Group A (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Escherichia Coli-Quanti-Tray		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Bottle Group A (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-SO4-IC Sulfate	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Group B (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
CHLSUITE-W Chlorophyll/Phaeophytin Ratio Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
ECOLI-18QT Escherichia Coli-Quanti-Tray	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
PCR-FILTER *HF183 - Human Source Marker	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC Chloride	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
W-F Fluoride	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-NH3 Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-PO4-F O-Phosphate-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-SO4-IC Sulfate	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-SUC-AA-R *Sucralose	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-TDS TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
W-UHERB-AA *Acetaminophen *Carbamazepine	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
*Fluridone		
*Primidone		
Diuron		
Fenuron		
Imidacloprid		
Linuron		

Bottle Group C (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Escherichia Coli-Quanti-Tray		
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
*HF183 - Human Source Marker		
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
*Sucralose		
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
*Acetaminophen		
*Carbamazepine		
*Fluridone		
*Primidone		
Diuron		
Fenuron		
Imidacloprid		
Linuron		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.