

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Central Lab Sample Submittal Form

Page 1 of 3

Request Number: RQ-2017-03-20-22

EVENT: St. Marks, Gulf of Mexico

Requester: Curtis Musson

Field Report Prepared By: Raymond Stuart

Customer: WQ-ASSESS

Sampling Agency: FDEP

Project ID: SMP

Collected By: Curtis Musson, Raymond Stuart

Field ID →  Dickson Bay North March 21, 2017 G1WA0062-03212017 STORET ↓  G1WA0062	<table border="1"> <tr> <td>☐ Comp ☒ Grab</td> <td>Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>9:30</u> <u>Eastern</u> Central</td> <td>Collection (comp begin or grab) Date _____ Time _____</td> </tr> <tr> <td>Matrix (Salt, Fresh) <u>(Salt)</u></td> <td>Diss. Oxygen (mg/L) <u>8.26</u></td> <td></td> </tr> <tr> <td>Temp (C) <u>18.26</u></td> <td>pH <u>8.04</u></td> <td>Sample Depts (m) <u>0.3</u></td> </tr> <tr> <td>Salinity (ppt) <u>27.04</u></td> <td colspan="2">Comments</td> </tr> <tr> <td colspan="2">Latitude (Decimal Degrees)</td> <td>Longitude (Decimal Degrees)</td> </tr> </table>	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>9:30</u> <u>Eastern</u> Central	Collection (comp begin or grab) Date _____ Time _____	Matrix (Salt, Fresh) <u>(Salt)</u>	Diss. Oxygen (mg/L) <u>8.26</u>		Temp (C) <u>18.26</u>	pH <u>8.04</u>	Sample Depts (m) <u>0.3</u>	Salinity (ppt) <u>27.04</u>	Comments		Latitude (Decimal Degrees)		Longitude (Decimal Degrees)	Bottle Group(s) <u>A</u>
☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>9:30</u> <u>Eastern</u> Central	Collection (comp begin or grab) Date _____ Time _____															
Matrix (Salt, Fresh) <u>(Salt)</u>	Diss. Oxygen (mg/L) <u>8.26</u>																
Temp (C) <u>18.26</u>	pH <u>8.04</u>	Sample Depts (m) <u>0.3</u>															
Salinity (ppt) <u>27.04</u>	Comments																
Latitude (Decimal Degrees)		Longitude (Decimal Degrees)															
Field ID →  Dickson Bay South March 21, 2017 G1WA0063-03212017 STORET ↓  G1WA0063	<table border="1"> <tr> <td>☐ Comp ☒ Grab</td> <td>Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>9:49</u> <u>Eastern</u> Central</td> <td>Collection (comp begin or grab) Date _____ Time _____</td> </tr> <tr> <td>Matrix (Salt, Fresh) <u>(Salt)</u></td> <td>Diss. Oxygen (mg/L) <u>7.73</u></td> <td></td> </tr> <tr> <td>Temp (C) <u>18.46</u></td> <td>pH <u>8.02</u></td> <td>Sample Depts (m) <u>0.3</u></td> </tr> <tr> <td>Salinity (ppt) <u>26.83</u></td> <td colspan="2">Comments</td> </tr> <tr> <td colspan="2">Latitude (Decimal Degrees)</td> <td>Longitude (Decimal Degrees)</td> </tr> </table>	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>9:49</u> <u>Eastern</u> Central	Collection (comp begin or grab) Date _____ Time _____	Matrix (Salt, Fresh) <u>(Salt)</u>	Diss. Oxygen (mg/L) <u>7.73</u>		Temp (C) <u>18.46</u>	pH <u>8.02</u>	Sample Depts (m) <u>0.3</u>	Salinity (ppt) <u>26.83</u>	Comments		Latitude (Decimal Degrees)		Longitude (Decimal Degrees)	Bottle Group(s) <u>A</u>
☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>9:49</u> <u>Eastern</u> Central	Collection (comp begin or grab) Date _____ Time _____															
Matrix (Salt, Fresh) <u>(Salt)</u>	Diss. Oxygen (mg/L) <u>7.73</u>																
Temp (C) <u>18.46</u>	pH <u>8.02</u>	Sample Depts (m) <u>0.3</u>															
Salinity (ppt) <u>26.83</u>	Comments																
Latitude (Decimal Degrees)		Longitude (Decimal Degrees)															
Location Field ID →  Mouth of East River March 21, 2017 G1WA0011-03212017 STORET ↓  G1WA0011	<table border="1"> <tr> <td>☐ Comp ☒ Grab</td> <td>Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>11:44</u> <u>Eastern</u> Central</td> <td>Collection (comp begin or grab) Date _____ Time _____</td> </tr> <tr> <td>Matrix (Salt, Fresh) <u>(Salt)</u></td> <td>Diss. Oxygen (mg/L) <u>8.46</u></td> <td></td> </tr> <tr> <td>Temp (C) <u>18.71</u></td> <td>pH <u>8.07</u></td> <td>Sample Depts (m) <u>0.3</u></td> </tr> <tr> <td>Salinity (ppt) <u>16.43</u></td> <td colspan="2">Comments</td> </tr> <tr> <td colspan="2">Latitude (Decimal Degrees) <u>30.0893</u></td> <td>Longitude (Decimal Degrees) <u>-84.1774</u></td> </tr> </table>	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>11:44</u> <u>Eastern</u> Central	Collection (comp begin or grab) Date _____ Time _____	Matrix (Salt, Fresh) <u>(Salt)</u>	Diss. Oxygen (mg/L) <u>8.46</u>		Temp (C) <u>18.71</u>	pH <u>8.07</u>	Sample Depts (m) <u>0.3</u>	Salinity (ppt) <u>16.43</u>	Comments		Latitude (Decimal Degrees) <u>30.0893</u>		Longitude (Decimal Degrees) <u>-84.1774</u>	Bottle Group(s) <u>A</u>
☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/21/17</u> Time <u>11:44</u> <u>Eastern</u> Central	Collection (comp begin or grab) Date _____ Time _____															
Matrix (Salt, Fresh) <u>(Salt)</u>	Diss. Oxygen (mg/L) <u>8.46</u>																
Temp (C) <u>18.71</u>	pH <u>8.07</u>	Sample Depts (m) <u>0.3</u>															
Salinity (ppt) <u>16.43</u>	Comments																
Latitude (Decimal Degrees) <u>30.0893</u>		Longitude (Decimal Degrees) <u>-84.1774</u>															

Relinquished By: <u>Raymond Stuart</u>	Date/Time: <u>3/21/17 2:42</u>	Number of Coolers: <u>3</u>	Received By: <u>Tyler Reynolds</u>	Date/Time: <u>03/21/17 3:00pm</u>
--	--------------------------------	-----------------------------	------------------------------------	-----------------------------------

Request Number: RQ-2017-03-20-22

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Central Lab Sample Submittal Form

Page 2 of 5

EVENT: St. Marks, Gulf of Mexico

Requester: Curtis Musson

Field Report Prepared By: Raymond Stuart

Customer: WQ-ASSESS

Sampling Agency: FBEP

Project ID: SMP

Collected By: Curtis Musson, Raymond Stuart

Field ID → East River Downstream of Boggy Bayou March 21, 2017 G1WA0056-03212017 STORET ↓ East River Downstream of Boggy Bayou G1WA0056	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/21/17 Time 12:01	☒ Eastern ☐ Central	Collection (comp begin or grab) Date Time	Bottle Group(s) A
	Matrix (Salt, Fresh) Fresh	Diss. Oxygen (mg/L) 8.45			
	Temp (C) 19.00	pH 8.03	Sample Depts (m) 0.3	Sp. Conductance (umho/cm) 27788	
	Salinity (ppt) 17.11	Comments			
	Latitude (Decimal Degrees) 30.0972		Longitude (Decimal Degrees) -84.1752		
Field ID → Apalachee Bay South of St. Marks River March 21, 2017 G1WA0048-03212017 STORET ↓ Apalachee Bay South of St. Marks River G1WA0048	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/21/17 Time 12:31	☒ Eastern ☐ Central	Collection (comp begin or grab) Date Time	Bottle Group(s) A
	Matrix (Salt, Fresh) Fresh	Diss. Oxygen (mg/L) 8.60			
	Temp (C) 18.89	pH 8.10	Sample Depts (m) 0.3	Sp. Conductance (umho/cm) 42367	
	Salinity (ppt) 27.28	Comments Channel marker 5			
	Latitude (Decimal Degrees)		Longitude (Decimal Degrees)		
Field ID → St. Marks River at Channel Marker 22 March 21, 2017 G1WA0008-03212017 STORET ↓ St. Marks River at Channel Marker 22 G1WA0008	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/21/17 Time 12:55	☒ Eastern ☐ Central	Collection (comp begin or grab) Date Time	Bottle Group(s) A
	Matrix (Salt, Fresh) Fresh	Diss. Oxygen (mg/L) 9.34			
	Temp (C) 19.72	pH 8.22	Sample Depts (m) 0.3	Sp. Conductance (umho/cm) 33520	
	Salinity (ppt) 17.76	Comments			
	Latitude (Decimal Degrees) 30.0929		Longitude (Decimal Degrees) -84.1739		

Relinquished By:

Raymond Stuart

Date/Time

3/21/17 2:42

Number of Coolers

3

Received By:

Jyl-Jyl

Date/Time

03/21/17 3:00 pm

Request Number: RQ-2017-03-20-22

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
Central Lab Sample Submittal Form

Page 3 of 5

EVENT: St. Marks, Gulf of Mexico

Requester: Curtis Musson

Field Report Prepared By: Raymond Stuart

Customer: WQ-ASSESS

Sampling Agency: FDEP

Project ID: SMP

Collected By: Curtis Musson, Raymond Stuart

Field ID →	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/21/17 Time 1:29	Eastern Central	Collection (comp begin or grab) Date	Time	Bottle Group(s)
St. Marks River at Channel Marker 60 March 21, 2017 G1WA0055-03212017	Matrix (Salt, Fresh)	Diss. Oxygen (mg/L) 8.52				
St. Marks River at Channel Marker 60 STORET ↓ G1WA0055	Temp (C) 20.34	pH 8.13	Sample Depts (m) 0.3	Sp. Conductance (umho/cm) 1717		A, C
	Salinity (ppt) 0.84	Comments				
	Latitude (Decimal Degrees) 30.1447	Longitude (Decimal Degrees) -84.2088				
Lo Field ID → DUPLICATE St. Marks River at Channel Marker 60 March 21, 2017 G1WA0055-03212017D	Matrix (Salt, Fresh)	Diss. Oxygen (mg/L) 8.52				
QC Duplicate STORET ↓ G1WA0055	Temp (C) 20.34	pH 8.13	Sample Depts (m) 0.3	Sp. Conductance (umho/cm) 1717		B/cm
ST St. Marks River at Channel Marker 60	Salinity (ppt) 0.84	Comments Duplicate				D
	Latitude (Decimal Degrees) 30.1447	Longitude (Decimal Degrees) -84.2088				
Lo Field ID → March 21 2017 G1WA0055-03212017B	Matrix (Salt, Fresh) DI Water	Diss. Oxygen (mg/L)				
QC BLANK	Temp (C)	pH	Sample Depts (m)	Sp. Conductance (umho/cm)		B
	Salinity (ppt)	Comments DI Water Blank				
	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)				

Relinquished By:

Date/Time

Number of Coolers

Received By:

Date/Time

Raymond Stuart

3/21/17 2:42

3

Jyl Jyl

03/21/17 3:00pm

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	7
	ALKALINITY TURBIDITY W-F W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	7
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	7
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	7
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-F W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: C	Bottle Type:	P-250ML-WO-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ENT-24-QT						

Group: C	Bottle Type: P-120ML-OC	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
FCOLI-MF				
Group: D	Bottle Type: P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
ALKALINITY				
TURBIDITY				
W-F				
W-TSS				
Group: D	Bottle Type: BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
CHLSUITE-W				
Group: D	Bottle Type: P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab
W-NH3				
W-NO2NO3				
W-S-A-TP				
W-TKN				
W-TOC				
Group: D	Bottle Type: P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab
W-PO4-F				

Date of Request: 20-FEB-2017
 Created By: MUSSON_C On: 20-FEB-2017
 Modified By: MATTHEWS_D On: 28-FEB-2017
 Customer: WQ-ASSESS
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: St. Marks, Gulf Of Mexico

Send Coolers To:

Phone: 8502458453
 Division Of Water Facilities, FL DEP
 2600 Blair Stone Rd.
 Tallahassee, FL 32399-2400
 Attn: Curtis Musson

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 27-FEB-2017
 Biology Request Reviewed By: MATTHEWS_D On: 28-FEB-2017
 Sampling Kit Required: YES Ship on: 16-MAR-2017
 Sampling Kit Shipped: YES On: 15-MAR-2017
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 22-MAR-2017

Send Final Report To:

Division Of Water Facilities, FL DEP
 2600 Blair Stone Rd.
 Tallahassee, FL 32399-2400
 Attn: curtis musson

Received By:

Comments: Group A: Marine Kit, No Metals
 Group B: Marine Kit, No Metals (Blank)
 Group C: Entrococci, Fecal Coliform
 Group D: Marine Kit, No Metals (Dup)

Packing notes

4 - liters of DI water

No fedex shipping documents are needed

Bottle Group A (Water) With 7 Samples:

Bottle Type: P-1L	Number of Bottles: 7	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 7	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 7	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 7	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-120ML-OC	Number of Bottles: 1	Preserved With: ICE
FCOLI-MF	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method - non-chlorinated water systems
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ- 2017-03-20-22

Log-in Checklist

Shipping Method: HIDDate/Time of Receipt: 03/21/17 3:00 pm

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	-0.9	14		✓			
Red	-1.2	12		✓			
Red	-1.3	12		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: ML

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: ML

Coolers Unpacked/Checked by: ML Date: 03/21/17 NCRs (Y/N)? N

Event ID: WQ-ASSESS-2017-03-21-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: