

Date of Request: 11-OCT-2017
 Created By: MUSSON_C On: 11-OCT-2017
 Modified By: MUSSON_C On: 11-OCT-2017
 Customer: WAS-SECT
 Project: NWQI
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: NWQI

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson

Program Module Number:
 Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 23-OCT-2017
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: YES
 Date to Receive Samples: 08-NOV-2017
 Received By:

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit
 Group B: E. coli, PCR
 Group C: Tracers (AHERB Short list)

 Packing Notes
 1 CA H2SO4
 1 CA HNO3

 No FedEx labes

Bottle Group A (Water) With 7 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
CHLSUITE-W Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC Chloride	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
W-F Fluoride	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-NH3 Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group A (Water) With 7 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-PO4-F O-Phosphate-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-SO4-IC Sulfate	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Group B (Water) With 7 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ECOLI-18QT Escherichia Coli-Quant- Tray	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
PCR-BACR *BacR-qPCR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-HF183 *HF183-qPCR	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

Bottle Group C (Water) With 7 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-AHERB-AA *Triclopyr 2,4-D Bentazon MCP	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-GLYPH *Glyphosate	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
W-SUC-AA-R *Sucralose	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA *Acetaminophen *Carbamazepine *Fluridone *Primidone Diuron Fenuron Imidacloprid Linuron	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.