

Date of Request: 30-OCT-2017  
 Created By: MUSSON\_C On: 30-OCT-2017  
 Modified By: MUSSON\_C On: 30-OCT-2017  
 Customer: WAS-SECT  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District:  
 Sampling Event: NE Tallahassee Lakes

**Send Coolers To:**

Phone: 850-245-8453  
 2600 Blair Stone Rd  
  
 Tallahassee, FL 32399  
 Attn: Curtis Musson

Program Module Number:  
 Priority: 3  
 Event Status: P  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By:  
 Biology Request Reviewed By:  
 Sampling Kit Required: YES Ship on: 13-NOV-2017  
 Sampling Kit Shipped:  
 Sampling Kit Packed By:  
 Preservatives Needed: NO  
 Date to Receive Samples: 29-NOV-2017  
 Received By:

**Send Final Report To:**

2600 Blair Stone Rd  
  
 Tallahassee, FL 32399  
 Attn: Curtis Musson

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: Group A: Freshwater Kit  
 Group B: ECOLI

**Bottle Group A (Water) With 6 Samples:**

| Bottle Type:                                                                          | Number of Bottles: | Preserved With:                                                                                              |
|---------------------------------------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------|
| ALKALINITY<br>Total Alkalinity                                                        | Template: DEFAULT  | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                  |
| CHLSUITE-W<br>Chlorophyll-a, Corrected<br>Chlorophyll-a, Uncorrected<br>Phaeophytin-a | Template: DEFAULT  | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| TURBIDITY<br>Turbidity                                                                | Template: DEFAULT  | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| W-CL-IC<br>Chloride                                                                   | Template: DEFAULT  | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| W-COLOR<br>Color (true)                                                               | Template: DEFAULT  | (SM 2120 B) True Color measured at 450 nm                                                                    |
| W-F<br>Fluoride                                                                       | Template: DEFAULT  | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| W-NH3<br>Ammonia-N                                                                    | Template: DEFAULT  | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| W-NO2NO3<br>NO2NO3-N                                                                  | Template: DEFAULT  | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| W-PO4-F<br>O-Phosphate-P                                                              | Template: DEFAULT  | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                     |
| W-S-A-TP<br>Total-P                                                                   | Template: DEFAULT  | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| W-SO4-IC<br>Sulfate                                                                   | Template: DEFAULT  | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| W-TDS                                                                                 | Template: DEFAULT  | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                    |

**Bottle Group A (Water) With 6 Samples:**

| Bottle Type:               | Number of Bottles: | Preserved With:                                                  |
|----------------------------|--------------------|------------------------------------------------------------------|
| W-TDS<br>TDS               | Template: DEFAULT  | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices        |
| W-TKN<br>Kjeldahl Nitrogen | Template: DEFAULT  | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices |
| W-TOC<br>Organic Carbon    | Template: DEFAULT  | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices   |
| W-TSS<br>TSS               | Template: DEFAULT  | (SM 2540 D-97) Total Suspended Solids in aqueous matrices        |

**Bottle Group B (Water) With 6 Samples:**

| Bottle Type:                               | Number of Bottles: | Preserved With:                                                                                          |
|--------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------|
| ECOLI-18QT<br>Escherichia Coli-Quanti-Tray | Template: DEFAULT  | (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems |