



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?
Yes / (No)

WIN Station Name:

Rocky CR @ CR 136

Date: 6/19/2018

WIN/ Field ID:

21010016

WBID:

3449

Latitude:

30.3157

County:

Sevannalee

ORG ID:

21FLA

Longitude:

82.844


Receiving Body of Water:

Sevannalee R.

RQ-2018-

06-11-18

Sampling Team Members						WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment				
J. Parnish B. Davis						X	X	X	X	X	☒ Sample Container	☐ Van Dorn	☒ Pole		
											☐ Carboy	☐ Syringe			
											☐ Dipper	☐ Other			
											Depth Measured with <u>Pro DSS</u>				
											Equipment ID <u>00407</u>				
											Collection Method				
											☐ Wading	☐ Canoe/Kayak			
											☒ From Shore	☐ Electric Motor			
											☐ Other	☐ Gasoline Motor			
Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded						Meter ID# <u>Pro DSS</u>				Matrix: <u>Fresh</u> / Marine / DI					
Photos: Yes / <u>No</u>		Flow: No Flow / Interstitial / <u>Flowing</u> / NA				Tide: Rising/Falling/ Slack/ NA				Tide Times: High Low					
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)					
EST	1205	0.3	0.3	VOB	6.71	82.9	6.13	0.03	58.5	26.1					
CEN															
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:															
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:															
Parameter Suite		Parameter Methods					Preservation		Lot#	Expiration	pH Check				
Preserved Nutrients		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					☒ Ice ☒ H2SO4		7163030	6/12/18	☒ <2				
Metals		☐ W-ICPMS ☐ W-ICP					☐ Ice ☐ HNO3		EA		☐ <2				
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 um Filter					☒ Ice		R712512						
Chlorophyll		☒ CHLSUITE-W					☒ Ice								
Physical/Aggregate (Fresh)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS					☒ Ice								
Physical/Aggregate (Marine)		☐ Alkalinity / W-F / W-TSS / TURBIDITY					☐ Ice								
Macroinvertebrates		☐ MI-FW-QLDC					☐ Formalin								
Periphyton		☐ ALGAE-ID					☐ Ice								
Microbiology		☒ E Coli ☐ F Coli ☐ Enterococci					☒ Ice								
Molecular		☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD					☐ Ice								
Tracers		☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA					☐ Ice								
Pesticides		☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R					☐ Ice ☐ Other								



Notes:

WIN ID /
Field ID :



21010016

ROCKY CR @ CR 136

Signature:

Date:

6/19/18

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

6/25/18

Migrate Data to WIN:

Verify Data in WIN:

Request Number: RQ-2018-06-11-18
Suwannee North

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: NE-DIST
Project ID: SMP

Requester: Jeremy M. Parrish

Field Report Prepared By:

Collected By:

Sampling Agency:

WIN / Field ID :



21020097

PEACOCK LAKE CENTER

Latitude Longitude
☐ dd ☐ dms

WIN ID /
Field ID :



21010016

ROCKY CR @ CR 136

Latitude Longitude
☐ dd ☐ dms

WIN ID /
Field ID :



21020136

Jerry Branch @SE CR 25A

Latitude Longitude
☐ dd ☐ dms

☐ Comp	☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern	Central	Composite end	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc)					Date	(See pg 2)
		Temp (C)	31.3	pH 8.0			Diss. Oxygen 8.3	Total Res. Chlorine
		Salinity (ppt)	0.03	Sample Depth 0.3			% sat	Sp. Conductance (umho/cm)
								54.60
								A

☐ Comp	☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern	Central	Composite end	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc)					Date	(See pg 2)
		Temp (C)	26.1	pH 6.1			Diss. Oxygen 6.7	Total Res. Chlorine
		Salinity (ppt)	0.03	Sample Depth 0.3			% sat	Sp. Conductance (umho/cm)
								58
								A

☐ Comp	☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern	Central	Composite end	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc)					Date	(See pg 2)
		Temp (C)	25.5	pH 5.79			Diss. Oxygen 4.9	Total Res. Chlorine
		Salinity (ppt)	0.02	Sample Depth 0.3			% sat	Sp. Conductance (umho/cm)
								53
								A

☐ Comp	☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern	Central	Composite end	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc)					Date	(See pg 2)
		Temp (C)		pH			Diss. Oxygen	Total Res. Chlorine
		Salinity (ppt)		Sample Depth			% sat	Sp. Conductance (umho/cm)

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
J. Parrish	5/19/18 1600	Fedex	1		

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	NE-ALS-ECQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						

Printed: 6/18/2018 8:22:37 AM

Date of Request: 25-APR-2018
 Created By: PARRISH_J On: 25-APR-2018
 Modified By: SWANSON_C On: 23-MAY-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: Suwannee North

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 22-MAY-2018
 Biology Request Reviewed By: SWANSON_C On: 23-MAY-2018
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 11-JUN-2018
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		

Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Laboratory
*Escherichia Coli-Quanti-Tray		
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.



SR#

PAGE

7

OF

CAS Contract

• **Return to Originator**, yellow - Retained by Client