

# Log-in Checklist

RQ- 2018-03-05-1221 9.0

Shipping Method: FedEx | UPS | HD | Greyhound | \_\_\_\_\_

Date/Time of Receipt: 3/13/18 9:48

| Cooler ID  | Cooler Temperature* | No. Sample Containers in Cooler | Evidence Tape |                                     | Tracking # (fill out only if waybill copy is damaged) |    |
|------------|---------------------|---------------------------------|---------------|-------------------------------------|-------------------------------------------------------|----|
|            |                     |                                 | Present?      | *Intact?                            |                                                       |    |
|            |                     |                                 | Yes           | No                                  | Yes                                                   | No |
| <u>R50</u> | <u>1.9°C</u>        | <u>13</u>                       |               | <input checked="" type="checkbox"/> |                                                       |    |
| <u>R50</u> | <u>0.4°C</u>        | <u>12</u>                       |               | <input checked="" type="checkbox"/> |                                                       |    |
| <u>R50</u> | <u>0.6°C</u>        | <u>10</u>                       |               | <input checked="" type="checkbox"/> |                                                       |    |
|            |                     |                                 |               |                                     |                                                       |    |
|            |                     |                                 |               |                                     |                                                       |    |
|            |                     |                                 |               |                                     |                                                       |    |

\*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

\*\*Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

\*\*Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

## CONTAINER CHECK

\*\*Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☒

\*\*Caps on tight? Yes ☒ No ☐ \*\*Containers intact? Yes ☐ No ☒

\*\*Sufficient Sample Volume: Yes ☐ No ☐

## CHLORINE CHECK (Blue dot on container)

| Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required. |     |                                     |            |     |                                     |
|------------------------------------------------------------------------------------------------------|-----|-------------------------------------|------------|-----|-------------------------------------|
| Analysis                                                                                             | Yes | No                                  | Analysis   | Yes | No                                  |
| W-1,4 DIOX                                                                                           |     | <input checked="" type="checkbox"/> | W-PC-AA-SF |     |                                     |
| W-E8321-DI, -MS, -21                                                                                 |     | <input checked="" type="checkbox"/> | W-NP-AA-SF |     |                                     |
| W-BNA (-625, -R)                                                                                     |     | <input checked="" type="checkbox"/> | W-PDQUAT   |     |                                     |
| W-CARB-AA (-CAB-AA-R)                                                                                |     | <input checked="" type="checkbox"/> | W-PCL-SQ-R |     | <input checked="" type="checkbox"/> |
| W-U2060-MS                                                                                           |     |                                     | W-TR-TQ    |     |                                     |
| W-PCB-R                                                                                              |     |                                     | W-CT-CI-R  |     | <input checked="" type="checkbox"/> |
| W-PAH (-R)                                                                                           |     |                                     | W-PSNP-TQ  |     | <input checked="" type="checkbox"/> |

## PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

\*\*Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: 9.0

\*\*W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: 9.0

Coolers Unpacked/Checked by: 9.0 Date: 3/13/18 NCRs (Y/N)? \_\_\_\_\_

Event ID: UE-DIST-2018-03-13-01 NCR # \_\_\_\_\_

## Log-in Checklist

### Samples with Incorrect pH Preservation or presence of Chlorine

| Field ID | Bottle Test ID(s) | pH / Cl | Action Taken |
|----------|-------------------|---------|--------------|
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |

### Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

| Cooler ID | Field ID | Bottle Test ID(s) |
|-----------|----------|-------------------|
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |

### Bottles Not Intact

| Field ID | Bottle Test ID(s) | Loose Cap | Damaged Cap |    | Damaged Container |    | Evidence Tape Not Intact |
|----------|-------------------|-----------|-------------|----|-------------------|----|--------------------------|
|          |                   |           | CK          | BR | CK                | BR |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |

### Samples with Insufficient Volume for Analyses

| Field ID | Bottle Test ID(s) | Action Taken |
|----------|-------------------|--------------|
|          |                   |              |
|          |                   |              |
|          |                   |              |
|          |                   |              |

## ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes \_\_\_\_\_ No   /  

Date and time placed in freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection? Yes \_\_\_\_\_ No \_\_\_\_\_

If no, were samples shipped on dry ice? Yes \_\_\_\_\_ No \_\_\_\_\_

**FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):**

Samples preserved within 48 hours? Yes \_\_\_\_\_ No \_\_\_\_\_

Date and time samples preserved: \_\_\_\_\_

**Additional Comments:**

**Florida Department of Environmental Protection**  
**Central Laboratory Submittal Form**

Santa Fe

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: Jeremy Parrish

Project ID: SMP

Collected By: Jeremy ParrishSampling Agency: FDEP NE

|             |                                                                        |                                                                                   |                                                                                      |                                                                         |                             |                                                                            |                                      |  |
|-------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------|--------------------------------------|--|
| Location    | WIN / Field ID:                                                        |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date <u>3/12/18</u> Time <u>945</u>  | Eastern<br>Central          | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)<br>(See pg 2)        |  |
| Field ID    |                                                                        | 21030071                                                                          |                                                                                      | Matrix (type, e.g., Salt, Fresh, etc)<br><u>Fresh</u>                   | Diss. Oxygen<br><u>2.6</u>  | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L)        |  |
| WIN/STORE   |                                                                        | OLUSTEE CREEK AT SR-18                                                            |                                                                                      | Temp (C) <u>14.6</u>                                                    | pH <u>6.22</u>              | Sample Depth <u>0.3</u>                                                    | Sp. Conductance (umho/cm) <u>90</u>  |  |
| Latitude    | <input checked="" type="checkbox"/> dd<br><input type="checkbox"/> dms | Longitude                                                                         | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity (ppt) <u>0.04</u>                                              | Comments                    |                                                                            |                                      |  |
| Location    | WIN / Field ID:                                                        |  | <input checked="" type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>3/12/18</u> Time <u>1120</u> | Eastern<br>Central          | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)                      |  |
| Field ID    |                                                                        | 23020018                                                                          |                                                                                      | Matrix (type, e.g., Salt, Fresh, etc)<br><u>Fresh</u>                   | Diss. Oxygen<br><u>3.4</u>  | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L)        |  |
| WIN/STORE   |                                                                        | LITTLE WACASASSAA @ CR 339                                                        |                                                                                      | Temp (C) <u>16.4</u>                                                    | pH <u>5.62</u>              | Sample Depth <u>0.09</u>                                                   | Sp. Conductance (umho/cm) <u>55</u>  |  |
| Latitude    | <input type="checkbox"/> dd<br><input type="checkbox"/> dms            | Longitude                                                                         | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity (ppt) <u>0.03</u>                                              | Comments                    |                                                                            |                                      |  |
| Location    | WIN / Field ID:                                                        |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date <u>3/12/18</u> Time <u>1200</u> | Eastern<br>Central          | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)                      |  |
| Field ID    |                                                                        | 23020032                                                                          |                                                                                      | Matrix (type, e.g., Salt, Fresh, etc)<br><u>Fresh</u>                   | Diss. Oxygen<br><u>5.46</u> | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L)        |  |
| WIN/STORE   |                                                                        | LITTLE WACASASSAA River 0.5 Mile<br>Down from Blue Springs                        |                                                                                      | Temp (C) <u>20.17</u>                                                   | pH <u>7.44</u>              | Sample Depth <u>0.3</u>                                                    | Sp. Conductance (umho/cm) <u>231</u> |  |
| Latitude    | <input type="checkbox"/> dd<br><input type="checkbox"/> dms            | Longitude                                                                         | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity (ppt) <u>0.1</u>                                               | Comments                    |                                                                            |                                      |  |
| Location    |                                                                        |                                                                                   | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date _____ Time _____                | Eastern<br>Central          | Composite end<br>Date _____ Time _____                                     | Bottle Group(s)                      |  |
| Field ID    |                                                                        |                                                                                   |                                                                                      | Matrix (type, e.g., Salt, Fresh, etc)                                   | Diss. Oxygen                | <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat            | Total Res. Chlorine<br>(mg/L)        |  |
| WIN/STORE # |                                                                        |                                                                                   |                                                                                      | Temp (C)                                                                | pH                          | Sample Depth                                                               | Sp. Conductance (umho/cm)            |  |
| Latitude    | <input type="checkbox"/> dd<br><input type="checkbox"/> dms            | Longitude                                                                         | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity (ppt)                                                          | Comments                    |                                                                            |                                      |  |

|                                     |                                |                               |                                     |                                 |                                |
|-------------------------------------|--------------------------------|-------------------------------|-------------------------------------|---------------------------------|--------------------------------|
| Relinquished By: <u>[Signature]</u> | Date/Time: <u>3/12/18 1700</u> | Shipping Method: <u>Fedex</u> | Number of Coolers Shipped: <u>3</u> | Received By: <u>[Signature]</u> | Date/Time: <u>3/13/18 9:49</u> |
|-------------------------------------|--------------------------------|-------------------------------|-------------------------------------|---------------------------------|--------------------------------|

|          |              |                |                 |               |                            |                                     |   |
|----------|--------------|----------------|-----------------|---------------|----------------------------|-------------------------------------|---|
| Group: A | Bottle Type: | P-1L           | # of Bottles: 1 | Preservative: | ICE                        | Enter Number of Bottles Sent to Lab | 1 |
|          | ALKALINITY   |                |                 |               |                            |                                     |   |
|          | TURBIDITY    |                |                 |               |                            |                                     |   |
|          | W-CL-IC      |                |                 |               |                            |                                     |   |
|          | W-COLOR      |                |                 |               |                            |                                     |   |
|          | W-F          |                |                 |               |                            |                                     |   |
|          | W-SO4-IC     |                |                 |               |                            |                                     |   |
|          | W-TDS        |                |                 |               |                            |                                     |   |
|          | W-TSS        |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | BP-1L          | # of Bottles: 1 | Preservative: | ICE                        | Enter Number of Bottles Sent to Lab | 1 |
|          | CHLSUITE-W   |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | P-120ML-WC-THI | # of Bottles: 1 | Preservative: | ICE                        | Enter Number of Bottles Sent to Lab | 1 |
|          | NED-AEG-EC   |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | BG-500ML       | # of Bottles: 1 | Preservative: | CH2ClCOOH<br>Pre-Preserved | Enter Number of Bottles Sent to Lab | 1 |
|          | W-CARB-AA    |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | BG-500ML       | # of Bottles: 4 | Preservative: | ICE                        | Enter Number of Bottles Sent to Lab | 4 |
|          | W-CT-CI-R    |                |                 |               |                            |                                     |   |
|          | W-PCL-SQ-R   |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | BG-500ML       | # of Bottles: 1 | Preservative: | ICE                        | Enter Number of Bottles Sent to Lab | 1 |
|          | W-E8321-DI   |                |                 |               |                            |                                     |   |
|          | W-E8321-MS   |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | P-500ML        | # of Bottles: 1 | Preservative: | HNO3                       | Enter Number of Bottles Sent to Lab | 1 |
|          | W-ICP        |                |                 |               |                            |                                     |   |
|          | W-ICPMS      |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | P-500ML        | # of Bottles: 1 | Preservative: | ICE And H2SO4              | Enter Number of Bottles Sent to Lab | 1 |
|          | W-NH3        |                |                 |               |                            |                                     |   |
|          | W-NO2NO3     |                |                 |               |                            |                                     |   |
|          | W-S-A-TP     |                |                 |               |                            |                                     |   |
|          | W-TKN        |                |                 |               |                            |                                     |   |
|          | W-TOC        |                |                 |               |                            |                                     |   |
| Group: A | Bottle Type: | P-125ML        | # of Bottles: 1 | Preservative: | FILTER-ICE                 | Enter Number of Bottles Sent to Lab | 1 |
|          | W-PO4-F      |                |                 |               |                            |                                     |   |

Group: A Bottle Type: BG-1L # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab 4  
W-PSNP-TQ

Group: B Bottle Type: P-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab \_\_\_\_\_  
ALKALINITY  
TURBIDITY  
W-CL-IC  
W-COLOR  
W-F  
W-SO4-IC  
W-TDS  
W-TSS

Group: B Bottle Type: BP-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab \_\_\_\_\_  
CHLSUITE-W

Group: B Bottle Type: P-120ML-WC-THI # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab \_\_\_\_\_  
NED-AEG-EC

Group: B Bottle Type: P-500ML # of Bottles: 1 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab \_\_\_\_\_  
W-NH3  
W-NO2NO3  
W-S-A-TP  
W-TKN  
W-TOC

Group: B Bottle Type: P-125ML # of Bottles: 1 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab \_\_\_\_\_  
W-PO4-F

Group: C Bottle Type: P-1L # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2  
ALKALINITY  
TURBIDITY  
W-CL-IC  
W-COLOR  
W-F  
W-SO4-IC  
W-TDS  
W-TSS

Group: C Bottle Type: BP-1L # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2

|          |                                                                         |                 |                             |                                     |          |
|----------|-------------------------------------------------------------------------|-----------------|-----------------------------|-------------------------------------|----------|
| Group: C | Bottle Type: BP-1L<br>CHLSUITE-W                                        | # of Bottles: 2 | Preservative: ICE           | Enter Number of Bottles Sent to Lab | 2        |
| Group: C | Bottle Type: P-120ML-WC-THI<br>NED-AEG-EC                               | # of Bottles: 2 | Preservative: ICE           | Enter Number of Bottles Sent to Lab | 2 to Ael |
| Group: C | Bottle Type: QPCR-P-250ML<br>PCR-FILTER                                 | # of Bottles: 4 | Preservative: ICE           | Enter Number of Bottles Sent to Lab | 4        |
| Group: C | Bottle Type: BG-500ML<br>W-E8321-DI<br>W-E8321-MS                       | # of Bottles: 2 | Preservative: ICE           | Enter Number of Bottles Sent to Lab | 2        |
| Group: C | Bottle Type: P-500ML<br>W-ICP<br>W-ICPMS                                | # of Bottles: 2 | Preservative: HNO3          | Enter Number of Bottles Sent to Lab | 2        |
| Group: C | Bottle Type: P-500ML<br>W-NH3<br>W-NO2NO3<br>W-S-A-TP<br>W-TKN<br>W-TOC | # of Bottles: 2 | Preservative: ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 2        |
| Group: C | Bottle Type: P-125ML<br>W-PO4-F                                         | # of Bottles: 2 | Preservative: FILTER-ICE    | Enter Number of Bottles Sent to Lab | 2        |
| Group: D | Bottle Type: TEST HAS NO<br>BOTTLE<br>MI-FW-QLDC                        | # of Bottles: 7 | Preservative: Formalin      | Enter Number of Bottles Sent to Lab | 4        |



|   |                                                                                                                           |
|---|---------------------------------------------------------------------------------------------------------------------------|
|   | <b>Altamonte Springs:</b> 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597 |
| ✓ | <b>Gainesville:</b> 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639                          |
|   | <b>Jacksonville:</b> 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354                     |
|   | <b>Miramar:</b> 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281                                 |
|   | <b>Tallahassee:</b> 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275           |
|   | <b>Tampa:</b> 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327                                 |

[illegible]

Date of Request: 29-JAN-2018  
 Created By: PARRISH\_J On: 29-JAN-2018  
 Modified By: WATTS\_J On: 22-FEB-2018  
 Customer: NE-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: Northeast District  
 Sampling Event: Santa Fe

**Send Coolers To:**

Phone: 904-256-1700  
 8800 Baymeadows Way West  
 Suite 100  
 Jacksonville, FL 32256-7577  
 Attn: Jeremy Parrish

**Send Final Report To:**

8800 Baymeadows Way West  
 Suite 100  
 Jacksonville, FL 32256-7577  
 Attn: Jeremy Parrish

Program Module Number:

Priority: 3

Event Status: S

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS\_J On: 22-FEB-2018

Biology Request Reviewed By: SWANSON\_C On: 22-FEB-2018

Sampling Kit Required: YES Ship on: 23-FEB-2018

Sampling Kit Shipped: YES On: 23-FEB-2018

Sampling Kit Packed By: REYNOLDS\_T

Preservatives Needed: YES

Date to Receive Samples: 05-MAR-2018

Received By:

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Added one MI-FW-QLDC test with no bottles needed. Bottle Group D - CAS 2/22/2018.

Group A: Freshwater Kit With Metals and Pesticides

1 - case of sulfuric acid

**Bottle Group A (Water) With 1 Samples:**

|                       |                      |                                                                                                                                               |
|-----------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L     | Number of Bottles: 1 | Preserved With: ICE                                                                                                                           |
| ALKALINITY            | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                                                      |
| TURBIDITY             | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                                            |
| W-CL-IC               | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                                             |
| W-COLOR               | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                                                     |
| Color (true)          |                      |                                                                                                                                               |
| W-F                   | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                                          |
| W-SO <sub>4</sub> -IC | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                                              |
| W-TDS                 | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                                     |
| W-TSS                 | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                                     |
| Bottle Type: BG-1L    | Number of Bottles: 4 | Preserved With: ICE                                                                                                                           |
| W-PSNP-TQ             | Template: DEFAULT    | (EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS                                        |
| Bottle Type: BP-1L    | Number of Bottles: 1 | Preserved With: ICE                                                                                                                           |
| CHLSUITE-W            | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry                                  |
| Bottle Type:          | Number of Bottles: 1 | Preserved With: ICE                                                                                                                           |
| NED-AEG-EC            | Template: DEFAULT    | (EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Gainesville Overflow Laboratories for NED |
| Bottle Type: BG-500ML | Number of Bottles: 1 | Preserved With: CH <sub>2</sub> ClCOOH Pre-Preserved                                                                                          |
| W-CARB-AA             | Template: DEFAULT    | (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS                                                                                        |
| Bottle Type: BG-500ML | Number of Bottles: 4 | Preserved With: ICE                                                                                                                           |
| W-CT-CI-R             | Template: DEFAULT    | (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization                                             |
| W-PCL-SQ-R            | Template: DEFAULT    | (EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM                                                                          |

**Bottle Group A (Water) With 1 Samples:**

|                       |                      |                                                                                                                                                |
|-----------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: BG-500ML | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| W-E8321-DI            | Template: DEFAULT    | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                                                        |
| W-E8321-MS            | Template:            | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                                                        |
| Bottle Type: P-500ML  | Number of Bottles: 1 | Preserved With: HNO3                                                                                                                           |
| W-ICP                 | Template:            | (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects |
| Calcium               |                      |                                                                                                                                                |
| Chromium              |                      |                                                                                                                                                |
| Iron                  |                      |                                                                                                                                                |
| Magnesium             |                      |                                                                                                                                                |
| Nickel                |                      |                                                                                                                                                |
| Potassium             |                      |                                                                                                                                                |
| Sodium                |                      |                                                                                                                                                |
| Zinc                  |                      |                                                                                                                                                |
| W-ICPMS               | Template:            | (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects                    |
| Arsenic               |                      |                                                                                                                                                |
| Cadmium               |                      |                                                                                                                                                |
| Copper                |                      |                                                                                                                                                |
| Lead                  |                      |                                                                                                                                                |
| Silver                |                      |                                                                                                                                                |
| Bottle Type: P-500ML  | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                                                  |
| W-NH3                 | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                                     |
| W-NO2NO3              | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                                             |
| W-S-A-TP              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                                            |
| W-TKN                 | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                                               |
| W-TOC                 | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                                                 |
| Bottle Type: P-125ML  | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                                                                                     |
| W-PO4-F               | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                                       |

**Bottle Group B (Water) With 1 Samples:**

|                      |                      |                                                                                                                                               |
|----------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L    | Number of Bottles: 1 | Preserved With: ICE                                                                                                                           |
| ALKALINITY           | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                                                   |
| TURBIDITY            | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                                            |
| W-CL-IC              | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                                             |
| W-COLOR              | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                                                     |
| Color (true)         |                      |                                                                                                                                               |
| W-F                  | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                                          |
| W-SO4-IC             | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                                              |
| W-TDS                | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                                     |
| W-TSS                | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                                     |
| Bottle Type: BP-1L   | Number of Bottles: 1 | Preserved With: ICE                                                                                                                           |
| CHLSUITE-W           | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry                                  |
| Bottle Type:         | Number of Bottles: 1 | Preserved With: ICE                                                                                                                           |
| NED-AEG-EC           | Template: DEFAULT    | (EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Gainesville Overflow Laboratories for NED |
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                                                 |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                                    |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                                            |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                                           |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                                              |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                                                |
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                                                                                    |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                                      |

**Bottle Group C (Water) With 2 Samples:**

|                   |                      |                                                             |
|-------------------|----------------------|-------------------------------------------------------------|
| Bottle Type: P-1L | Number of Bottles: 2 | Preserved With: ICE                                         |
| ALKALINITY        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L |
| TURBIDITY         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices          |
| W-CL-IC           | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices           |

**Bottle Group C (Water) With 2 Samples:**

|                           |                      |                                                                                                                                                |
|---------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L         | Number of Bottles: 2 | Preserved With: ICE                                                                                                                            |
| W-COLOR                   | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                                                      |
| Color (true)              |                      |                                                                                                                                                |
| W-F                       | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                                           |
| W-SO4-IC                  | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                                               |
| W-TDS                     | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                                      |
| W-TSS                     | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                                      |
| Bottle Type: BP-1L        | Number of Bottles: 2 | Preserved With: ICE                                                                                                                            |
| CHLSUITE-W                | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry                                   |
| Bottle Type:              | Number of Bottles: 2 | Preserved With: ICE                                                                                                                            |
| NED-AEG-EC                | Template: DEFAULT    | (EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Gainesville Overflow Laboratories for NED  |
| Bottle Type: QPCR-P-250ML | Number of Bottles: 4 | Preserved With: ICE                                                                                                                            |
| PCR-FILTER                | Template: DEFAULT    | (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis                                                                  |
| Bottle Type: BG-500ML     | Number of Bottles: 2 | Preserved With: ICE                                                                                                                            |
| W-E8321-DI                | Template: SUCRALOSE  | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                                                        |
| W-E8321-MS                | Template:            | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                                                        |
| Bottle Type: P-500ML      | Number of Bottles: 2 | Preserved With: HNO3                                                                                                                           |
| W-ICP                     | Template:            | (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects |
| Calcium                   |                      |                                                                                                                                                |
| Chromium                  |                      |                                                                                                                                                |
| Iron                      |                      |                                                                                                                                                |
| Magnesium                 |                      |                                                                                                                                                |
| Nickel                    |                      |                                                                                                                                                |
| Potassium                 |                      |                                                                                                                                                |
| Sodium                    |                      |                                                                                                                                                |
| Zinc                      |                      |                                                                                                                                                |
| W-ICPMS                   | Template:            | (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects                    |
| Arsenic                   |                      |                                                                                                                                                |
| Cadmium                   |                      |                                                                                                                                                |
| Copper                    |                      |                                                                                                                                                |
| Lead                      |                      |                                                                                                                                                |
| Silver                    |                      |                                                                                                                                                |

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 2 | Preserved With: ICE And H2SO4                                                            |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                               |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                       |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                      |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                         |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                           |
| Bottle Type: P-125ML | Number of Bottles: 2 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |

**Bottle Group D (Biological) With 1 Samples:**

|                          |                      |                                                                |
|--------------------------|----------------------|----------------------------------------------------------------|
| Bottle Type: TEST HAS NO | Number of Bottles: 7 | Preserved With: Formalin                                       |
| MI-FW-QLDC               | Template: DEFAULT    | (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets. |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.



**Do Not Lift Using This Tag**


ORIGIN ID: ZPHA (904) 807-3300  
JEREMY PARRISH  
FL DEP NORTHEAST DISTRICT  
8800 BAYMEADOWS WAY WEST  
SUITE 100  
JACKSONVILLE, FL 32256  
UNITED STATES US

SHIP DATE: 23FEB18  
ACTWGT: 10.00 LB  
CAD: 100162098/NET3980

AMZAD SHAIK  
FL DEP  
FL DEP CHEMISTRY SECTION  
2600 BLAIR STONE RD  
TALLAHASSEE FL 32399

(850) 245-8085 REF:  
INV: DEPT:  
PO:

UMA:



**FedEx**  
Express




2011101058100

**FedEx**  
TRK# 7907 8299 0617  
0221

**TUE - 13 MAR 10:30A**  
**PRIORITY OVERNIGHT**

**36 TLHA**

FL-US TLH



0729887 03/12 552J1/07F5/DCAS

ORIGIN ID: ZPHA (904) 807-3300  
JEREMY PARRISH  
FL DEP NORTHEAST DISTRICT  
8800 BAYMEADOWS WAY WEST  
SUITE 100  
JACKSONVILLE, FL 32256  
UNITED STATES US

SHIP DATE: 23 FEB 18  
ACTWGT: 10.00 LB  
CAD: 100182098/NET3980


0 AMZAD SHAIK  
FL DEP  
FL DEP CHEMISTRY SECTION  
2600 BLAIR STONE RD  
TALLAHASSEE FL 32399

(850) 245-8085  
INV:  
PO:

REF:

DEPT:

RMA:



FedEx

TRK# 7907 8299 0580  
0221

TUE - 13 MAR 10:3  
PRIORITY OVERNIGHT

36 TLHA

323  
FL - US TI



#729887 03/12 552J1/07F5/DCA5



**Do Not Lift Using This Tag**

ORIGIN ID: ZPHA (904) 807-3300  
JEREMY PARRISH  
FL DEP NORTHEAST DISTRICT  
8800 BAYMEADOWS WAY WEST  
SUITE 100  
JACKSONVILLE, FL 32256  
UNITED STATES US


SHIP DATE: 23FEB18  
ACTWGT: 10.00 LB  
CAD: 100182098/NET3980

AMZAD SHAIK  
FL DEP  
FL DEP CHEMISTRY SECTION  
2600 BLAIR STONE RD  
TALLAHASSEE FL 32399

552J1/122D/DCA5

850) 245-8085 REF:  
INV: DEPT:  
PC:

1A:



FedEx  
TRK# 7907 8299 0606  
0221

TUE - 13 MAR 10:30A  
PRIORITY OVERNIGHT

**36 TLHA**

**32399**  
FL-US TLH



#729887 03/12 552J1/07F5/DCA5