

Log-in Checklist

RQ- 2018-03-05-25

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 3-6-18/9:50

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLUE	2-8C	14		/			
Red	1-7C	15		//			
Red	2-6C	16		//			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes ☒ No ☐ NA ☐ Init: ASB

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init: ASB

Coolers Unpacked/Checked by: ASB **Date:** 3-6-18 **NCRs (Y/N)?** ☐

Event ID: bmap tribs **NCR #** _____

NE-DIST-2018-03-06-01 (SMP)

Date Received: 06-MAR-2018 09:50

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

bmap tribs

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By:

Project ID: SMP

Collected By: B. Davis

Sampling Agency:

WIN / Field ID:



20030848

NW TRIBUTARY TO OPEN CR AT HODGES

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 03-05-2018 Time 0940	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.2	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 16.0	pH 5.8	Sample Depth 0.15	☐ ft ☒ m	Sp. Conductance (umho/cm) 427
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.21	Comments	

WIN / Field ID:



20030653

TERRAPIN CREEK AT FAYE ROAD

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 03-05-2018 Time 1035	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.5	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 15.2	pH 7.36	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 545
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.27	Comments	

WIN / Field ID:



20030123

TROUT R @ DINSMORE
BOAT RAMP DOCK NR US 1

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 03-05-2018 Time 1140	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 16.3	pH 7.25	Sample Depth 1.17	☐ ft ☒ m	Sp. Conductance (umho/cm) 2284
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 1.17	Comments 0.3	

WIN / Field ID:



20030753

TROUT RIVER AT OLD KINGS RD

☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments DID NOT SAMPLE - NO FLOW	

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

1530

From sample.

03-06-18

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	27
	NE-ALS-ECQ						
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	PCR-FILTER						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC						

bmap tribs

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish


Field Report Prepared By:


Project ID: SMP

Collected By: B. Davis

Sampling Agency:

A. Kalmbacher
FDEP/NE ROC

WIN / Field ID:  20030897		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 03-05-2018 Time 1240		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
MONCRIEF CR @ 21ST ST.		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.2		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Temp (C) 18.6		pH 7.39		Sample Depth 0.3 ☐ ft ☒ m		Sp. Conductance (umho/cm) 512	
Salinity (ppt) 0.25		Comments									
WIN / Field ID:  20030316		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 03-05-2018 Time 1305		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
MONCRIEF CR N OF 33RD ST BRID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 10.2		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Temp (C) 20.6		pH 7.84		Sample Depth 0.5 ☐ ft ☒ m		Sp. Conductance (umho/cm) 483	
Salinity (ppt) 0.23		Comments									
WIN / Field ID:  20030954		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
GOODBYS CR AT SAN CLERC RD.		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)	
Salinity (ppt)		Comments									
WIN / Field ID:  20030537		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 03-05-2018 Time 1405		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
GOODBYS CR @ PLAZA GATE RD.		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Temp (C) 17.8		pH 7.37		Sample Depth 0.1 ☐ ft ☒ m		Sp. Conductance (umho/cm) 343	
Salinity (ppt) 0.16		Comments									

Relinquished By: 	Date/Time: 3-5-2018 1530	Shipping Method: FedEx	Number of Coolers Shipped: 3	Received By: 	Date/Time: 03-06-18 / 9:50
---	-----------------------------	------------------------	------------------------------	--	----------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	NE-ALS-ECQ					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI W-E8321-MS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC					

Group: B	Bottle Type: W-TDS W-TSS	P-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
Group: B	Bottle Type: NE-ALS-ECQ	P-250ML-WI-THI	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	3 SENT TO CONTRACT LAB
Group: B	Bottle Type: PCR-FILTER	QPCR-P-250ML	# of Bottles: 8	Preservative: ICE	Enter Number of Bottles Sent to Lab	6
Group: B	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
Group: B	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 4	Preservative: HNO3	Enter Number of Bottles Sent to Lab	3
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 4	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 4	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
Group: C	Bottle Type: ALKALINITY TURBIDITY W-F W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: NE-ALS-ENQ	P-120ML-WC-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 SENT TO CONTRACT LAB

Group: C	Bottle Type: QPCR-P-250ML PCR-FILTER	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: P-125ML W-PO4-F	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>1</u>



CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

9143 Philips Highway, Suite 200 Jacksonville, FL 32256 / Ph(904) 739-2277 / FAX (904) 739-2011

Page 1 of 1

SR #

ALS Contact: Jerry Allen

[illegible]

Date of Request: 02-FEB-2018
 Created By: PARRISH_J On: 02-FEB-2018
 Modified By: SWANSON_C On: 14-FEB-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: bmap tribs

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-FEB-2018
 Biology Request Reviewed By: SWANSON_C On: 14-FEB-2018
 Sampling Kit Required: YES Ship on: 23-FEB-2018
 Sampling Kit Shipped: YES On: 23-FEB-2018
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 05-MAR-2018
 Received By: SHAIK_A On: 06-MAR-2018

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 3	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 4 Samples:

Bottle Type: NE-ALS-ECQ	Number of Bottles: 4	Preserved With: ICE
Template: DEFAULT		(SM 9223 B) Escherichia coli by Collert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 8	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium
Chromium
Iron
Magnesium
Nickel
Potassium
Sodium
Zinc

W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
---------	-----------	---

Arsenic
Cadmium
Copper
Lead
Silver

Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group C (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ENQ	Template: DEFAULT	(ASTM D650399) Enterococci by MPN by ALS Environmental Overflow Laboratory for NED
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN IDZPHA
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (850) 245-8085
PO: INV: RMA:

SHIP DATE: 19-EB18
ACT WGT: 35.00 LB
CAD: 100182059/NET13980

10 AMZAD SHAIK
FL DEP

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

REF: (850) 245-8085
PO: INV: RMA:

DEPT:



FedEx

TRK# 7907 8085 0938
0221

TUE - 06 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399

FL-US TLH



4729887 03/05 552J1/07F5/DCAS



36 TLHA

FedEx
TRK# 7907 8085 0927
0221

TUE - 06 MAR 10:30A
PRIORITY OVERNIGHT



DEPT:

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (850) 245-8085
PO: INV: RMA:

AMZAD SHAIK
FL DEP

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (850) 245-8085
PO: INV: RMA:


SHIP DATE: 19-EB18
ACT WGT: 35.00 LB
CAD: 100182059/NET13980

32399
FL-US TLH

TUE - 06 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

FedEx
TRK# 7907 8085 0916
0221



DEPT:

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (850) 245-8085
PO: INV: RMA:

AMZAD SHAIK
FL DEP

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (850) 245-8085
PO: INV: RMA: