

# Log-in Checklist

RQ- 2018-03-12-19

Shipping Method FedEx | UPS | HD | Greyhound | \_\_\_\_\_

Date/Time of Receipt: 3-7-18/9:45

| Cooler ID  | Cooler Temperature* | No. Sample Containers in Cooler | Evidence Tape |                                     |          |  | Tracking # (fill out only if waybill copy is damaged) |
|------------|---------------------|---------------------------------|---------------|-------------------------------------|----------|--|-------------------------------------------------------|
|            |                     |                                 | Present?      |                                     | *Intact? |  |                                                       |
| Yes        | No                  | Yes                             | No            | Yes                                 | No       |  |                                                       |
| <u>Red</u> | <u>1.00</u>         | <u>14</u>                       |               | <input checked="" type="checkbox"/> |          |  |                                                       |
|            |                     |                                 |               |                                     |          |  |                                                       |
|            |                     |                                 |               |                                     |          |  |                                                       |
|            |                     |                                 |               |                                     |          |  |                                                       |
|            |                     |                                 |               |                                     |          |  |                                                       |
|            |                     |                                 |               |                                     |          |  |                                                       |

\*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

\*\*Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

\*\*Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

## CONTAINER CHECK

\*\*Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

\*\*Caps on tight? Yes ☒ No ☐ \*\*Containers intact? Yes ☒ No ☐

\*\*Sufficient Sample Volume: Yes ☐ No ☐

## CHLORINE CHECK (Blue dot on container)

| Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required. |     |    |            |     |    |
|------------------------------------------------------------------------------------------------------|-----|----|------------|-----|----|
| Analysis                                                                                             | Yes | No | Analysis   | Yes | No |
| W-1,4 DIOX                                                                                           |     |    | W-PC-AA-SF |     |    |
| W-E8321-DI, -MS, -21                                                                                 |     |    | W-NP-AA-SF |     |    |
| W-BNA (-625, -R)                                                                                     |     |    | W-PDQUAT   |     |    |
| W-CARB-AA (-CAB-AA-R)                                                                                |     |    | W-PCL-SQ-R |     |    |
| W-U2060-MS                                                                                           |     |    | W-TR-TQ    |     |    |
| W-PCB-R                                                                                              |     |    | W-CT-CI-R  |     |    |
| W-PAH (-R)                                                                                           |     |    | W-PSNP-TQ  |     |    |

## PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

\*\*Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: MS

\*\*W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: \_\_\_\_\_

Coolers Unpacked/Checked by: [Signature] Date: 3-7-18

NCRs (Y/N)? \_\_\_\_\_

Event ID: LSJR West boat  
NE-DIST-2018-03-07-02 (SMP)  
 Date Received: 07-MAR-2018 09:45

NCR # \_\_\_\_\_

## Log-in Checklist

### Samples with Incorrect pH Preservation or presence of Chlorine

| Field ID | Bottle Test ID(s) | pH / Cl | Action Taken |
|----------|-------------------|---------|--------------|
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |

### Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

| Cooler ID | Field ID | Bottle Test ID(s) |
|-----------|----------|-------------------|
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |

### Bottles Not Intact

| Field ID | Bottle Test ID(s) | Loose Cap | Damaged Cap |    | Damaged Container |    | Evidence Tape Not Intact |
|----------|-------------------|-----------|-------------|----|-------------------|----|--------------------------|
|          |                   |           | CK          | BR | CK                | BR |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |

### Samples with Insufficient Volume for Analyses

| Field ID | Bottle Test ID(s) | Action Taken |
|----------|-------------------|--------------|
|          |                   |              |
|          |                   |              |
|          |                   |              |
|          |                   |              |

## ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes\_\_\_\_ No\_\_\_\_

Date and time placed in freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection? Yes\_\_\_\_ No\_\_\_\_

If no, were samples shipped on dry ice? Yes\_\_\_\_ No\_\_\_\_

**FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):**

Samples preserved within 48 hours? Yes\_\_\_\_ No\_\_\_\_

Date and time samples preserved: \_\_\_\_\_

**Additional Comments:**

# Florida Department of Environmental Protection

## Central Laboratory Submittal Form

LSJR West boat

Customer: NE-DIST

Project ID: SMP

Requester: Jeremy M. Parrish

Field Report Prepared By: B. T. -Collected By: Keith Davis J. ParrishSampling Agency: DEAR NEID

WIN / Field ID:



20030617

FISHING CRK AT PUBLIC BOAT RAMP  
OFF SEABOARD AVE

|                                                                           |                                                                        |                            |                                                                                                          |                                              |
|---------------------------------------------------------------------------|------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------|
| <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>3/6/18</u> Time <u>1000</u> | <u>Eastern</u><br>Central  | Composite end<br>Date _____ Time _____                                                                   | Bottle Group(s)<br>(See pg 2)<br><u>C, D</u> |
| Matrix (type, e.g., Salt, Fresh, etc)<br><u>Salt</u>                      |                                                                        | Diss. Oxygen<br><u>8.8</u> | Total Res. Chlorine (mg/L)<br><input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat |                                              |
| Temp (C) <u>18.00</u>                                                     | pH <u>7.40</u>                                                         | Sample Depth <u>0.3</u>    | Sp. Conductance (umho/cm) <u>7010</u>                                                                    |                                              |
| Salinity (ppt) <u>3.86</u>                                                |                                                                        |                            |                                                                                                          |                                              |

Latitude 30.26006 ☒ dd ☐ dms Longitude -81.72775 ☒ dd ☐ dms

WIN / Field ID:



20030081

FISHING CR SE FORREST HS  
E PERRINE DR

|                                                                           |                                                                       |                             |                                                                                                          |                                |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------|
| <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>3/6/18</u> Time <u>915</u> | <u>Eastern</u><br>Central   | Composite end<br>Date _____ Time _____                                                                   | Bottle Group(s)<br><u>B, C</u> |
| Matrix (type, e.g., Salt, Fresh, etc)<br><u>Salt</u>                      |                                                                       | Diss. Oxygen<br><u>6.58</u> | Total Res. Chlorine (mg/L)<br><input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat |                                |
| Temp (C) <u>18.07</u>                                                     | pH <u>7.21</u>                                                        | Sample Depth <u>0.3</u>     | Sp. Conductance (umho/cm) <u>5693</u>                                                                    |                                |
| Salinity (ppt) <u>3.1</u>                                                 |                                                                       |                             |                                                                                                          |                                |

Latitude 30.25306 ☒ dd ☐ dms Longitude -81.73472 ☒ dd ☐ dms

WIN / Field ID:



20030077

Ortega River at US17

|                                                                           |                                                                       |                             |                                                                                                          |                             |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------|
| <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>3/6/18</u> Time <u>945</u> | <u>Eastern</u><br>Central   | Composite end<br>Date _____ Time _____                                                                   | Bottle Group(s)<br><u>A</u> |
| Matrix (type, e.g., Salt, Fresh, etc)<br><u>Salt</u>                      |                                                                       | Diss. Oxygen<br><u>8.87</u> | Total Res. Chlorine (mg/L)<br><input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat |                             |
| Temp (C) <u>17.76</u>                                                     | pH <u>7.55</u>                                                        | Sample Depth <u>0.3</u>     | Sp. Conductance (umho/cm) <u>6740</u>                                                                    |                             |
| Salinity (ppt) <u>3.71</u>                                                |                                                                       |                             |                                                                                                          |                             |

Latitude \_\_\_\_\_ ☐ dd ☐ dms Longitude \_\_\_\_\_ ☐ dd ☐ dms

|                                                                         |                                                                           |                                                          |                                                                                 |                                        |                 |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------|-----------------|
| Location                                                                | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date _____ Time _____ | <u>Eastern</u><br>Central                                                       | Composite end<br>Date _____ Time _____ | Bottle Group(s) |
| Field ID                                                                | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                          | Diss. Oxygen<br><input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine (mg/L)             |                 |
| WIN/STORET #                                                            | Temp (C)                                                                  | pH                                                       | Sample Depth <input type="checkbox"/> ft <input checked="" type="checkbox"/> m  | Sp. Conductance (umho/cm)              |                 |
| Latitude _____ <input type="checkbox"/> dd <input type="checkbox"/> dms | Longitude _____ <input type="checkbox"/> dd <input type="checkbox"/> dms  | Salinity (ppt)                                           | Comments                                                                        |                                        |                 |

|                                 |                              |                              |                                     |                                 |                               |
|---------------------------------|------------------------------|------------------------------|-------------------------------------|---------------------------------|-------------------------------|
| Relinquished By: <u>B. T. -</u> | Date/Time <u>3/6/18 1630</u> | Shipping Method <u>FedEx</u> | Number of Coolers Shipped: <u>1</u> | Received By: <u>[Signature]</u> | Date/Time <u>3-7-18 19:45</u> |
|---------------------------------|------------------------------|------------------------------|-------------------------------------|---------------------------------|-------------------------------|

|          |                                                                                    |                |                 |               |               |                                     |                 |
|----------|------------------------------------------------------------------------------------|----------------|-----------------|---------------|---------------|-------------------------------------|-----------------|
| Group: A | Bottle Type:                                                                       | P-1L           | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | <u>1</u>        |
|          | ALKALINITY<br>TURBIDITY<br>W-F<br>W-SO4-IC<br>W-TSS                                |                |                 |               |               |                                     |                 |
| Group: A | Bottle Type:                                                                       | BP-1L          | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | <u>1</u>        |
|          | CHLSUITE-W                                                                         |                |                 |               |               |                                     |                 |
| Group: A | Bottle Type:                                                                       | P-120ML-WC-THI | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | <u>1 to ALS</u> |
|          | NE-ALS-ENQ                                                                         |                |                 |               |               |                                     |                 |
| Group: A | Bottle Type:                                                                       | P-500ML        | # of Bottles: 2 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | <u>1</u>        |
|          | W-NH3<br>W-NO2NO3<br>W-S-A-TP<br>W-TKN<br>W-TOC                                    |                |                 |               |               |                                     |                 |
| Group: A | Bottle Type:                                                                       | P-125ML        | # of Bottles: 2 | Preservative: | FILTER-ICE    | Enter Number of Bottles Sent to Lab | <u>1</u>        |
|          | W-PO4-F                                                                            |                |                 |               |               |                                     |                 |
| Group: B | Bottle Type:                                                                       | P-1L           | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | <u>1</u>        |
|          | ALKALINITY<br>TURBIDITY<br>W-CL-IC<br>W-COLOR<br>W-F<br>W-SO4-IC<br>W-TDS<br>W-TSS |                |                 |               |               |                                     |                 |
| Group: B | Bottle Type:                                                                       | BP-1L          | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | <u>1</u>        |
|          | CHLSUITE-W                                                                         |                |                 |               |               |                                     |                 |
| Group: B | Bottle Type:                                                                       | P-250ML-WI-THI | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | <u>1 to ALS</u> |
|          | NE-ALS-ECQ                                                                         |                |                 |               |               |                                     |                 |
| Group: B | Bottle Type:                                                                       | P-500ML        | # of Bottles: 1 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | <u>1</u>        |
|          | W-NH3                                                                              |                |                 |               |               |                                     |                 |

|          |                                        |                |                 |                             |                                     |          |
|----------|----------------------------------------|----------------|-----------------|-----------------------------|-------------------------------------|----------|
| Group: B | Bottle Type:                           | P-500ML        | # of Bottles: 1 | Preservative: ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 1        |
|          | W-NO2NO3<br>W-S-A-TP<br>W-TKN<br>W-TOC |                |                 |                             |                                     |          |
| Group: B | Bottle Type:                           | P-125ML        | # of Bottles: 1 | Preservative: FILTER-ICE    | Enter Number of Bottles Sent to Lab | 1        |
|          | W-PO4-F                                |                |                 |                             |                                     |          |
| Group: C | Bottle Type:                           | QPCR-P-250ML   | # of Bottles: 6 | Preservative: ICE           | Enter Number of Bottles Sent to Lab | 4        |
|          | PCR-FILTER                             |                |                 |                             |                                     |          |
| Group: C | Bottle Type:                           | BG-500ML       | # of Bottles: 3 | Preservative: ICE           | Enter Number of Bottles Sent to Lab | 2        |
|          | W-E8321-DI<br>W-E8321-MS               |                |                 |                             |                                     |          |
| Group: D | Bottle Type:                           | P-250ML-WI-THI | # of Bottles: 1 | Preservative: ICE           | Enter Number of Bottles Sent to Lab | 1 to ALS |
|          | NE-ALS-ECQ                             |                |                 |                             |                                     |          |



Date of Request: 05-FEB-2018  
 Created By: PARRISH\_J On: 05-FEB-2018  
 Modified By: SWANSON\_C On: 20-FEB-2018  
 Customer: NE-DIST  
 Project: SMP  
 Division:  
 District: Northeast District  
 Sampling Event: LSJR West boat

**Send Coolers To:**

Phone: 904-256-1700  
 8800 Baymeadows Way West  
  
 Jacksonville, FL 32256-7577  
 Attn: Jeremy Parrish

**Send Final Report To:**

8800 Baymeadows Way West  
  
 Jacksonville, FL 32256-7577  
 Attn: Jeremy Parrish

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 19-FEB-2018  
 Biology Request Reviewed By: SWANSON\_C On: 20-FEB-2018  
 Sampling Kit Required: YES Ship on: 02-MAR-2018  
 Sampling Kit Shipped: YES On: 26-FEB-2018  
 Sampling Kit Packed By: GREENWOO\_J  
 Preservatives Needed: NO  
 Date to Receive Samples: 12-MAR-2018  
 Received By: SHAIK\_A On: 07-MAR-2018

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

**Comments:****Bottle Group A (Water) With 2 Samples:**

|                                   |                      |                                                                                                              |
|-----------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L                 | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| ALKALINITY                        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                     |
| TURBIDITY                         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| W-F                               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| W-SO <sub>4</sub> -IC             | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| W-TSS                             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                    |
| Bottle Type: BP-1L                | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                        | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Bottle Type:                      | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| NE-ALS-ENQ                        | Template: DEFAULT    | (ASTM D650399) Enterococci by MPN by ALS Environmental Overflow Laboratory for NED                           |
| Bottle Type: P-500ML              | Number of Bottles: 2 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>                                                       |
| W-NH <sub>3</sub>                 | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| W-NO <sub>2</sub> NO <sub>3</sub> | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| W-S-A-TP                          | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| W-TKN                             | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| W-TOC                             | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                               |
| Bottle Type: P-125ML              | Number of Bottles: 2 | Preserved With: FILTER-ICE                                                                                   |
| W-PO <sub>4</sub> -F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                     |

**Bottle Group B (Water) With 1 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                               |
| W-PO <sub>4</sub> -F | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| Bottle Type: P-1L    | Number of Bottles: 1 | Preserved With: ICE                                                                      |
| ALKALINITY           | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                 |
| TURBIDITY            | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                       |
| W-CL-IC              | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                        |
| W-COLOR              | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                |
| Color (true)         |                      |                                                                                          |

**Bottle Group B (Water) With 1 Samples:**

|                      |                      |                                                                                                                             |
|----------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L    | Number of Bottles: 1 | Preserved With: ICE                                                                                                         |
| W-F                  | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                        |
| W-SO4-IC             | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                            |
| W-TDS                | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                   |
| W-TSS                | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                   |
| Bottle Type: BP-1L   | Number of Bottles: 1 | Preserved With: ICE                                                                                                         |
| CHLSUITE-W           | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry                |
| Bottle Type:         | Number of Bottles: 1 | Preserved With: ICE                                                                                                         |
| NE-ALS-ECQ           | Template: DEFAULT    | (SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District |
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                               |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                  |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                          |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                         |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                            |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                              |

**Bottle Group C (Water) With 3 Samples:**

|                           |                      |                                                                                         |
|---------------------------|----------------------|-----------------------------------------------------------------------------------------|
| Bottle Type: QPCR-P-250ML | Number of Bottles: 6 | Preserved With: ICE                                                                     |
| PCR-FILTER                | Template: DEFAULT    | (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis           |
| Bottle Type: BG-500ML     | Number of Bottles: 3 | Preserved With: ICE                                                                     |
| W-E8321-DI                | Template: SUCRALOSE  | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS |
| W-E8321-MS                | Template:            | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS |

**Bottle Group D (Water) With 1 Samples:**

|              |                      |                                                                                                                             |
|--------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: | Number of Bottles: 1 | Preserved With: ICE                                                                                                         |
| NE-ALS-ECQ   | Template: DEFAULT    | (SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

SHIP DATE: 07FEB10  
ACT WGT: 20.00 LB  
CAD: 100182088/NE13980

ORIGIN ID: ZPHA (904) 807-3300  
JERRY PARRISH  
FL DEP NORTH EAST DISTRICT  
8000 BAYMEADOWS WAY WEST  
SUITE 100  
JACKSONVILLE FL 32256  
UNITED STATES US

TO AMZAD SHAIK

FL DEP  
FL DEP CHEMISTRY SECTION  
2600 BLAIR STONE RD  
TALLAHASSEE FL 32399


REF:

(850) 245-8085  
INV:  
PO:

DEPT:

5521007F50C45

FedEx  
Express



RETURNS MON-FRI

PRIORITY OVERNIGHT

WED - 07 MAR 10:30A  
PRIORITY OVERNIGHT

32399  
FL-US  
TLH

FedEx  
1907 8444 5922

36 TLHA



FTD 142888 86H4818 NRBA 546C1/07FS/RCBA