

Log-in Checklist

RQ- 2018-03-26-20

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 3/27/18 10:08

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
R50	2.1°C	13		✓			
R50	1.8°C	15		✓			
R50	1.0°C	10		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ☒ If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ☒ No _____ **Containers intact? Yes ☒ No _____

**Sufficient Sample Volume: Yes _____ No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		☒	W-PC-AA-SF		
W-E8321-DI, -MS, -21		☒	W-NP-AA-SF		
W-BNA (-625, -R)		☒	W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		☒	W-PCL-SQ-R		☒
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		☒
W-PAH (-R)			W-PSNP-TQ		☒

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No _____ NA _____ Init: Q.7.

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA ☒ Init: Q.7.

Coolers Unpacked/Checked by: Q.7. Date: 3/27/18 NCRs (Y/N)? _____

Event ID: UE-DIST-2018-03-27-01 NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

Gville_2018

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Nicole Frederick

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

WIN / Field ID:  20020109 LITTLE HATCHETT CR @ SR 24		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/26/18</u> Time <u>1020</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
		Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>8.36</u> ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L) <u>C, E, F</u>
Temp (C) <u>17.6</u> pH <u>7.07</u>		Sample Depth <u>0.15</u> ☐ ft ☒ m		Sp. Conductance (umho/cm) <u>291</u>		
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms		Salinity (ppt) <u>0.14</u>		Comments		
WIN / Field ID:  21030112 MONTEOCHA CR @ CR 340(NE 153th AVE)		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/26/18</u> Time <u>955</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>6.0</u> ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L) <u>A, C</u> <u>P, E</u>
Temp (C) <u>16.61</u> pH <u>4.02</u>		Sample Depth <u>0.15</u> ☐ ft ☒ m		Sp. Conductance (umho/cm) <u>90</u>		
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms		Salinity (ppt) <u>0.04</u>		Comments		
WIN / Field ID:  21030089 BLUES CREEK AT NW 71ST STREET, GAINESVILLE		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/26/18</u> Time <u>1045</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>8.98</u> ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L) <u>C, D, E</u>
Temp (C) <u>16.1</u> pH <u>6.46</u>		Sample Depth <u>0.15</u> ☐ ft ☒ m		Sp. Conductance (umho/cm) <u>128</u>		
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms		Salinity (ppt) <u>0.06</u>		Comments		
WIN / Field ID:  G1NE0862 Calf Pond Center		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/26/18</u> Time <u>1150</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>6.5</u> ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L) <u>A, E</u>
Temp (C) <u>18.8</u> pH <u>7.28</u>		Sample Depth <u>0.3</u> ☐ ft ☒ m		Sp. Conductance (umho/cm) <u>217</u>		
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms		Salinity (ppt) <u>0.10</u>		Comments		

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

B. L. Davis3/26/18, 1600FedEx3[Signature]3/27/18 10:08

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
ALKALINITY							
TURBIDITY							
W-CL-IC							
W-COLOR							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W							
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
W-TOC							
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
W-PO4-F							
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY							
TURBIDITY							
W-CL-IC							
W-COLOR							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W							
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
W-CARB-AA							
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Gville_2018

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Nicole Frederick

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

WIN / Field ID: 20020052		LAKE ALICE CENTER		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3/26/18 Time 1255		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Matrix (type, e.g., Salt, Fresh, etc) Fresh				Diss. Oxygen 8.0		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A, E			
Temp (C) 19.39		pH 7.28		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 218					
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.10		Comments							
WIN / Field ID: G3NE0010		Lake Alice Outlet @ Gale Lemerand Dr.		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3/26/18 Time 1230		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Matrix (type, e.g., Salt, Fresh, etc) Fresh				Diss. Oxygen 2.9		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B, D, E			
Temp (C) 17.95		pH 7.04		Sample Depth 0.25		☐ ft ☒ m		Sp. Conductance (umho/cm) 403					
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.19		Comments							
Location				☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #				Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments							
Location				☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #				Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments							

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: <i>[Signature]</i>	Date/Time: 3/27/18 10:08
------------------	-----------	-----------------	----------------------------	---------------------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	CH2ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab _____
	W-CARB-AA					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____



- | | |
|---|---|
| | Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597 |
| ✓ | Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639 |
| | Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354 |
| | Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281 |
| | Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275 |
| | Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327 |

[illegible]

Date of Request: 21-FEB-2018
 Created By: FREDERIC_N On: 21-FEB-2018
 Modified By: SWANSON_C On: 12-MAR-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: Gville_2018

Send Coolers To:

Phone: 904-807-3300
 8800 Baymeadows Way W
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Send Final Report To:

8800 Baymeadows Way W
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 12-MAR-2018
 Biology Request Reviewed By: SWANSON_C On: 12-MAR-2018
 Sampling Kit Required: YES Ship on: 16-MAR-2018
 Sampling Kit Shipped: YES On: 15-MAR-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 27-MAR-2018
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals
 Group B: Freshwater Kit With Metals W/Pest
 Group C: Tracers
 Group D: PCR-Filter
 Group E: E.Coli-Overflow
 Group F: PCR-Filter/PCR-HF183

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO₃

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2CICOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: ADD-PYRACL	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 3 Samples:

Bottle Type: BG-500ML	Number of Bottles: 3	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 3 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis

Bottle Group E (Water) With 6 Samples:

Bottle Group E (Water) With 6 Samples:

Bottle Type: NED-AEG-EC Number of Bottles: 6 Preserved With: ICE
Template: DEFAULT (EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced
Environmental Gainesville Overflow Laboratories for NED

Bottle Group F (Water) With 1 Samples:

Bottle Type: QPCR-P-250ML Number of Bottles: 2 Preserved With: ICE
PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-HF183 Template: DEFAULT (SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker
with quantitative polymerase chain reaction

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

ORIGIN ID: ZPHA (904) 807-3300
HERNDON SIMS
FL DEP NORTHEAST DISTRICT
8800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 28 FEB 18
ACTWGT: 20.00 LB
CAD: 1001820967/NE13980

TO **AMZAD SHAIK**
FL DEP.
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-8085


REF:

INV:

PO:

DEPT:

RMA:



FedEx
Express




FedEx
TRK#
0221 7907 8664 5379

TUE - 27 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US **TLH**



Do Not Lift Using This Tag

ORIGIN ID: ZPHA (904) 807-3300
JEREMY PARRISH
FL DEP NORTH EAST DISTRICT
800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 14 FEB 18
ACTWGT: 40.00 LB
CAD: 100182098/NET3980

CALL SENDER

AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

552J1172D0DCAS

(850) 245-8085

REF:

INV: PO: DEPT:

MA:



01/09/2018 11:18 J


FedEx
TRK# 7907 7901 3905
0221

TUE - 27 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US TLH

01/09/2018 11:18 J
EXP 12/18



Using This Tag

ORIGIN ID: ZPHA (904) 807-3300
HERNDON SIMS
FL DEP NORTH EAST DISTRICT
8800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 28 FEB 18
ACTWGT: 20.00 LB
CAD: 1001820987/NET3980

TO **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-8085
INV: REF:
PO:

DEPT:

RMA:

552J107F5DCAS



410620811111


FedEx
TRK# 7907 8664 5380
0221

TUE - 27 MAR, 10:30A
PRIORITY OVERNIGHT

155097435 8808 EXP 09/18

36 TLHA

32399
FL-US TLH



729887 03/26 552J11/07F5/DCAS