

RQ-2018-04-16-44

Log-in Checklist

Login Station ID: # 3

Shipping Method: FedEx UPS | HD | Greyhound | _____ Date/Time of Receipt: 04/20/2018 / 10:15

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		*Intact?		Tracking # (fill out only if waybill copy is damaged)
			Present?		Yes	No	
Blue	1-1C	15					
Red	2-6C	14					
Red	1-8C	16					
Red	3-4C	16					

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date 4-20-18

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes X No _____ **Containers intact? Yes X No _____

**Sufficient Sample Volume: Yes X No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA ✓ Init: ABS

Coolers Unpacked/Checked by: ABS Date: 04/20/2018 NCRs (Y/N)? _____

Event ID: bmap tribs 2
NE-DIST-2018-04-20-01 (SMP)
 Date Received: 20-APR-2018 10:15
 NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

bmap tribs 2

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: P. O'Connor

Project ID: SMP

Collected By: J. Parrish, P. O'Connor

Sampling Agency: DEAR NEA ROC

Location	WIN / Field ID:		☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Bottle Group(s)
Field ID		20030848		Date 04-19-18 Time 0810		Date Time	(See pg 2)
WIN/S	NW TRIBUTARY TO OPEN CR AT HODGES			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Total Res. Chlorine	A
				Surface Water Fresh	6.8	(mg/L)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C) 20.2	pH 7.1	Sp. Conductance (umho/cm) 443	
Location	WIN / Field ID:		☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Bottle Group(s)
Field ID		20030653		Date 04-19-18 Time 0900		Date Time	(See pg 2)
WIN/S	TERRAPIN CREEK AT FAYE ROAD			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Total Res. Chlorine	A
				Surface Water Fresh	7.3	(mg/L)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C) 18.4	pH 6.9	Sp. Conductance (umho/cm) 153	
Location	WIN / Field ID:		☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Bottle Group(s)
Field ID		20030753		Date 04-19-18 Time 0945		Date Time	(See pg 2)
WIN/S	TROUT RIVER AT OLD KINGS RD			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Total Res. Chlorine	A
				Surface Water Fresh	6.9	(mg/L)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C) 18.5	pH 7.0	Sp. Conductance (umho/cm) 135	
Location	WIN / Field ID:		☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Bottle Group(s)
Field ID		20030316		Date 04-19-18 Time 1055		Date Time	(See pg 2)
WIN/STO	MONCRIEF CR N OF 33RD ST BRID			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Total Res. Chlorine	B
				Surface Water Fresh	9.0	(mg/L)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C) 21.6	pH 7.7	Sp. Conductance (umho/cm) 101.9	

Relinquished By: P. O'Connor	Date/Time: 04-19-18 1330	Shipping Method: Fed Ex	Number of Coolers Shipped: 4 (total)	Received By: [Signature]	Date/Time: 4-20-18 1615
------------------------------	--------------------------	-------------------------	--------------------------------------	--------------------------	-------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	NE-ALS-ECQ					
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	PCR-FILTER					
Group: A	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	W-E8321-DI					
	W-E8321-MS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab
	W-PO4-F					
Group: A	Bottle Type:	BG-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	W-SUC-AA-R					
Group: B	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					

Florida Department of Environmental Protection

Central Laboratory Submittal Form

bmap tribes 2

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

P. O'Connor

DEAR NED Roc

Location	WIN ID:		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 04-19-18 Time 1025	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID	Moncrief	20030897	Matrix (type, e.g., Salt, Fresh, etc) Surface water Fresh		Diss. Oxygen 4.0	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/ST	at 21st	20030897DUP	Temp (C) 20.0	pH 7.2	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 491
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.24	Comments DO% 44.0		
Location	WIN / Field ID:		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 04-19-18 Time 1015	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		20030897	Matrix (type, e.g., Salt, Fresh, etc) Surface water Fresh		Diss. Oxygen 4.0	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/ST	MONCRIEF CR @ 21ST ST.		Temp (C) 20.0	pH 7.2	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 491
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.24	Comments DO% 44.0		
Location	WIN / Field ID:		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 04-19-18 Time 1140	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		20030537	Matrix (type, e.g., Salt, Fresh, etc) Surface water Fresh		Diss. Oxygen 5.09	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/ST	GOODBYS CR @ PLAZA GATE RD.		Temp (C) 19.3	pH 7.1	Sample Depth 0.2	☐ ft ☒ m	Sp. Conductance (umho/cm) 348
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.17	Comments DO% 64.0		
Location	WIN / Field ID:		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 04-19-18 Time 1210	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		20030891	Matrix (type, e.g., Salt, Fresh, etc) Surface water Fresh		Diss. Oxygen 6.04	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/ST	Goodbys CR Above West Branch at San Clerc.		Temp (C) 19.6	pH 7.3	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 372
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.18	Comments DO% 66.0		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
P. O'Connor	04-19-18 1330	Fed Ex	4 (total)	AP	4-20-18 1105

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3 to ALS JAX
	NE-ALS-ECQ						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	PCR-FILTER						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: A	Bottle Type:	BG-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	W-SUC-AA-R						
Group: B	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	ALKALINITY TURBIDITY W-CL-IC W-COLOR						

Group: B	Bottle Type: P-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
					INCLUDED ON Previous Sheet
Group: B	Bottle Type: BP-1L	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
Group: B	Bottle Type: P-250ML-WI-THI	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5 to ALS JAX
Group: B	Bottle Type: QPCR-P-500ML	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
Group: B	Bottle Type: BG-500ML	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
Group: B	Bottle Type: P-500ML	# of Bottles: 5	Preservative: HNO3	Enter Number of Bottles Sent to Lab	5
Group: B	Bottle Type: P-500ML	# of Bottles: 5	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	5
Group: B	Bottle Type: P-125ML	# of Bottles: 5	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	5

SR #

ALS Contact: Jerry Allen

Date of Request: 30-MAR-2018
 Created By: PARRISH_J On: 30-MAR-2018
 Modified By: WATTS_J On: 30-MAR-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: bmap tribs 2

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 30-MAR-2018
 Biology Request Reviewed By: WATTS_J On: 30-MAR-2018
 Sampling Kit Required: YES Ship on: 06-APR-2018
 Sampling Kit Shipped: YES On: 06-APR-2018
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: YES
 Date to Receive Samples: 16-APR-2018
 Received By: SHAIK_A On: 20-APR-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: 1 - case of sulfuric acid

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-500ML	Number of Bottles: 3	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 3	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 5 Samples:

Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 5	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-500ML	Number of Bottles: 5	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 5	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

FROM: AMZAD SHAIK
FL DEP Chemistry Section
2600 Blair Stone Rd
Tallahassee FL 32399
(850) 245-8085


SHIP DATE: 02APR18
ACTWGT: 40.00 LB
CAD: 100182098/NET13980

BILL SENDER
SHIP DATE: 02APR18
ACTWGT: 40.00 LB
CAD: 100182098/NET13980

ORIGIN ID: ZPHA
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
JACKSONVILLE, FL 32258
UNITED STATES US

TO AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

REF: (850) 245-8085
INV:
FO:
RMA:
DEPT:
5521/9132/DCAS




FRI - 20 APR 10:30A
PRIORITY OVERNIGHT

FedEx
REF 7908 0027 0870

36 TLHA

32399
FL-US
TLH



FTD 142888 19APR18 NRBA 546C1/9132/8C8A

Using This Tag

SHIP DATE: 02APR18
ACTWGT: 40.00 LB
CAD: 100182098/NET13980

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

TO AMZAD SHAIK
FL DEP

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

REF: (850) 245-8085
INV:
FO:
RMA:
DEPT:
5521/9132/DCAS




FRI - 20 APR 10:30A
PRIORITY OVERNIGHT

FedEx
REF 7908 0027 0869

36 TLHA

32399
FL-US
TLH



FTD 142888 19APR18 NRBA 546C1/9132/8C8A

FedEx

TRK# 7908 0027 0836
0221


36 TLHA

**FRI - 20 APR 10:30A
PRIORITY OVERNIGHT**

**32399
FL-US
TLH**



FID 142000 19APR18 NRBA 546C1/9132/8C8A



TO
AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399


RMA:
RM:
RM: (850) 245-8085

SHIP DATE: 02APR18
ACTWGT: 40.00 LB
CAD: 100182098/NET13980

BILL SENDER

FROM
AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
ORIGIN ID: ZPHA
FL DEP NORTH EAST DISTRICT
800 BAYMEADOWS WAY WEST
JACKSONVILLE FL 32256
UNITED STATES US

Part # 158297-435 RPNB CNA



**32399
FL-US
TLH**

**FRI - 20 APR 10:30A
PRIORITY OVERNIGHT**

TRK# 7908 0027 0858

6 TLHA



TO
AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

RMA:
RM:
RM: (850) 245-8085

SHIP DATE: 02APR18
ACTWGT: 40.00 LB
CAD: 100182098/NET13980

FROM
AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
ORIGIN ID: ZPHA
FL DEP NORTH EAST DISTRICT
800 BAYMEADOWS WAY WEST
JACKSONVILLE FL 32256
UNITED STATES US

Not Lift Using This Tag

Not Lift Using This Tag