

Date of Request: 02-APR-2018  
 Created By: PARRISH\_J On: 02-APR-2018  
 Modified By: SWANSON\_C On: 23-APR-2018  
 Customer: NE-DIST  
 Project: SMP  
 Division:  
 District: Northeast District  
 Sampling Event: UEC

**Send Coolers To:**

Phone: 904-256-1700  
 8800 Baymeadows Way West  
 suite 100  
 Jacksonville, FL 32256-7577  
 Attn: Jeremy Parrish

**Send Final Report To:**

8800 Baymeadows Way West  
 suite 100  
 Jacksonville, FL 32256-7577  
 Attn: Jeremy Parrish

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 20-APR-2018  
 Biology Request Reviewed By: SWANSON\_C On: 23-APR-2018  
 Sampling Kit Required: YES Ship on: 27-APR-2018  
 Sampling Kit Shipped: YES On: 26-APR-2018  
 Sampling Kit Packed By: GREENWOO\_J  
 Preservatives Needed: NO  
 Date to Receive Samples: 07-MAY-2018  
 Received By: REAVES\_S On: 15-MAY-2018

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments:

**Bottle Group A (Water) With 5 Samples:**

|                               |                      |                                                                                          |
|-------------------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-1L             | Number of Bottles: 5 | Preserved With: ICE                                                                      |
| ALKALINITY Template: DEFAULT  | (SM 2320 B-97)       | Alkalinity in aqueous matrices as mg CaCO3/L                                             |
| Total Alkalinity              |                      |                                                                                          |
| TURBIDITY Template: DEFAULT   | (EPA 180.1 Rev. 2.0) | Turbidity in aqueous matrices                                                            |
| Turbidity                     |                      |                                                                                          |
| W-CL-IC Template: DEFAULT     | (EPA 300.0 Rev. 2.1) | Chloride in aqueous matrices                                                             |
| Chloride                      |                      |                                                                                          |
| W-COLOR Template: DEFAULT     | (SM 2120 B)          | True Color measured at 450 nm                                                            |
| Color (true)                  |                      |                                                                                          |
| W-F Template: DEFAULT         | (SM 4500 F-C-97)     | Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)      |
| Fluoride                      |                      |                                                                                          |
| W-SO4-IC Template: DEFAULT    | (EPA 300.0 Rev. 2.1) | Sulfate in aqueous matrices                                                              |
| Sulfate                       |                      |                                                                                          |
| W-TDS Template: DEFAULT       | (SM 2540 C-97)       | Total Dissolved Solids in aqueous matrices                                               |
| TDS                           |                      |                                                                                          |
| W-TSS Template: DEFAULT       | (SM 2540 D-97)       | Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample           |
| TSS                           |                      |                                                                                          |
| Bottle Type: BP-1L            | Number of Bottles: 5 | Preserved With: ICE                                                                      |
| CHLSUITE-W Template: DEFAULT  | (SM 10200 H (mod.))  | Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected      |                      |                                                                                          |
| Chlorophyll-a, Uncorrected    |                      |                                                                                          |
| Phaeophytin-a                 |                      |                                                                                          |
| Bottle Type: P-250ML-WI-THI   | Number of Bottles: 5 | Preserved With: ICE                                                                      |
| NE-ALS-ECQ Template: DEFAULT  | (SM 9223 B)          | Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Laboratory          |
| *Escherichia Coli-Quanti-Tray |                      |                                                                                          |
| Bottle Type: P-500ML          | Number of Bottles: 5 | Preserved With: ICE And H2SO4                                                            |
| W-NH3 Template: DEFAULT       | (EPA 350.1 Rev. 2.0) | Ammonia in aqueous matrices as mg N/L                                                    |

**Bottle Group A (Water) With 5 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 5 | Preserved With: ICE And H2SO4                                                            |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                               |
| Ammonia-N            |                      |                                                                                          |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                       |
| NO2NO3-N             |                      |                                                                                          |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                      |
| Total-P              |                      |                                                                                          |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                         |
| Kjeldahl Nitrogen    |                      |                                                                                          |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                           |
| Organic Carbon       |                      |                                                                                          |
| Bottle Type: P-125ML | Number of Bottles: 5 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                      |                                                                                          |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.