

RQ- 2018-07-23-26

Log-in Checklist

Login Station ID: # 3Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 08/24/2018 / 10:25

Cooler Temperature*	* All Samples In Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
<u>2-7C</u>			<u>12</u>		<u>X</u>			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No Date 8-24-18

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No X If yes, is it intact? Yes No

****Caps on tight?** Yes X No ****Containers intact?** Yes No

****Sufficient Sample Volume:** Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ✓ No Init: ABS

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u> </u>	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ✓ No NA Init: ABS

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA Init: ABS

Coolers Unpacked/Checked by: ABS Date: 08/24/2018 NCRs (Y/N)?

Event ID: 2018 Continuous Monitoring
WQAP-2018-08-24-06 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	2305 15 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	7226 EXP:20/20/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

2018 Continuous Monitoring

last revised Jan 25, 2018

Customer: WQAP

Requester: Brian Davis

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	WIN/ Field ID:	20030593	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/23/18 Time 940	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
GOODBYS CREEK AT BAYMEADOWS RD				Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 3.8	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
				Temp (C) 26.9	pH 7.3	Sample Depth 0.3	☐ ft ☒ m
				Salinity (ppt) 0.09	Sp. Conductance (umho/cm) 202		B.C.E
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Comments			
WIN / Field ID:		20030725	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/23/18 Time 1055	Eastern Central	Composite end Date Time	Bottle Group(s)
MCCOYS CR AT LELAND ST				Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 3.47	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
				Temp (C) 27.2	pH 7.39	Sample Depth 0.1	☐ ft ☒ m
				Salinity (ppt) 0.19	Sp. Conductance (umho/cm) 406		A,C,D
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Comments			
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #				Temp (C)	pH	Sample Depth	☐ ft ☒ m
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Comments			
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #				Temp (C)	pH	Sample Depth	☐ ft ☐ m
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Comments			

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

D-D

8/23/18 1630

FedEx

1

ABD

8-24-18 11:25

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1

Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
Group: C	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
Group: C	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
Group: D	Bottle Type: NE-ALS-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>1 to ALS</u>
Group: E	Bottle Type: NE-ALS-ENQ	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>1 to ALS</u>

**CAS Contract**

Distribution: White - Return to Originator, Yellow - Retained by Client

Date of Request: 25-JUN-2018
 Created By: DAVIS_B On: 25-JUN-2018
 Modified By: SWANSON_C On: 03-JUL-2018
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: North East Roc
 Sampling Event: 2018 Continuous Monitoring

Send Coolers To:

Phone: 904-256-1541
 8800 Baymeadows Way W
 Suite 100
 Jacksonville, FL 32256
 Attn: Brian G Davis

Send Final Report To:

2600 Blair Stone Rd
 MS #3525
 Tallahassee, FL 32399-2400
 Attn: Curtis Musson

Program Module Number:

Priority: 3

Event Status: R

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 02-JUL-2018

Biology Request Reviewed By: SWANSON_C On: 03-JUL-2018

Sampling Kit Required: NO Ship on:

Sampling Kit Shipped:

Sampling Kit Packed By:

Preservatives Needed: NO

Date to Receive Samples: 23-JUL-2018

Received By: SHAIK_A On: 24-AUG-2018

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Group A: Kit A Fresh
 Group B: Kit B Marine
 Group C: Markers & Tracers
 Group D: E. coli
 Group E: Entero

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 3 Samples:

Bottle Type: BG-500ML	Number of Bottles: 3	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: QPCR-P-500ML	Number of Bottles: 3	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis

Bottle Group D (Water) With 2 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Laboratory in Jacksonville

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-120ML-WC-THI	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ENQ	Template: DEFAULT	(ASTM D650399) Enterococci by Enterolert Quanti-Tray Method by ALS Environmental Laboratory in Jacksonville

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: TLHA (904) 807-3300

JEREMY PARRISH
FL DEP NORTHEAST DISTRICT
8800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 09 JUL 18
ACTWST: 35.00 LB MAN
CAD: 0446570/CAFE3210

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RMA: 01111111



FedEx
Express



J161118042001 BY

FedEx

TRK#
0221

4385.5031 2196

FRI - 24 AUG 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399

FL-US
TLH



FID 598538 23AUG18 NRBA 546C1/3309/0C8A

RT 856

FZ

1
10:30

B

2196
08.24