

Biological Analysis Report

NE-DIST-2018-11-16-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Advanced Environmental Laboratories - Gainesville
6815 SW Archer Road
Gainesville, Florida 32608
DOH Accreditation E82001

Event Description: **Alachua County Sampling**
Request ID: **RQ-2018-11-05-18**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way W
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Jacqueline Savage, Environmental Administrator

Date Certified: 28-DEC-2018 16:19

A handwritten signature in black ink that reads "Jackie Savage". The signature is written in a cursive, flowing style.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Possum Creek - S of NW 16th Ave

Collection Date/Time: 11/15/2018 11:00

Field ID: G1NE0900

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2042235	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.4	I	ug/L	P355628	
		Phaeophytin-a	1.1	I	ug/L	P355628	
		Chlorophyll-a, Uncorrected	2.1		ug/L	P355628	
2042237	EPA 1603	Escherichia coli-Membrane Filter	410		cfu/100 mL		
2042239	SOP-PCR-1.0	HF183-qPCR**	300	I	GEU/100 mL	P355929	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

**Sample Location: Hogtown Creek - Ring Park, N of NW 16th Ave
(between NW 18th)**

Collection Date/Time: 11/15/2018 11:40

Field ID: G1NE0912

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2042236	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.84	I	ug/L	P355628	
		Phaeophytin-a	0.60	U	ug/L	P355628	
		Chlorophyll-a, Uncorrected	1.2		ug/L	P355628	
2042238	EPA 1603	Escherichia coli-Membrane Filter	310		cfu/100 mL		
2042240	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P355628

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.60	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P355929

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P355628

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	93.2		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P355929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	124	122	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P355929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2042239	HF183-qPCR	97.2		P	50 - 175
2043901	HF183-qPCR	91.1		P	50 - 175
2043903	HF183-qPCR	87.3		P	50 - 175
2045166	HF183-qPCR	95.3		P	50 - 175
2045167	HF183-qPCR	86.1		P	50 - 175
2045168	HF183-qPCR	85.9		P	50 - 175
2045170	HF183-qPCR	89.8		P	50 - 175
2046824	HF183-qPCR	86.1		P	50 - 175
2047689	HF183-qPCR	97.9		P	50 - 175
2047690	HF183-qPCR	87.6	91.3	P/P	50 - 175
2048939	HF183-qPCR	69.5		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P355628

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2042312	Chlorophyll-a, Corrected	0.161	Sample	P	0 - 25
2042312	Chlorophyll-a, Uncorrected	0.860	Sample	P	0 - 25
2042312	Phaeophytin-a	6.82	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P355929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2047690	HF183-qPCR	4.17	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2042239
Field Sample ID: G1NE0900

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	104	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	93.2			0.161	
	Chlorophyll-a, Uncorrected				0.860	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision SMP	MS
SM 10200 H (mod.)	Phaeophytin-a						6.82	
SOP-PCR-1.0	HF183-qPCR	122	124	87.6	91.3	97.9		4.17
				69.5				

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 1603 / E82001	Escherichia coli by membrane filter method by Advanced Environmental Laboratory in Gainesville	2042237, 2042238
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2042235, 2042236
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2042239
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	2042239, 2042240

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1603	11/15/2018	11/15/2018 18:00		11/16/2018 15:45	AEL - Gainesville	2042237, 2042238
SM 10200 H (mod.)	11/16/2018	11/16/2018 14:15	Edwin Gonzalez-Soto	12/03/2018 17:05	Peterson Janvier	2042235, 2042236
SOP-PCR-1.0	11/16/2018	11/16/2018 14:30	Angela Smith	12/18/2018 14:17	Mailin Lopez	2042239
SOP-PCR-4.0	11/16/2018	11/16/2018 14:30	Angela Smith	12/17/2018 10:23	Sarah Menz	2042239, 2042240