

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 12/20/2018 / 10:35

Cooler Temperature*	* All Samples In Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
<u>2.6C</u>			<u>4</u>		<u>X</u>			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes X No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X Date

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No X If yes, is it intact? Yes No

****Caps on tight?** Yes X No ****Containers intact?** Yes No

****Sufficient Sample Volume:** Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: ABS

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes X No NA Init: ABS

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 12/20/2018 NCRs (Y/N)?

Event ID: unnamed 2156 NCR #
NE-DIST-2018-12-20-02 (SMP)

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP:06/01/2020
Chlorine Test Strips Lot #	7226 EXP:2020/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

unnamed 2156

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: Cheyenne Ruben

Project ID: SMP

Collected By: Cheyenne Ruben / J Parrish

Sampling Agency: FDEP DEAR NE-ROC

Location	WIN / Field ID			☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle		
Field ID	G4NE0288			Date	12-19-18	Time	11:25	Central	Date	Time	
WIN/STORET #	Unnamed Branch above Alligator Creek			Matrix (type, e.g., Salt, Fresh, etc)	Fresh		Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine	A	
Latitude	dd	Longitude	dd	Temp (C)	11.7	pH	7.1	Sample Depth	0.3		Sp. Conductance (umho/cm)
Salinity (ppt)	0.18	Comments									

Location	WIN / Field ID			☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle		
Field ID				Date		Time		Central	Date	Time	
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine		
Latitude	dd	Longitude	dd	Temp (C)		pH		Sample Depth	ft		Sp. Conductance (umho/cm)
Salinity (ppt)		Comments									

Location	WIN / Field ID			☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle		
Field ID				Date		Time		Central	Date	Time	
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine		
Latitude	dd	Longitude	dd	Temp (C)		pH		Sample Depth	ft		Sp. Conductance (umho/cm)
Salinity (ppt)		Comments									

Location	WIN / Field ID			☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle		
Field ID				Date		Time		Central	Date	Time	
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine		
Latitude	dd	Longitude	dd	Temp (C)		pH		Sample Depth	ft		Sp. Conductance (umho/cm)
Salinity (ppt)		Comments									

Relinquished By: Cheyenne Ruben	Date/Time: 12-19-18 1600	Shipping Method: Fedex	Number of Coolers Shipped: 1	Received By: 	Date/Time: 12-20-18 11035
---------------------------------	--------------------------	------------------------	------------------------------	--	---------------------------

From sample.  12-20-18

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 to ALS
	NE-ALS-ECQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						

[illegible]

Date of Request: 21-NOV-2018
 Created By: PARRISH_J On: 21-NOV-2018
 Modified By: SWANSON_C On: 27-NOV-2018
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Sampling Event: unnamed 2156

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 26-NOV-2018
 Biology Request Reviewed By: SWANSON_C On: 27-NOV-2018
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 17-DEC-2018
 Received By: SHAIK_A On: 20-DEC-2018


Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Coli-ert Quanti-Tray method by ALS Environmental Laboratory in Jacksonville
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H₂SO₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

FID 3690753 190C16 NRBA 563C1/F17E/0C8A




36 TLHA

32399
FL-US
TLH

RETURNS MON-FRI
PRIORITY OVERNIGHT
THU - 20 DEC 10:30A
PRIORITY OVERNIGHT

4385 5035 7066
FedEx
0221



TALLAHASSEE FL 32399

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

SHIP DATE: 19NOV18
ACTWGT: 35.00 LB MAN
CAD: 0446870/CAFE3211

ORIGIN ID: TLH (804) 807-3300

JEREMY PARRISH
FL DEP NORTHWEST DISTRICT
8800 BAYVIEW DR WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

0358-TRINITY VECNIN

53LCA/CMB/104C